


Strive for excellence in products Service based on integrity first Care for human health

WUYANG MEDICAL

ISO:13485

WUYANG MEDICAL

Orthopaedic Surgery Instrument

五洋



2026

WeChat QR code

Scan to get our E-catalogue

July 2026

HEFEI WUYANG MEDICAL INSTRUMENT CO., LTD

Address: No.2, Zisan Road, Zipeng Town Industrial Area, Feixi County, Hefei city, 231200, Anhui Province, China

phone : 0551-63520838

Web : http://www.hfwuyang.com

E-mail: hefeiwuyang@126.com

* The sample pictures are for reference only. Our company reserves the right to make changes to the product design. For specific details, please refer to the actual product.

HEFEI WUYANG MEDICAL INSTRUMENT CO., LTD



Company Profile

Hefei Wuyang Medical Instrument Co., Ltd. is the high-tech enterprise in Anhui Province, founded in 2012, mainly produce, develop and sell the complete set of orthopedic surgical instruments. We have passed ISO13485 issued by TUV and European CE certificate. We have more than 30 patents. With strong strength.We have invested 130 million yuan to build a new plant of 40 thousand square meters to enter the local key projects of attracting investment.

Exquisite workmanship and high quality originated from advanced equipment and imported high quality raw material. We have high speed five-axis machining centers, carving and milling centers from Haas(USA) and Star(Japan), and Guanghui heat treatment production line from Swiss. We also use imported medical stainless steel, titanium alloy and other materials from USA, Germany and Japan, to assure the good performance, strong corrosion resistance and high texture of all our products.

WUYANG always keep “Quality, Honesty and Service” as core value. Based in Hefei to serve the world. WUYANG brand has sold all products to many countries in the world. Warmly welcome all medical units, companies and experts to visit us, communicate and establish long-term relationship!

WUYANG MEDICAL
Company Profile

Advanced equipment





WUYANG MEDICAL
Company Profile



Advanced equipment





Wuyang Honors













WUYANG MEDICAL
Product Menu

ISO:13485

Power Tools

03 E Series Bone Drill/Sagittal Saw
08 D Series Multifunctional Drill System
09 C Series Bone Drill/Sagittal Saw
11 B Series Bone Drill
12 A Series Bone Drill/Sagittal Saw
17 Plaster Saw

Sports Medicine

18 Forceps
43 ACL/PCL Reconstruction Instrument
64 Cartilage Removal Instrument
68 Meniscus Repairing/Suture Instrumen
84 t Shoulder Joints Instrument
100 Hip Joint Instrument
104 Small Joint Instrument

Spinal Endoscopic Surgery Instrument

120 Endoscope holder
121 Spinal Endoscopic Surgery Instrument

UBE instrument

162 UBE Instrument
171 UBE Instrument Set

Spinal Minimally Invasive Instrument

174 Universal Combination Arm
176 Spinal Minimally Invasive Instrument
186 MIS retractor instrument
189 Blade
197 Spinal Minimally Invasive Instrument Set

Spinal Microscope Instrument

204 Spinal Microscope Instrument
210 Spinal Microscope Instrument Set

OLIF MIS Instrument

211 OLIF MIS Instrument

Kerrison Rongeurs

216 Kerrison Rongeurs

Nucleus Pulposus Clamps

230 Nucleus Pulposus Clamps

Spinal Instrument

241 Spinal Basic Instruments
286 Trephine Anterior Cervical Instrument
288 Spinal Osteotomy Instrument

Bone Rongeur

294 Bone Rongeur

Osteotome Series

301 Osteotome Series

Bone Curette Series

313 Bone Curette Series

Product Menu

Trauma pliers Series

325 Reduction Forceps
329 Bone Holding Forceps
334 Reduction Forceps
336 Cusp Reduction Forceps
341 Large Fragment Fracture Reduction Instrument
343 Collinear Reduction Forceps

Cutting Tools

345 Cutting Tools

Distraction Forceps

353 Distraction Forceps Series

Cable Bundling Tools

359 Wire Threading Device
361 Cable Bundling Tools

Retractor Series

364 Retractor Series

Joint Instrument Series

370 Joint Retractor Instrument
396 Joint Instrument Set
405 Joint Basic Instruments
413 Hip Joint Revision Instrument
425 HTO Osteotomy Instrument

Pelvic Instrument

427 Pelvic Instrument

Internal Fixation Removal Series

433 Internal Fixation Removal
443 Multifunctional screwdriver
444 Screw Removal Set

Basic Instrument

448 Basic Instrument

Foot And Hand Surgery Instrument

475 Hallux Valgus Osteotomy Instrument
479 Multi-functional ankle K-wire distractor
492 Ankle Instrument Set

OEM Instrument Set

498 Spine Screw-rod Instrument Set
503 Anterior Cervical Plate Instrument Set
507 Lumbar Interbody Fusion Cage Instrument Set
509 Flexible Intramedullary Nail Instrument Set
511 Small/Large Fragment Instrument Set
519 Cannulated Screw Instrument

Screw Box

522 Screw Box

ISO:13485

E Series Multifunctional Drill System

E-W Reciprocating saw attachment optional



Order Code: 230011-6 Apply to Joint surgery

E-J Sagittal saw attachment



Order Code: 230011-3 Apply to osteotomy surgery

E-1200/500/300 Cannulated Drill Attachment

Order Code: 230011-1/230011-2/230011-4



Apply to trauma joint,cannulated screw,
intramedullary nailing surgery

Connector matches with E-1200/500/300 drill attachment



Order Code: 230002-1 Holding range: 0.4-8mm

E-K K-wire attachment Holding range: 1.0-2.5mm
Apply to finger,ankle surgery



Order Code: 230011-5

Order Code: 230011S




Can be sterilized up to 135℃

Technical data

Apply to surgery	Trauma/Joint/Intramedullary Nail
Speed	0-1200/500/300
Accessories	2 batteries/1 charger/5 saw blades/ 2disinfection channel/1 key , K-wire attachment, Saw attachment, Reciprocating saw attachment, E-1200/500/300 cannulated drill attachment Connector to match drill attachment
Osc/min	0-20000/minutes
Reciprocating saw/min	0-18000/minutes

Sterilization box(optional)



WUYANG MEDICAL
Power Tools

ISO:13485

E Series Bone Drill

Removable

Drill attachment : 230002-1

Clamping range : 0.4-8mm




Can be sterilized up to 135℃

Size	Apply to surgery	Order Code
E-300	Joint surgery	230019S

Technical data

Apply to surgery	Joint surgery
Speed	0-300
Accessories	2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel

Sterilization box(optional)



ISO:13485

E Series Cannulated Bone Drill



Size	Apply to surgery	Order Code
E-500	Intramedullary nail	230013S
E-1200	Trauma、Cannulated screw	230012S

Can be sterilized up to 135℃

Technical data

Apply to surgery	Trauma/cannulated screw/ intramedullary nail
Speed	500/1200
Accessories	2 batteries/1 charger/1 drill chuck/ 1 key/2 disinfection channel

Sterilization box(optional)



WUYANG MEDICAL
Power Tools

ISO:13485

Sagittal Saw E-J

Order Code: 230015S



Available Size:



Can be sterilized up to 135℃

Technical data

Apply to surgery	Joint surgery
OSC/min	0-20000/minutes
Accessories	2 batteries/1charger/5 saw blades/ 2 disinfection channel

Sterilization box(optional)



Reciprocating Saw E-W

Order Code: 230016S



Can be sterilized up to 135℃

Technical data

Apply to surgery	Joint surgery
OSC/min	0-11000/minutes
Accessories	2 batteries/1charger/2 saw blades/ 2 disinfection channel

Available Size:

standard



230004-40
70mm
(Large)

230004-39
30mm
(Small)

assorting



230004-45
70mm
(Double head)

230004-43
15mm
(Toothbrush type)



WUYANG MEDICAL
Power Tools

D Series Multifunctional Drill System

D-K K-wire attachment

Order Code: 230007-2

Holding range：1.0-2.5mm
Apply to ankle，finger operation

D-1200cannulated drill attachment

Order Code: 230007-1



Clamping range：0.4-8mm
Apply to various kinds of trauma surgery

D-AO AO attachment

Order Code: 230007-4



Apply to instrument with AO interface，easy and quick surgery

D-J Sagittal saw attachment

Order Code: 230007-3

Apply to ankle/finger/high tibial osteotomy surgery



Order Code: 230007S




Can be sterilized up to 135℃

Technical data

Apply to surgery	Finger/Ankle/Trauma/HTO surgery
Speed	0-1200/500
Osc/min	0-20000/minutes
Accessories	4 attachments 2 batteries 1 charger 5 saw blades 2 disinfection channels 1 key

Sterilization box(optional)



Available Size:



230004-14
45*15mm

230004-6
37*12mm

230004-17
37*9.5mm

230004-7
37*8mm

230004-8
37*7.5mm

ISO:13485

C Series Mini Cannulated Drill

Clamping range: 0.4-8mm



Size	Apply to surgery	Order Code
C-1200	Trauma/Finger/Ankle	230005S

Can be sterilized up to 135℃

Technical data

Apply to surgery	Trauma/Finger/Ankle
Speed	0-1200
Accessories	2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel



WUYANG MEDICAL
Power Tools

ISO:13485

Mini Sagittal Saw C-J

Order Code: 230006S



Can be sterilized up to 135℃

Technical data

Apply to surgery	Finger/Ankle/HTO surgery
OSC/min	0-20000/minutes
Accessories	2 batteries/1charger/5 saw blades/ 2 disinfection channel



Available Size:



230004-14 45*15mm | 230004-6 37*12mm | 230004-17 37*9.5mm | 230004-7 37*8mm | 230004-8 37*7.5mm

ISO:13485

B Series Cannulated Bone Drill



Size	Apply to surgery	Order Code
B-500	Intramedullary nail	230008S
B-1200	Trauma、Cannulated screw	230002S

Can be sterilized up to 135℃

Sterilization box(optional)



Technical data

Apply to surgery	Trauma/cannulated screw/ intramedullary nail
Speed	0-500/1200
Accessories	2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel

WUYANG MEDICAL
Power Tools

ISO:13485

A Series Bone Drill



Size	Apply to surgery	Order Code
A-200	Joint surgery	230003S

Can be sterilized up to 135℃

Technical data

Apply to surgery	Joint surgery
Speed	0-200
Accessories	2 batteries/1 charger/1 drill chuck/ 1 key/2 disinfection channel

Sterilization box(optional)



A Series Bone Drill

Clamping range: 0.4-8mm



Size	Apply to surgery	Order Code
A-1200	Trauma surgery	230001S

Can be sterilized up to 135℃

Sterilization box(optional)




Technical data

Apply to surgery	Trauma surgery
Speed	0-1200
Accessories	2 batteries/1 charger/1 key/ 2 disinfection channel

WUYANG MEDICAL
Power Tools

Sagittal Saw A-J

Order Code: 230004S



Sterilization box(optional)

Can be sterilized up to 135℃

Technical data

Apply to surgery	Joint surgery
OSC/min	0-20000/minutes
Accessories	2 batteries/1charger/5 saw blades/ 2 disinfection channel

Available Size:



230004-2 1.0*120*90*14 | 230004-10 1.2*120*90*14 | 230004-1 1.2*120*90*22 | 230004-11 1.0*120*90*22

ISO:13485

Drill Accessory

Charger attachment



Lithium battery charger

Order Code: 230001-2-1

Apply to:

C-Series cannulated drill

C-J Mini sagittal saw

D-Series multifunction drill system



NI-MH Battery charger

Order Code: 230001-2

Apply to:

A-Series bone drill

B-Series cannulated bone drill

A-J sagittal saw



NI-MH Battery charger

Order Code: 230012-2

Apply to:

E-J sagittal saw

E-Series bone drill

E Series multifunctional drill system

Battery



Lithium battery

Order Code: 230005-1

Apply to:

C-Series cannulated drill

C-J Mini sagittal saw

D-Series multifunction drill system



NI-MH battery

Order Code: 230001-1

Apply to:

A-Series bone drill

B-Series cannulated bone drill

A-J sagittal saw



NI-MH battery

Order Code: 230012-1

Apply to:

E-J sagittal saw

E-Series bone drill

E Series multifunctional drill system

Disinfection channel



Lithium battery disinfection channel

Order Code:230005-2



Apply to:

C-Series cannulated drill

C-J Mini sagittal saw

D-Series multifunction drill system



NI-MH Battery disinfection channel

Order Code:230001-4



Apply to:

A-Series bone drill

B-Series cannulated bone drill

A-J sagittal saw



E Series drill and saw disinfection channel

Order Code:230012-3

Apply to: E-J sagittal saw

E-Series cannulated bone drill

E Series multifunctional drill system

Key for drill chuck



Order Code:230001-3

Apply to:

A-Bone Drill

B-Cannulated Bone Drill

C-Series cannulated drill

D Series multifunctional drill system

E Series drill system

Sterilization box



Order Code: 230000
Apply to: A-Series drill

Order Code: 230000-5
Apply to: B-Series drill

Order Code: 230000-6
Apply to: C-Series drill

Order Code: 230000-7
Apply to: D-Series drill

Aluminium box



Order Code: 230000-1
Apply to: A/B-Series drill

Order Code: 230000-3
Apply to: D-Series drill


Order Code: 230000-2
Apply to: C-Series drill

Order Code: 230000-4
Apply to: E-Series drill

WUYANG MEDICAL
Power Tools

ISO:13485

Saw blade



Apply to: Sagittal Saw A-J/E-J/F-J
E-Series multifunctional drill system

Available sizes:

Order Code: 230004-2
1.0*120*90*14mm

Order Code: 230004-11
1.0*120*90*22mm


Order Code: 230004-10
1.2*120*90*14mm

Order Code: 230004-1
1.2*120*90*22mm

Order Code: 230004-41
1.2*70*22mm

Order Code: 230004-42
1.2*110*22mm

Saw blade



Apply to: Mini sagittal saw C-J
D-Series multifunctional drill system

Available sizes:

Order Code: 230004-9
30*9.5mm

Order Code: 230004-8
37*7.5mm


Order Code: 230004-7
37*8mm

Order Code: 230004-5
37*15mm

Order Code: 230004-6
37*12mm

Order Code: 230004-14
45*15mm

Saw blade (Can accept different interface different model mass customization)




Available sizes:

Order Code: 230004-24
B 1.27*90*22mm

Order Code: 230004-25
B 1.2*90*22mm

Order Code: 230004-27
B 1.2*90*14mm

Order Code: 230004-26
B 1.0*90*14mm



Available sizes:

Order Code: 230004-35
L 1.27*90*22mm

Order Code: 230004-36
L 1.2*90*22mm

Order Code: 230004-37
L 1.2*90*13mm

Order Code: 230004-38
L 1.0*90*13mm




Available sizes:

Order Code: 230004-32
AO 1.2*90*22mm

Order Code: 230004-33
AO 1.2*90*13mm

Order Code: 230004-34
AO 1.0*90*13mm



Available sizes:

Order Code: 230004-28
S 1.27*90*22mm

Order Code: 230004-29
S 1.2*90*22mm

Order Code: 230004-30
S 1.2*90*13mm

Order Code: 230004-31
S 1.0*90*13mm

ISO:13485

Plaster Saw



Order Code: 201003-2S

Plaster Saw Blades

Size



Order Code: 201003-5
(small)



Order Code: 201003-4
(medium)



Order Code: 201003-3
(big)

Technical data

Apply to range	Plaster
OSC/min	0-15000/minutes
Accessories	1 battery/1charger/ 3 saw blades/1 wrench

ISO:13485

Shoulder joint suture passer

- Convenient in operation, efficient suturing, operation time saving
- Light material, comfortable using feel, handle engineering design
- Threader use smoothly in operation, high toughness, long life



Needles



Order Code	Working Length	Head Width	Description
605029	175mm	4.5mm	suture passer No.013
605020-2	240mm		Needle version II

ISO:13485

Shoulder joint suture passer



Needles



Order Code	Working Length	Head Width	Description
A605033	171mm	4.5mm	Suture passer No.018
605020-2	240mm		Needle version II

WUYANG MEDICAL
Sports Medicine

ISO:13485

Meniscus suture passer



Needles





Order Code	Working Length	Head Width	Description
605032	137mm	4.8mm	Suture passer No.015
605032-1	235mm		Needle version III

ISO:13485

Forceps

A variety of forceps meet the requirements of multi-angle suture of shoulder joint and grasping of suture wire and soft tissue.


A series handle





S series handle

Rack handle



WUYANG MEDICAL
Sports Medicine

ISO:13485

Shoulder & Knee Forceps

Suture Cutter



A series handle

Order Code	Working Length	Head Width
A605008	140mm	4.1mm



S series handle

Order Code	Working Length	Head Width
S605008	140mm	4.1mm


Ligament Scissors



A series handle

Order Code	Working Length	Point length
605018	160mm	7mm

Push&knot cutter




Order Code	Working Length
605008-1	140mm

ISO:13485

Shoulder & Knee Forceps

Suture Grasper



A series handle

Order Code	Working Length	Head Width	Description
ZXQ1011401	140mm	2.1mm	001



S series handle

Order Code	Working Length	Head Width	Description
S605012	140mm	2.1mm	001



S series handle

Order Code	Working Length	Head Width	Description
ZXQ1021402	140mm	1.8mm	002



Rack handle

Order Code	Working Length	Head Width	Description
A605024	130mm	1.8mm	009

WUYANG MEDICAL
Sports Medicine

ISO:13485

Shoulder & Knee Forceps

Suture Grasper




A series handle

Order Code	Working Length	Head Width	Description
ZXQ1011403	140mm	2.5mm	003



S series handle

Order Code	Working Length	Head Width	Description
ZXQ1021403	140mm	2.5mm	003



A series handle

Order Code	Working Length	Head Width	Description
ZXQ1011404	140mm	2mm	004



S series handle

Order Code	Working Length	Head Width	Description
ZXQ1021404	140mm	2mm	004

ISO:13485

Shoulder & Knee Forceps


Suture Grasper



straight head

S series handle

Order Code	Working Length	Description
S605019-3	160mm	012



upturned 45°

A series handle

Order Code	Working Length	Description
A605019-4	160mm	005



S series handle

Order Code	Working Length	Description
S605019	160mm	005

WUYANG MEDICAL
Sports Medicine

ISO:13485

Shoulder & Knee Forceps

Suture Grasper



left curved


A series handle

Order Code	Working Length	Description
A605019-5	160mm	007



S series handle

Order Code	Working Length	Description
S605019-1	160mm	007



right curved

A series handle

Order Code	Working Length	Description
A605019-6	160mm	008



S series handle

Order Code	Working Length	Description
S605019-2	160mm	008

ISO:13485

Shoulder & Knee Forceps

Suture Grasper



Up curved



Order Code	Working Length	Description
ZXQ1011605	160mm	005

Left curved



Order Code	Working Length	Description
ZXQ1011607	160mm	007

Right curved



Order Code	Working Length	Description
ZXQ1011608	160mm	008

WUYANG MEDICAL
Sports Medicine

ISO:13485

Shoulder & Knee Forceps

Soft Tissue Grasping Forceps





Order Code	Working Length	Head Width	Description
S605016	160mm	2.2mm	001





Rack handle

Order Code	Working Length	Head Width	Description
RZZ1011403	140mm	4.2mm	003






S series handle

Order Code	Working Length	Head Width	Description
RZZ1021402	140mm	4.5mm	002





S series handle

Order Code	Working Length	Head Width	Description
RZZ1021404	140mm	3.1mm	004

ISO:13485

Meniscus punches

- Super thin cutting edge, increase operating space.
- Classic two-ring handle, comfortable feel, easy to operate.
- Pinless design, avoid the risk of broken pin.
- Multi-view of all areas' bite and revision for meniscus.



Oval punch/straight



Order Code	Working Length	Bite Width	Head Width	Description
S608001	130mm	4.3mm	6.3mm	No.001
S608010	130mm	5.3mm	7.3mm	No.008

Oval punch/upturned 15°



Order Code	Working Length	Bite Width	Head Width	Description
S608017	130mm	4.3mm	6.3mm	No.013

Oval punch/up curved



Order Code	Working Length	Bite Width	Head Width	Description
S608014	130mm	4.3mm	6.3mm	No.011

Oval punch/curved right



Order Code	Working Length	Bite Width	Head Width	Description
S608013	130mm	4.3mm	6.3mm	No.010

Oval punch/curved left



Order Code	Working Length	Bite Width	Head Width	Description
S608012	130mm	4.3mm	6.3mm	No.009

WUYANG MEDICAL
Sports Medicine

ISO:13485

Meniscus punches



Duckbill/straight



Order Code	Working Length	Bite Width	Head Width	Description
S608003	130mm	3.5mm	5.1mm	No.002

Duckbill/straight/narrow tip



Order Code	Working Length	Bite Width	Head Width	Description
S608027	130mm	2.2mm	3.5mm	No.031

Duckbill/upturned narrow tip



Order Code	Working Length	Bite Width	Head Width	Description
S608028	130mm	2.2mm	3.5mm	No.032

Duckbill/upturned 15°



Order Code	Working Length	Bite Width	Head Width	Description
S608016	130mm	3.5mm	5.1mm	No.012

Duckbill/up curved



Order Code	Working Length	Bite Width	Head Width	Description
S608007	130mm	3.5mm	5.1mm	No.005

Duckbill/curved right



Order Code	Working Length	Bite Width	Head Width	Description
S608005	130mm	3.5mm	5.1mm	No.004

Duckbill/curved left



Order Code	Working Length	Bite Width	Head Width	Description
S608004	130mm	3.5mm	5.1mm	No.003

Duckbill head/curved right



Order Code	Working Length	Bite Width	Head Width	Description
S608009	130mm	3.0mm	5.1mm	No.007

Duckbill head/curved left



Order Code	Working Length	Bite Width	Head Width	Description
S608008	130mm	3.0mm	5.1mm	No.006

ISO:13485

Meniscus punches



Basket forceps (square)



Order Code	Working Length	Bite Width	Head Width	Description
S608019	130mm	3.0mm	4.8mm	No.015

Basket forceps (square/curved right)



Order Code	Working Length	Bite Width	Head Width	Description
S608024	130mm	3.0mm	4.8mm	No.019

Basket forceps (square/curved left)



Order Code	Working Length	Bite Width	Head Width	Description
S608023	130mm	3.0mm	4.8mm	No.018



Left curved90°



Order Code	Working Length	Bite Width	Head Width	Description
S608025	130mm	2.1mm	3.9mm	No.020

Right curved90°



Order Code	Working Length	Bite Width	Head Width	Description
S608026	130mm	2.1mm	3.9mm	No.021

WUYANG MEDICAL
Sports Medicine

ISO:13485

Meniscus punches



Basket forceps(reverse)



Order Code	Working Length	Bite Width	Head Width	Description
S608018	130mm	2.6mm	4.0mm	No.014

Basket forceps(reverse/left)




Order Code	Working Length	Bite Width	Head Width	Description
S608021	130mm	2.3mm	5.8mm	No.016

Basket forceps(reverse/right)



Order Code	Working Length	Bite Width	Head Width	Description
S608022	130mm	2.3mm	5.8mm	No.017

Hip Joint punches



Duckbill/straight



Order Code	Working Length	Bite Width	Head Width	Description
LK609001	215mm	3.4mm	5.0mm	No.026

Duckbill/up curved



Order Code	Working Length	Bite Width	Head Width	Description
LK609002	215mm	3.4mm	5.0mm	No.027

Duckbill/curved right



Order Code	Working Length	Bite Width	Head Width	Description
LK609004	215mm	3.4mm	5.0mm	No.029

Duckbill/curved left



Order Code	Working Length	Bite Width	Head Width	Description
LK609003	215mm	3.4mm	5.0mm	No.028

WUYANG MEDICAL
Sports Medicine

Hip Joint punches



Curved right 45°



Order Code	Working Length	Bite Width	Head Width	Description
LK609033	215mm	3.0mm	5.0mm	No.034

Curved left 45°



Order Code	Working Length	Bite Width	Head Width	Description
LK609032	215mm	3.0mm	5.0mm	No.033

Basket forceps(reverse)



Order Code	Working Length	Bite Width	Head Width	Description
LK609034	215mm	2.6mm	4.0mm	No.035

Basket forceps(reverse/left)



Order Code	Working Length	Bite Width	Head Width	Description
LK609046	215mm	2.3mm	5.8mm	No.042

Basket forceps(reverse/right)



Order Code	Working Length	Bite Width	Head Width	Description
LK609047	215mm	2.3mm	5.8mm	No.043

ISO:13485

Hip Joint Forceps

Suture Cutter





Order Code	Working Length	Head Width
LK609029	220mm	4.1mm


Push&knot cutter





Order Code	Working Length
LK609035	220mm

Suture Grasper





Order Code	Working Length	Description
LK609036	215mm	No.001



Order Code	Working Length	Description
LK609037	215mm	No.002



Order Code	Working Length	Description
LK609007	215mm	No.014

WUYANG MEDICAL
Sports Medicine

ISO:13485

Hip Joint Forceps

Suture Grasper



straight



Order Code	Working Length	Description
LK609005	215mm	No.015

upturned



Order Code	Working Length	Description
LK609006	215mm	No.016

curved right



Order Code	Working Length	Description
LK609042	215mm	No.019

curved left



Order Code	Working Length	Description
LK609041	215mm	No.018


ISO:13485

Hip Joint Forceps

Soft Tissue Grasping Forceps




Order Code	Working Length	Head Width	Description
LK609038	210mm	2.2mm	No.001



Order Code	Working Length	Head Width	Description
LK609008	215mm	3.5mm	No.008



Order Code	Working Length	Head Width	Description
LK609039	215mm	4.0mm	No.012



Order Code	Working Length	Head Width	Description
LK609040	215mm	4.5mm	No.013

WUYANG MEDICAL
Sports Medicine

ISO:13485

Ankle Joint punches



straight



Order Code	Working Length	Bite Width	Head Width	Description
AH607015	100mm	2.2mm	3.4mm	No.022
AH607016	100mm	2.6mm	4.2mm	No.023

right curved 45°



Order Code	Working Length	Bite Width	Head Width	Description
AH607018	100mm	2.2mm	3.4mm	No.025

left curved 45°



Order Code	Working Length	Bite Width	Head Width	Description
AH607017	100mm	2.2mm	3.4mm	No.024

upturned 15°



Order Code	Working Length	Bite Width	Head Width	Description
AH607044	100mm	2.2mm	3.4mm	No.041

ISO:13485

Ankle Joint Forceps



Suture Grasper



Order Code	Working Length	Description
AH607006	100mm	No.010

Suture Grasper



Order Code	Working Length	Description
AH607007	100mm	No.011

Soft Tissue Grasping Forceps



Order Code	Working Length	Head Width	Description
AH607008	100mm	3.0mm	No.005

Soft Tissue Grasping Forceps



Order Code	Working Length	Head Width	Description
AH607009	100mm	3.0mm	No.006

Soft Tissue Grasping Forceps



Order Code	Working Length	Head Width	Description
AH607010	100mm	3.0mm	No.007

Ligament Scissors



Order Code	Working Length	Description
AH607011	100mm	No.002

WUYANG MEDICAL
Sports Medicine

ISO:13485

Ankle Joint Forceps


Nucleus pulposus clamps (soft tissue grasper)

straight



Order Code	Working Length	Head Width
AH607012	145mm	4.0mm

Up curved



Order Code	Working Length	Head Width
AH607013	145mm	4.0mm

Below curved



Order Code	Working Length	Head Width
AH607014	145mm	4.0mm

ISO:13485

Wrist Joint punches



straight



Order Code	Working Length	Bite Width	Head Width	Description
W611015	65mm	1.3mm	2.5mm	No.030

Curved downward



Order Code	Working Length	Bite Width	Head Width	Description
W611026	65mm	1.3mm	2.5mm	No.045

upturned 15°



Order Code	Working Length	Bite Width	Head Width	Description
W611024	65mm	1.3mm	2.5mm	No.040

curved right



Order Code	Working Length	Bite Width	Head Width	Description
W611020	65mm	1.3mm	2.5mm	No.036

curved left



Order Code	Working Length	Bite Width	Head Width	Description
W611021	65mm	1.3mm	2.5mm	No.037

WUYANG MEDICAL
Sports Medicine

ISO:13485

Wrist Joint Forceps



Suture Grasper



Order Code	Working Length	Head Width	Description
W611018	65mm	1.6mm	No.017

Soft Tissue Grasping Forceps



Order Code	Working Length	Head Width	Description
W611016	65mm	2.5mm	No.009

Soft Tissue Grasping Forceps



Order Code	Working Length	Head Width	Description
W611017	65mm	2.5mm	No.010


Soft Tissue Grasping Forceps



Order Code	Working Length	Head Width	Description
W611019	65mm	2.5mm	No.011

ISO:13485

All-in cruciate ligament localization system



All-in PCL tibial sighting arm+aimer + drill sleeve



All-in PCL femoral sighting arm+aimer + drill sleeve



All-in ACL femoral sighting arm+aimer + drill sleeve



All-in ACL tibial sighting arm+aimer + drill sleeve



WUYANG MEDICAL
Sports Medicine


ISO:13485

ACL/PCL instruments


orthopedic drill sight



Order Code	Length	Description
602027-1	125mm	All-in PCL tibia sighting arm I



Order Code	Length	Description
602027-2	125mm	All-in PCL femoral sighting arm I



Order Code	Length	Description
602027-3	125mm	All-in ACL femoral sighting arm I



Order Code	Length	Description
602027-4	125mm	All-in ACL tibia sighting arm I

ISO:13485

ACL/PCL instruments

orthopedic drill sight



Order Code	Description
602027	All-in cruciate ligament localizer I

Drill Guide



Order Code	Length	Diameter	Description
602027-5	135mm	Φ3.5	All-in drill sleeve



Order Code	Length	Diameter	Description
602027-6	140mm	Φ2.5	All-in drill sleeve

Drill Guide



Order Code	Length	Diameter	Description
602027-8	135mm	Φ4.0	All-in drill sleeve



Order Code	Length	Diameter	Description
602027-9	140mm	Φ2.5	All-in drill sleeve



Order Code	Name	Description
211063	All-in ACL/PCL instrument set	CJ-02

WUYANG MEDICAL
Sports Medicine

ISO:13485

ACL/PCL instruments

Drill bit

Flip cutter I



Order Code	Working Length	Diameter
602026-1	270mm	7mm
602026-17	270mm	7.5mm
602026-2	270mm	8mm
602026-18	270mm	8.5mm
602026-3	270mm	9mm
602026-10	270mm	10mm

Flip cutter II



Order Code	Working Length	Diameter
602026-4	220mm	7mm
602026-5	220mm	8mm
602026-6	220mm	9mm
602026-11	220mm	10mm

Flip cutter III



Order Code	Working Length	Diameter
602026-7	270mm	7mm
602026-8	270mm	8mm
602026-9	270mm	9mm
602026-12	270mm	10mm


Flip cutter IV




Order Code	Working Length	Diameter
602026-13	220mm	7mm
602026-14	220mm	8mm
602026-15	220mm	9mm
602026-16	220mm	10mm

ISO:13485


Cruciate ligament localization system




Front fork point-to-point sighting arm +aimer + drill sleeve




Front fork point to sighting arm + aimer + drill sleeve



Posterior fork femoral sighting arm + aimer + drill sleeve



Posterior fork tibial sighting arm + aimer + drill sleeve






WUYANG MEDICAL
Sports Medicine

ISO:13485

ACL/PCL instruments (I Type)

Drill Guide

Drill sleeve (optional)



Order Code	Length	Size
A602001-6	125mm	Φ2.0
A602001-7	125mm	Φ2.5

Orthopedic drill sight



Order Code	Length	Description
A602001	110mm	Cruciate ligament aimer I

orthopedic drill sight



Order Code	Length	Description
A602001-1	125mm	ACL point to point I



Order Code	Length	Description
A602001-2	125mm	ACL point to elbow I



Order Code	Length	Description
A602001-3	125mm	PCL femoral sighting arm I




Order Code	Length	Description
A602001-4	125mm	PCL tibia sighting arm I

ISO:13485

ACL/PCL instruments (III Type mini type)

Drill Guide

Drill sleeve (optional)



Order Code	Length	Size
A602001-20	120mm	Φ2.0
A602001-21	120mm	Φ2.5

Orthopedic drill sight



Order Code	Length	Description
A602001-15	110mm	Cruciate ligament aimer III

orthopedic drill sight



Order Code	Length	Description
A602001-16	115mm	ACL point to point III



Order Code	Length	Description
A602001-17	115mm	ACL point to elbow III



Order Code	Length	Description
A602001-18	115mm	PCL femoral sighting arm III




Order Code	Length	Description
A602001-19	115mm	PCL tibia sighting arm III

WUYANG MEDICAL
Sports Medicine


ISO:13485

ACL/PCL instruments


Kirschner wire




Order Code	Length	Size	Description
602011-11	250mm	Φ2.0mm	kirschner wire I
602011-12	250mm	Φ2.4mm	kirschner wire I
602011-13	250mm	Φ2.5mm	kirschner wire I



Order Code	Length	Size	Description
A602011-3	400mm	Φ2.0mm	kirschner wire I
A602011-4	400mm	Φ2.4mm	kirschner wire I
A602011-2	400mm	Φ2.5mm	kirschner wire I
602011-9	450mm	Φ2.0mm	kirschner wire I
602011-10	450mm	Φ2.4mm	kirschner wire I



Order Code	Length	Size	Description
602011-6	400mm	Φ2.0mm	kirschner wire II
602011-7	400mm	Φ2.4mm	kirschner wire II
602011-5	400mm	Φ2.5mm	kirschner wire II



Order Code	Length	Size	Description
A602011-1	400mm	Φ4.0mm	Flat shovel
602011-8	400mm	Φ4.5mm	Flat shovel

Order Code	Length	Size	Description
A602018	385mm	Φ1.2mm	guide needle


ISO:13485


ACL/PCL instruments

Drill bit




Tibia cannulated drill bit






Order Code	Length	Size
A602004-1	190mm	4.0mm
A602004-2	190mm	4.5mm
A602004-3	190mm	5.0mm
A602004-4	190mm	5.5mm
A602004-5	190mm	6.0mm
A602004-6	190mm	6.5mm
A602004-7	190mm	7.0mm
A602004-8	190mm	7.5mm
A602004-9	190mm	8.0mm
A602004-10	190mm	8.5mm
A602004-11	190mm	9.0mm
A602004-12	190mm	9.5mm
A602004-13	190mm	10.0mm
A602005-16	190mm	10.5mm
A602004-14	190mm	11.0mm
A602005-17	190mm	11.5mm
A602004-15	190mm	12.0mm

Femoral cannulated drill bit








Order Code	Length	Size
A602005-11	190mm	4.0mm
A602005-12	190mm	4.5mm
A602005-1	190mm	5.0mm
A602005-7	190mm	5.5mm
A602005-2	190mm	6.0mm
A602005-8	190mm	6.5mm
A602005-3	190mm	7.0mm
A602005-13	190mm	7.5mm
A602005-4	190mm	8.0mm
A602005-14	190mm	8.5mm
A602005-5	190mm	9.0mm
A602005-15	190mm	9.5mm
A602005-6	190mm	10.0mm
A602005-16	190mm	10.5mm
A602005-9	190mm	11.0mm
A602005-17	190mm	11.5mm
A602005-10	190mm	12.0mm

WUYANG MEDICAL
Sports Medicine


ISO:13485

ACL/PCL instruments

Bone Measuring Tool



Order Code	Size	Description
A602009	480mm	Ligament table I
A602008	70mm	Soft tissue clip



Order Code	Size	Description
A602009-1	360mm	Ligament table II
A602008	70mm	Soft tissue clip

Ligamnet (tendon)measurer (open)



Order Code	Size
A602002	φ4.0-φ12

Ligament (tendon)measurer (close)



Order Code	Length	Size
A602014-1	50mm	φ5
A602014-2	50mm	φ6
A602014-3	50mm	φ7
A602014-4	50mm	φ8
A602014-5	50mm	φ9
A602014-6	50mm	φ10

ISO:13485

ACL/PCL instruments

Bone Measuring Tool



Order Code	Size	Description
602025	I	Muscle tendon scraper

Ligament depth gauge I



Order Code	Length	Size	Description
A602006	350mm	I	Ligament depth gauge

Ligament depth gauge II



Order Code	Length	Size	Description
D603008	335mm	II	Ligament depth gauge

WUYANG MEDICAL
Sports Medicine

ISO:13485

ACL/PCL instruments

Cutting chisel



Open tendon removal



Order Code	Length	Size	Description
A602021-1	410mm	6mm	sharp
A602021-2	410mm	7mm	sharp
A602021-3	410mm	8mm	sharp
A602021-4	410mm	9mm	sharp
A602021-5	410mm	6mm	blunt
A602021-6	410mm	7mm	blunt
A602021-7	410mm	8mm	blunt
A602021-8	410mm	9mm	blunt

Close tendon removal



Order Code	Length	Size	Description
A602007-1	410mm	6mm	sharp
A602007-2	410mm	7mm	sharp
A602007-3	410mm	8mm	sharp
A602007-4	410mm	9mm	sharp
A602007-5	410mm	6mm	blunt
A602007-6	410mm	7mm	blunt
A602007-7	410mm	8mm	blunt
A602007-8	410mm	9mm	blunt

ISO:13485

ACL/PCL instruments

Femoral guide version I



Order Code	Length	Size
A602003-1	250mm	5mm
A602003-2	250mm	6mm
A602003-3	250mm	7mm

Femoral guide version II



Order Code	Length	Size
602003-4	250mm	5mm
602003-5	250mm	6mm
602003-6	250mm	7mm

Bone flat file



Order Code	Length	Size
A602012	250mm	4mm

Double curved bone curette



Order Code	Length	Size
A602013	250mm	4mm

PCL protector



Order Code	Length
A602010	230mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

ACL+PCL instrument set



The details of ACL+PCL instrument Set Code:211052

Seq	Item code	Description	Size	Quantity
1	A602001	Cruciate ligament localizer	Type I	1
2	A602001-7	Drill sleeve	Φ2.5mm	1
3	A602001-1	ACL point to point	Type I	1
4	A602001-2	ACL point to elbow	Type I	1
5	A602001-3	PCL femoral localizer	Type I	1
6	A602001-4	PCL tibia localizer	Type I	1
7	A602002	Ligamnet (tendon) measurer (open)	Φ4.0-Φ12	1
8	A602003-1	Femoral guide version I	5mm	1
9	A602003-2	Femoral guide version I	6mm	1
10	A602003-3	Femoral guide version I	7mm	1
11	A602004-2	Tibia cannulated drill bit	4.5mm	1
12	A602004-3	Tibia cannulated drill bit	5mm	1
13	A602004-5/7	Tibia cannulated drill bit	6/7mm	1 each
14	A602004-9	Tibia cannulated drill bit	8mm	1
15	A602004-11	Tibia cannulated drill bit	9mm	1
16	A602004-13	Tibia cannulated drill bit	10mm	1
17	A602005-1	Femoral cannulated drill bit	5mm	1
18	A602005-2	Femoral cannulated drill bit	6mm	1
19	A602005-3	Femoral cannulated drill bit	7mm	1
20	A602005-4	Femoral cannulated drill bit	8mm	1
21	A602005-5	Femoral cannulated drill bit	9mm	1
22	A602005-6	Femoral cannulated drill bit	10mm	1
23	A602006	Ligament depth gauge type I	Type I	1
24	A602007-2	Close tendon removal	7mm	1
25	A602008	Soft tissue clip	70mm	2
26	A602009	Ligament table	Type I	1
27	A602010	PCL protector	230mm	1
28	A602011-1	Flat shovel	4mm	1
29	A602011-2	Kirschner wire I	Φ2.5mm	1
30	A602015	Probe	Φ1.4*4.2mm	1
31	A602018	Guide needle	Φ1.2*385mm	2
32	WG211052	Cruciate ligament reconstruction instrument box	/	1

ISO:13485

ACL+PCL instrument set



The details of ACL+PCL instrument Set Code:211060

Seq	Item code	Description	Size	Quantity
1	A602001	Cruciate ligament localizer	Type I	1
2	A602001-7	Drill sleeve	Φ2.5mm	1
3	A602001-1	ACL point to point	Type I	1
4	A602001-4	PCL tibia localizer	Type I	1
5	A602002	Ligamnet (tendon) measurer（open）	Φ4.0-Φ12	1
6	A602003-2	Femoral guide version I	6mm	1
7	A602025	Muscle tendon scraper	Type I	1
8	A602004-2	Tibia cannulated drill bit	4.5mm	1
9	A602004-5	Tibia cannulated drill bit	6.0mm	1
10	A602004-7	Tibia cannulated drill bit	7.0mm	1
11	A602004-9	Tibia cannulated drill bit	8.0mm	1
12	A602004-11	Tibia cannulated drill bit	9.0mm	1
13	A602005-2	Femoral cannulated drill bit	6.0mm	1
14	A602005-3	Femoral cannulated drill bit	7.0mm	1
15	A602005-4	Femoral cannulated drill bit	8.0mm	1
16	A602005-5	Femoral cannulated drill bit	9.0mm	1
17	A602006	Ligament depth gauge type I	Type I	1
18	A602007-2	Close tendon removal	7mm	1
19	A602010	PCL protector	230mm	1
20	A602011-1	Flat shovel	4mm	1
21	A602011-2	Kirschner wire I	Φ2.5mm	1
22	A602015	Probe	Φ1.4*4.5mm	1
23	A602018	Guide needle	Φ1.2*385mm	1
24	WG211060	Cruciate ligament reconstruction instrument box	Simple type	1

WUYANG MEDICAL
Sports Medicine

ISO:13485

ACL+PCL instrument set



The details of ACL+PCL instrument Set Code:211079

Seq	Item code	Description	Size	Quantity
1	A602001-15	Cruciate ligament Aimer	Type III	1
2	A602001-21	Drill sleeve	Type IIIφ2.5mm	1
3	A602001-16	ACL point-to-point sighting arm	Type III	1
4	A602001-17	ACL point to elbow sighting arm	Type III	1
5	A602001-18	PCL femoral sighting arm	Type III	1
6	A602001-19	PCL tibial sighting arm	Type III	1
7	A602002	ligament(tendon) open measurer	φ4.0-φ12	1
8	A602003-1	Femoral guide type I	5mm	1
9	A602003-2	Femoral guide type I	6mm	1
10	A602003-3	Femoral guide type I	7mm	1
11	A602004-2	Tibia cannulated drill bit	4.5mm	1
12	A602004-3	Tibia cannulated drill bit	5.0mm	1
13	A602004-5/7	Tibia cannulated drill bit	6.0/7.0mm	1 each
14	A602004-9/11	Tibia cannulated drill bit	8.0/9.0mm	1 each
15	A602004-13	Tibia cannulated drill bit	10.0mm	1
16	A602005-12	Femur cannulated drill	4.5mm	1
17	A602005-1	Femur cannulated drill	5.0mm	1
18	A602005-2/3	Femur cannulated drill	6.0/7.0mm	1 each
19	A602005-4/5	Femur cannulated drill	8.0/9.0mm	1 each
20	A602005-6	Femur cannulated drill	10.0mm	1
21	A602006	ligament depth gauge	Type I	1
22	A602007-2	close tendon removal	7mm	1
23	A602008	soft tissue clip	70mm	2
24	A602009-1	Ligament table	Type II	1
25	A602010	PCL protector	230mm	1
26	A602011-1	flat shovel	4mm	1
27	A602011-2	Kirschner wire type I	φ2.5mm	1
28	A602015	bearded needle	φ1.4*4.2mm	1
29	A602018	guide needle	φ1.2*385mm	2
30	S605015	suture grasper	No.004	1
31	S605023	soft tissue grasper NO.004	140*3.0mm	1
32	WG211052	box	/	1

ISO:13485

Interface Screw Instrument

Interface screw installer





Order Code	Length	Size
D603011-3	275mm	18mm
D603011-7	275mm	12mm



Order Code	Length	Size
D603011-1	275mm	23mm



Order Code	Length	Size
D603011-2	275mm	30mm



Order Code	Length	Size
A602022	275mm	36mm



Order Code	Length	Size
S604007	275mm	36mm



Order Code	Length	Size
S604012	270mm	27mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Interface Screw Instrument

Apply to different company's interface screw

Quick handle



Order Code	Length	Description
602028	170mm	Rachet handle

Interface screw installer(quick coupling)



Order Code	Size
D603011-6	18mm



Order Code	Size
D603011-4	23mm



Order Code	Size
D603011-5	30mm



Order Code	Size
A602022-1	36mm



Order Code	Size
S604007-1	36mm

ISO:13485

Interface Screw Instrument

Sheath interposer



Order Code	Length	Size
S604001-1	185mm	7mm
S604001-2	185mm	8mm
S604001-3	185mm	9mm
S604001-4	185mm	10mm
S604001-5	185mm	11mm

Sheath interposer(ball tip)



Order Code	Length
S604001-6	185mm

Ligament expander



Order Code	Length	Size
S604002-1	185mm	6mm
S604002-2	185mm	7mm
S604002-3	185mm	8mm
S604002-4	185mm	9mm
S604002-5	185mm	10mm
S604002-6	185mm	11mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Interface Screw Instrument

Ligament/tendon braid tool I



Order Code	High
S604004	40mm

T-shape handle(metal handle)



Order Code	Length
S604003	175mm

Hammer(metal handle)



Order Code	Length	Size
D603010	190mm	100g

Interface screw installer instrument set



Order Code
211061

ISO:13485


Interface Screw Instrument

Ligament tensioner




Order Code	Size
D604016	Type I

Sheath interposer




Order Code	Length
D604017	315mm

Sheath Templet



Order Code	Length	Size
D604018-1	315mm	9mm
D604018-2	315mm	7/8mm





WUYANG MEDICAL
Sports Medicine

ISO:13485

Cartilage Removal Instrument

Apply to traumatic injury, cartilage disease, localized damage, peripheral cartilage intact



Seperated structure

Easy to disassemble

Can change to different types

Cartilage removal instrument set



Order Code
211075



Order Code	Length	Description
218083	165mm	Cartilage column extractor

ISO:13485

DLC cartilage column extractor



Order Code	Length	Size	Order Code	Length	Size
218087-1	135mm	6mm	218087-6	135mm	6.5mm
218087-2	135mm	7mm	218087-7	135mm	7.5mm
218087-3	135mm	8mm	218087-8	135mm	8.5mm
218087-4	135mm	9mm	218087-9	135mm	9.5mm
218087-5	135mm	10mm	218087-10	135mm	10.5mm

cartilage column extractor



Order Code	Length	Size	Order Code	Length	Size
218083-1	135mm	6mm	218083-6	135mm	6.5mm
218083-2	135mm	7mm	218083-7	135mm	7.5mm
218083-3	135mm	8mm	218083-8	135mm	8.5mm
218083-4	135mm	9mm	218083-9	135mm	9.5mm
218083-5	135mm	10mm	218083-10	135mm	10.5mm

Guider



Order Code	Length	Size	Order Code	Length	Size
218079-9	55mm	6mm	218079-1	55mm	6.5mm
218079-2	55mm	7mm	218079-3	55mm	7.5mm
218079-4	55mm	8mm	218079-5	55mm	8.5mm
218079-6	55mm	9mm	218079-7	55mm	9.5mm
218079-8	55mm	10mm			

Wrench II



Order Code	Length
218085	140mm

Cartilage impactor II



Order Code	Length
218084	105mm

Cartilage impactor I



Order Code	Length
218054	150mm

Measurer




Order Code	Length	Size
218065	150mm	Φ5.0

WUYANG MEDICAL
Sports Medicine

ISO:13485

Cartilage Awl



20°



Order Code	Length	Size	Description
A602019-1	240mm	20°	Type I

40°



Order Code	Length	Size	Description
A602019-2	240mm	40°	Type I

60°



Order Code	Length	Size	Description
A602019-3	240mm	60°	Type I

80°




Order Code	Length	Size	Description
A602019-5	240mm	80°	Type I

90°



Order Code	Length	Size	Description
A602019-4	250mm	90°	Type I

Cartilage Awl



20°



Order Code	Length	Size	Description
A602019-6	280mm	20°	Type II

40°



Order Code	Length	Size	Description
A602019-7	280mm	40°	Type II

60°



Order Code	Length	Size	Description
A602019-8	280mm	60°	Type II

80°



Order Code	Length	Size	Description
A602019-10	280mm	80°	Type II

90°



Order Code	Length	Size	Description
A602019-9	280mm	90°	Type II

Meniscus repairing instrument

Front curved curette





Order Code	Length	Size
608030-11	230mm	3mm

Hollow cartilage curette(round))





Order Code	Length	Size
608030-08	230mm	3mm



Order Code	Length	Size
608030-09	230mm	5mm



Order Code	Length	Size
608030-10	230mm	7mm

Knife



Smooth surface



Order Code	Length	Size
608030-06	230mm	3.2mm

Tooth surface



Order Code	Length	Size
608030-07	230mm	3.2mm

ISO:13485

Meniscus repairing instrument

Knife



straight



Order Code	Length	Size
608030-16	230mm	4.6mm

curved right



Order Code	Length	Size
608030-18	230mm	4.6mm


curved left



Order Code	Length	Size
608030-17	230mm	4.6mm



Meniscus knife



Order Code	Length	Size
608030-12	230mm	4mm

Order Code	Length	Size
608030-13	230mm	5mm

Crescent knife



Order Code	Length	Size
608030-14	230mm	4.4mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Meniscus repairing instrument



Hook knife



Order Code	Length	Size
608030-04	230mm	4.8mm

Hook knife reverse 90°



Order Code	Length	Size
608030-20	230mm	5mm



Oblique knife



Order Code	Length	Size
608030-05	230mm	3mm

Surgical knife



Order Code	Length	Size
608030-15	230mm	3.5mm

Bayonet knife



Order Code	Length	Size
608030-19	230mm	5mm

ISO:13485

Meniscus repairing instrument


Probe



Pointed tip



Order Code	Length	Hook deep
608030-01	230mm	3mm



Order Code	Length	Hook deep
608030-02	230mm	3mm

Order Code	Length	Size
608030-03	230mm	5mm

Meniscus file II





Order Code	Length	Size
608030-22	230mm	φ2.5*4*40°



Order Code	Length	Size
608030-21	230mm	φ2.5*4*90°

WUYANG MEDICAL
Sports Medicine

ISO:13485

Meniscus Revision Instruments

Dual needle protector



Order Code	Length	Description
608011-4	170mm	Right/Front



Order Code	Length	Description
608011-1	170mm	Left/Front



Order Code	Length	Description
608011-5	170mm	Right/Middle



Order Code	Length	Description
608011-2	170mm	Left/Middle



Order Code	Length	Description
608011-6	170mm	Right/Back



Order Code	Length	Description
608011-3	170mm	left/Back

ISO:13485

Meniscus Revision Instruments

Meniscus file I





Order Code	Length	Size
608006-2	220mm	Φ2.5*4*40°

Meniscus file I





Order Code	Length	Size
608006-1	220mm	Φ2.5*4*90°

probe (arc)



Order Code	Size
A602015-5	Φ1.5*3.4mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Meniscus Revision Instruments

Meniscus dual needle protector



Order Code	Length	Size
608002	60mm	20mm

Meniscus guide



Order Code	Length	Size
608020	120mm	type I

Knot pusher & cutter



Code No.	Length	Cutting range
608015	145mm	≤0.45mm


Meniscus Revision Set



ISO:13485

Meniscus Root Locator





AC Joint Reconstruction Handle I



Order Code
A605011-1

Meniscus root locator I



Order Code	Length
A608029	180mm

Guider III



Order Code	Length	Size
605011-12	170mm	Φ3.2

AC Joint cannulated drill bit I



Order Code	Length	Size
A605011-7	270mm	Φ3.0

AC Joint guide needle



Order Code	Length	Size
A605011-8	280mm	Φ1.1

WUYANG MEDICAL
Sports Medicine

ISO:13485

DLC Roller Suture Hook

Suture passer





Order Code	Length	Size	Description
FHG20125R	290mm	25°	right



Order Code	Length	Size	Description
FHG20125L	290mm	25°	left



Order Code	Length	Size	Description
FHG20145R	290mm	45°	right



Order Code	Length	Size	Description
FHG20145L	290mm	45°	left



Order Code	Length	Size	Description
FHG20160R	290mm	60°	right



Order Code	Length	Size	Description
FHG20160L	290mm	60°	left

DLC Roller Suture Hook

Suture passer





Order Code	Length	Size	Description
FHG20190R	290mm	90°	right



Order Code	Length	Size	Description
FHG20190L	290mm	90°	left



Order Code	Length	Description
FHG20190S	290mm	straight



Order Code	Length	Size	Description
FHG201125S	290mm	12.5°	moon shape



Order Code	Length	Size	Description
FHG20125S	290mm	25°	moon shape

Roller Suture Hook

Suture passer





Order Code	Length	Size	Description
FHG10125R	290mm	25°	right



Order Code	Length	Size	Description
FHG10125L	290mm	25°	left



Order Code	Length	Size	Description
FHG10145R	290mm	45°	right



Order Code	Length	Size	Description
FHG10145L	290mm	45°	left



Order Code	Length	Size	Description
FHG10160R	290mm	60°	right



Order Code	Length	Size	Description
FHG10160L	290mm	60°	left

ISO:13485

Roller Suture Hook

Suture passer





Order Code	Length	Size	Description
FHG10190R	290mm	90°	right



Order Code	Length	Size	Description
FHG10190L	290mm	90°	left



Order Code	Length	Description
FHG10190S	290mm	straight



Order Code	Length	Size	Description
FHG101125S	290mm	12.5°	moon shape



Order Code	Length	Size	Description
FHG10125S	290mm	25°	moon shape

ISO:13485

Suture Hook

Suture passer





Order Code	Length	Size	Description
601001-2	290mm	25°	right



Order Code	Length	Size	Description
601002-1	290mm	25°	left



Order Code	Length	Size	Description
601008-3	290mm	45°	right



Order Code	Length	Size	Description
601008-2	290mm	45°	left



Order Code	Length	Size	Description
601001-8	290mm	60°	right



Order Code	Length	Size	Description
601001-7	290mm	60°	left

ISO:13485

Suture Hook

Suture passer





Order Code	Length	Size	Description
601001-6	290mm	90°	right



Order Code	Length	Size	Description
601001-5	290mm	90°	left



Order Code	Length	Size	Description
601008-1	290mm		straight



Order Code	Length	Size	Description
601001-4	290mm	12.5°	moon shape



Order Code	Length	Size	Description
601001-3	290mm	25°	moon shape

WUYANG MEDICAL
Sports Medicine

ISO:13485

Guide wire I



Guide wire II



Guide wire III



Order Code	Length	Description
601006	550mm	Guide wire I
601007	555mm	Guide wire II
601009	550mm	Guide wire III


Suture hook (handle/shaft disassembled)

Quick-coupling Handle



Order Code	Length	Description
601004-12	135mm	Roller handle

Suture hook shaft



Order Code	Length	Size
601004-1	170mm	Left 25°
601004-2	170mm	Right 25°
601004-9	170mm	Left 45°
601004-10	170mm	Right 45°
601004-7	170mm	Left 60°
601004-8	170mm	Right 60°
601004-5	170mm	Left 90°
601004-6	170mm	Right 90°
601004-11	170mm	Straight
601004-4	170mm	Moon shape12.5°
601004-3	170mm	Moon shape25°

Suture hook instrument set



Suture hook instrument set(quick coupling)



Basic Instruments

Knot guide



Order Code	Length	Size	Description
601002	210mm	Φ1.3	knot guide I



Order Code	Length	Size	Description
601002-1	165mm	Φ0.9	knot guide II



Order Code	Length	Size	Description
601002-2	210mm	Φ2.0	knot guide III

ISO:13485

Basic Instruments

Bone Probe




Order Code	Length	Size
A602015-4	260mm	Φ1.2*4.2mm
A602015-3	260mm	Φ1.4*5.4mm
A602015-2	260mm	Φ1.4*3.4mm
A602015	260mm	Φ1.4*4.2mm

Bone shovel




Order Code	Length	Size
D603005	260mm	4mm

Bone shovel



Order Code	Length	Size
A605004	250mm	25°*4*8mm

Dilator




Order Code	Length	Size
A605003-1	200mm	Φ6
A605003-2	200mm	Φ8

WUYANG MEDICAL
Sports Medicine

ISO:13485


Basic Instruments

File detacher



Order Code	Length	Size
D603007	260mm	10*5mm

Flat file




Order Code	Length	Size
A602016	280mm	10mm*5mm

Round file



Order Code	Length	Size
A602017	230mm	15mm*6mm

Reverse round file




Order Code	Length	Size
A602024	230mm	4.5mm

ISO:13485


Basic Instruments

Detacher(round tip)




Order Code	Length	Size
D603004	260mm	6mm

Suture catcher



Order Code	Length
601005	255mm

Bush hook



Order Code	Length
D603003	260mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Basic Instruments

Hollow cartilage curette



Round



Order Code	Length	Size
A602023-1	260mm	3.5mm
A602023-5	260mm	4.5mm
A602023-2	260mm	5.5mm



Flat



Order Code	Length	Size
A602023-3	260mm	3.5mm
A602023-6	260mm	4.5mm
A602023-4	260mm	5.5mm




Oval tip



Order Code	Length	Size
A602023-7	260mm	3.5mm
A602023-8	260mm	4.5mm
A602023-9	260mm	5.5mm

Exchange rod



Order Code	Length	Size
A605005	310mm	Φ4
D603009	305mm	Φ5

Shoulder joints surgery instrument set



The details of Shoulder Joints Surgery Instrument Set Code:211059


Seq	Item code	Description	Size	Quantity
1	A605005	Exchange rod	Φ4*310mm	1
2	601001-9	Suture hook (left)	45°	1
3	601001-10	Suture hook (right)	45°	1
4	601001-11	Suture hook (straight)	/	1
5	601006	Guide wire	Φ1.2	3
6	D603005	Bone shovel	230mm*4mm	1
7	A605004	Bone shovel	25°*4*8mm	1
8	D603004	Detacher(round tip)	6mm	1
9	D603007	File detacher	10*5mm	1
10	A602023-1	Hollow cartilage curette (round)	3.5mm	1
11	A602015-2	Probe	Φ1.4*3.4mm	1
12	601005	Wire hook	255mm	1
13	601002	Knot guide I	Φ1.3	1
14	D603010	Hammer (metal handle)	100g	1
15	A605008	Suture cutter	140mm	1
16	605019	Suture grasper	No.005	1
17	605017	Soft tissue grasping forceps No.002	140*4.5mm	1
18	605015	Suture grasper	No.004	1
19	WG211059	Shoulder Joints Surgery Instrument Box		1

WUYANG MEDICAL
Sports Medicine

AC Joint Reconstruction Set



Order Code	Name
211073-1	AC Joint Reconstruction instrument set I type



AC Joint Reconstruction Handle I



Order Code
A605011-1

AC Joint guider I



Order Code	Length	Size
A605011-4	190mm	right



Order Code	Length	Size
A605011-3	190mm	left




Order Code	Length	Size
A605011-5	180mm	straight

ISO:13485


AC Joint Reconstruction Set

AC joint Guider I



type I


Order Code	Length	Size
A605011-2	170mm	Φ3.2
A605011-11	170mm	Φ4.0



type III


Order Code	Length	Size
605011-12	170mm	Φ3.2
605011-13	170mm	Φ4.0

AC Joint guide needle



Order Code	Length	Size
A605011-8	280mm	Φ1.1
A605011-10	280mm	Φ2.0

AC Joint cannulated drill bit I



Order Code	Length	Size
A605011-6	270mm	Φ2.4
A605011-7	270mm	Φ3.0
A605011-9	270mm	Φ4.0

WUYANG MEDICAL
Sports Medicine

ISO:13485

AC Joint Reconstruction Set





Order Code	Name
211073-3	AC Joint Reconstruction instrument set type III

AC Joint Reconstruction Handle II



Order Code
605014-1

AC Joint Sighting arm III



Order Code	Size
605011-14	left



Order Code	Size
605011-15	right

ISO 13485

Probe/Tap



Tap

4.5 I



Order Code	Length	Size	Description
D603001-2	260mm	Φ4.5	Open screw tap

5.5 I



Order Code	Length	Size	Description
D603001-1	260mm	Φ5.5	Open screw tap

4.5II



Order Code	Length	Size	Description
D603001-3	245mm	Φ4.5	Screw tap (squeeze thread type)

4.5II
5.5/6.5II



Order Code	Length	Size	Description
D603001-5	285mm	Φ4.0/Φ5.7	Screw tap
D603001-6	285mm	Φ3.3/Φ4.5	Screw tap

3.4



Order Code	Length	Size	Description
D603001-4	320mm	Φ2.6/Φ3.5	Screw tap

Bone cone

4.5/5.5/6.5 I



Order Code	Length	Size	Description
D603002-3	265mm	Φ3.1/Φ3.6	Probe (taper tip)

4.5 II



Order Code	Length	Size	Description
D603002-1	285mm	Φ3.2/Φ3.8	Probe (taper tip)

5.5/6.5 II



Order Code	Length	Size	Description
D603002-2	285mm	Φ3.5/Φ4.3	Probe (taper tip)

WUYANG MEDICAL
Sports Medicine

ISO 13485

Probe/Tap



Bone cone



Order Code	Length	Size	Description
A605002-1	245mm	3.5mm	Probe



Order Code	Length	Size	Description
A605002-2	245mm	4.5mm	Probe



Order Code	Length	Size	Description
A605002-3	245mm	4.75mm/5.5mm	Probe

Tap



Order Code	Length	Size	Description
A605001-1	245mm	4.5mm	Screw tap
A605001-2	245mm	4.75mm	Screw tap
A605001-3	245mm	5.5mm	Screw tap

Tap





Order Code	Length	Size	Description
S604006	280mm	4.5mm	Screw tap
S604019	280mm	5.5/6.5mm	Screw tap



Order Code	Length	Size	Description
S604014	280mm	5.5mm	Screw tap
R604015	280mm	4.5mm	Screw tap

Bone cone



Order Code	Length	Size	Description
S604005	280mm	4.5mm	Probe



Order Code	Length	Size	Description
601003	255mm	Φ3.8	Open cone(sharp tip)

ISO:13485

Glenoid Labrum Revision Instrument

Apply to 2.0 anchor



Order Code	Length	Size	Description
A605007-3	230mm	Φ2.2	Glenoid labrum guider



Order Code	Length	Size	Description
A605007-4	240mm	Φ2.0	Guide needle (ball tip)



Order Code	Length	Size	Description
A605007-5	240mm	Φ2.0	Guide pin



Order Code	Length	Size	Description
A605007-6	265mm	Φ2.0	Drill bit

Apply to 2.4 anchor



Order Code	Length	Size	Description
A605007-7	230mm	Φ2.5	Glenoid labrum guider



Order Code	Length	Size	Description
A605007-8	240mm	Φ2.4	Guide needle (ball tip)



Order Code	Length	Size	Description
A605007-9	240mm	Φ2.4	Guide pin



Order Code	Length	Size	Description
A605007-10	265mm	Φ2.4	Drill bit

ISO:13485

Glenoid Labrum Revision Instrument

Apply to 2.9、3.0 anchor



Order Code	Length	Size	Description
A605003-3	230mm	Φ3.1	Glenoid labrum guider



Order Code	Length	Size	Description
A605006-1	240mm	Φ3.0	Guide needle (ball tip)



Order Code	Length	Size	Description
A605006-2	240mm	Φ3.0	Guide pin



Order Code	Length	Size	Description
A605007-1	265mm	Φ2.9	Drill bit
A605007-2	265mm	Φ2.4	Drill bit

Apply to 3.5 anchor



Order Code	Length	Size	Description
A605007-11	230mm	Φ3.8	Glenoid labrum guider



Order Code	Length	Size	Description
A605007-12	240mm	Φ3.7	Guide needle (ball tip)



Order Code	Length	Size	Description
A605007-13	240mm	Φ3.7	Guide pin



Order Code	Length	Size	Description
A605007-14	265mm	Φ3.3	Drill bit

ISO:13485

Glenoid Labrum Revision Instrument

Apply to 3.0 anchor



Order Code	Length	Size	Description
D606007	230mm	Φ3.3	Glenoid labrum guider (serrated type)



Order Code	Length	Size	Description
D606004	230mm	Φ3.5	Glenoid labrum guider (serrated slot type)



Order Code	Length	Size	Description
D606005	240mm	Φ3.2	Guide pin



Order Code	Length	Size	Description
D606006	270mm	Φ3.0	Glenoid labrum drill bit

Apply to 3.2 anchor



Order Code	Length	Size	Description
D606008-1	230mm	Φ4.3	Glenoid labrum guider (serrated type)



Order Code	Length	Size	Description
D606008-2	250mm	Φ4.2	Guide pin



Order Code	Length	Size	Description
D606008-3	270mm	Φ2.9	Glenoid labrum drill bit

WUYANG MEDICAL
Sports Medicine

ISO:13485

Apply to 2.3 anchor

Glenoid Labrum Revision Instrument



Order Code	Length	Size	Description
S606001	265mm	Φ3.2	Glenoid labrum guider (fish mouth)



Order Code	Length	Size	Description
S606009	265mm	Φ3.2	Glenoid labrum guider (crown mouth)



Order Code	Length	Size	Description
S606002	300mm	Φ3.0	Guide pin



Order Code	Length	Size	Description
S606003	320mm	Φ2.6	Glenoid labrum probe

Apply to 2.9 anchor



Order Code	Length	Size	Description
S604011	265mm	Φ4.1	Glenoid labrum guider (sharp fish mouth)



Order Code	Length	Size	Description
S604013	265mm	Φ4.1	Glenoid labrum guider (crown mouth)



Order Code	Length	Size	Description
S604008	290mm	Φ4.0	Guide pin



Order Code	Length	Size	Description
S604009	315mm	Φ2.7	Glenoid labrum probe



Order Code	Length	Size	Description
S604010	315mm	Φ3.4	Glenoid labrum drill bit

Glenoid Labrum Revision Instrument

Apply to 2.8 full stitch rivets



Order Code	Length	Size	Description
S606010	255mm	Φ4.7	Glenoid labrum guider



Order Code	Length	Size	Description
S606011	285mm	Φ3.1	Guide pin



Order Code	Length	Size	Description
S606012	305mm	Φ3.1	Glenoid labrum drill bit

Apply to 1.8 full stitch rivets



Order Code	Length	Size	Description
S606013	250mm	Φ3.9	Glenoid labrum guider




Order Code	Length	Size	Description
S606014	290mm	Φ2.1	Guide pin



Order Code	Length	Size	Description
S606015	300mm	Φ2.1	Glenoid labrum drill bit

Hip Joint Instrument

Cartilage awl V





Order Code	Length	Size
LK609018	345mm	180°



Order Code	Length	Size
LK609019	345mm	30°



Order Code	Length	Size
LK609020	345mm	45°




Order Code	Length	Size
LK609021	345mm	90°

ISO:13485

Hip Joint Instrument


Bone Curette



Order Code	Length	Size	Description
LK609016	335mm	3.9mm	Cartilage hollow (ellipse)



Order Code	Length	Size	Description
LK609017	335mm	3.9mm	Front bend




Order Code	Length	Size	Description
LK609044	335mm	5.4mm	Cartilage hollow (round)



Order Code	Length	Size	Description
LK609045	335mm	5.4mm	Cartilage hollow (flat)

Chisel



Order Code	Length	Size	Description
LK609015	315mm	4.6mm	Bone shovel

WUYANG MEDICAL
Sports Medicine

ISO:13485

Hip Joint Instrument

Probe



Order Code	Length	Size
LK609026	320mm	Φ1.5*3.4mm

Dilator




Order Code	Length	Size
LK609024	255mm	4.6mm
LK609022	255mm	5.2mm
LK609023	255mm	6.0mm




Order Code	Length	Size
LK609027	255mm	5.8mm

Slot sleeve



Order Code	Length	Size
LK609013	125mm	5.0mm
LK609014	125mm	6.7mm

Cutter



Order Code	Length	Description
LK609012	220mm	cutter

ISO:13485

Hip Joint Instrument

knot guide V



Order Code	Length	Size
LK609009	265mm	Φ1.3

Suture catcher



Order Code	Length
LK609025	320mm

Bone File



Order Code	Length	Size
LK609043	335mm	5mm

Measurer



Order Code	Length	Size
LK609011	350mm	Φ3.2

Exchange rod




Order Code	Length	Size
LK609010	368mm	Φ3.5
LK609030	368mm	Φ4.0
LK609031	368mm	Φ4.5

WUYANG MEDICAL
Sports Medicine

ISO:13485

Ankle Joint Instrument

Cartilage awl III





Order Code	Length	Size
AH607019	240mm	180°



Order Code	Length	Size
AH607020	240mm	30°



Order Code	Length	Size
AH607021	240mm	60°



Order Code	Length	Size
AH607022	240mm	90°

ISO:13485

Ankle Joint Instrument

Small joint Osteotome





Order Code	Length	Size	Description
AH607025	240mm	4mm	straight



Order Code	Length	Size	Description
AH607024	240mm	6mm	straight



Order Code	Length	Size	Description
AH607026	240mm	4mm	Curved

Impactor



Order Code	Length	Description
AH607042	65mm	Rod compresser III



Order Code	Length	Description
AH607043	215mm	Cartilage impactor III



WUYANG MEDICAL
Sports Medicine

ISO:13485

Ankle Joint Instrument

Small bone curette





Order Code	Length	Size	Description
AH607029	240mm	5.5mm	straight



Order Code	Length	Size	Description
AH607030	240mm	5.5mm	forward bend



Order Code	Length	Size	Description
AH607031	240mm	5.5mm	shaft bend

ISO:13485

Ankle Joint Instrument

Small bone curette





Order Code	Length	Size	Description
AH607032	240mm	3.5mm	hollow straight



Order Code	Length	Size	Description
AH607035	240mm	6.0mm	hollow straight



Order Code	Length	Size	Description
AH607033	240mm	3.5mm	hollow front bend



Order Code	Length	Size	Description
AH607034	240mm	4.0mm	Hollow/curved downwards

Double ended bone curette





Order Code	Length	Size
AH607040	230mm	2mm/3mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Ankle Joint Instrument

Periosteal elevator





Order Code	Length	Size	Description
AH607036	240mm	2.7mm	straight



Order Code	Length	Size	Description
AH607037	240mm	3.5mm	Sharp



Order Code	Length	Size	Description
AH607038	240mm	3.5mm	Blunt

Bone shovel





Order Code	Length	Size	Description
AH607027	240mm	4.8mm/5mm	straight



Order Code	Length	Size	Description
AH607028	240mm	4.8mm/5mm	curved

ISO:13485

Ankle Joint Instrument

Bone Probe





Order Code	Length	Size	Description
AH607039	230mm	4mm/5mm	Probe





Order Code	Length	Size	Description
AH607041	180mm	Φ2.5/Φ3.0	Probe

Small Joint Instrument Set (Ankle Joint)



Order Code
211077

WUYANG MEDICAL
Sports Medicine

ISO:13485

Wrist Joint Instrument

Small joint drill aimer

TFCC dedicated



Order Code
W611013

Drill sleeve



Order Code	Length	Size
W611013-1	75mm	Φ1.3mm
W611013-2	75mm	Φ1.6mm

Small joint Osteotome





Order Code	Length	Blade Width	Description
W611008-1	140mm	2mm	straight
W611008-4	140mm	4mm	straight



Order Code	Length	Blade Width	Description
W611008-2	140mm	2mm*20°	Curved
W611008-5	140mm	4mm*20°	Curved



Order Code	Length	Blade Width	Description
W611008-3	140mm	2mm*45°	Curved
W611008-6	140mm	4mm*45°	Curved

ISO:13485

Wrist Joint Instrument

Mini plate retractor

Retractor for carpal tunnel release



Order Code	Length	Width	Depth	Description
W611006-1	165mm	6mm	40mm	straight



Order Code	Length	Width	Depth	Description
W611006-2	160mm	6mm	40mm	curved

Knot guide



Order Code	Length	Size
W611011	140mm	Φ0.8mm

Cartilage hollow (ellipse)



Order Code	Length	Size
W611009	140mm	Φ3mm

Probe



Order Code	Length	Size
W611012	140mm	Φ0.8*2mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Wrist Joint Instrument

Cartilage impactor



Order Code	Length	Size	Angle
W611010-1	140mm	2.0mm	60°



Order Code	Length	Size	Angle
W611010-2	140mm	3.5mm	60°

Guider



Order Code	Length	Head Length	Size
W611007-2	100mm	25mm	Φ1.2
W611007-1	100mm	25mm	Φ3.0



Order Code	Length	Head Length	Size
W611007-3	150mm	35mm	Φ3.0 /Φ1.2

Small Joint Instrument Set (Wrist Joint)



Order Code
211078-2

ISO:13485

Microfracture Instrument

Microfracture Cartilage awl

20°



Order Code	Length	Size
218075-1	240mm	20°

45°



Order Code	Length	Size
218075-2	240mm	45°

65°



Order Code	Length	Size
218075-3	240mm	65°

90°



Order Code	Length	Size
218075-4	240mm	90°

Microfracture Bone shovel



Order Code	Length	Size
218072-1	240mm	4mm

WUYANG MEDICAL
Sports Medicine

ISO:13485

Microfracture Instrument

Microfracture Bone shovel



Order Code	Length	Size
218072-2	240mm	6mm

Microfracture Chisel



Order Code	Length	Size	Description
218074-1	240mm	4mm	straight
218074-3	240mm	6mm	straight



Order Code	Length	Size	Description
218074-2	240mm	4mm	curved
218074-4	240mm	6mm	curved

Microfracture probe



Order Code	Length	Size
218073	240mm	7mm

Microfracture impactor



Order Code	Length	Size
218076	225mm	5mm

ISO:13485

Microfracture Instrument

Microfracture curette



Order Code	Length	Size
218071-1	240mm	3.5mm*15°



Order Code	Length	Size
218071-2	240mm	5mm*15°

Microfracture instrument set




Order Code
211050

WUYANG MEDICAL
Sports Medicine

ISO:13485

Heel Tendon Ligament Instrument



Order Code	Length	Description
218064	/	Achilles's tendon Drill sight
218056	140mm	Achilles's tendon Handle

Threader



Order Code	Length	Description
218057	220mm	Arc



Order Code	Length	Description
218058	240mm	Straight



Order Code	Length	Description
218059	175mm	Small

Threading needle



Order Code	Length	Size	Description
218055	130mm	Φ1.5	Type I



Order Code	Length	Size	Description
218055-1	130mm	Φ1.5	Type II

ISO:13485

Heel Tendon Ligament Instrument

Achilles's tendon Thimble



Order Code	Length
218060	65mm

Achilles's tendon Holding forceps



Order Code	Length	Description
218062	160mm	No.1

Needle holder



Order Code	Length	Size	Description
301003-1	125mm	0.3mm	Alloy&straight

Achilles tendon and ligament revision instrument set



Order Code
211030-2

WUYANG MEDICAL
Sports Medicine

ISO:13485

Ankle Joint Interface Nail Instrument

Quick-coupling handle



Order Code	Length
A607005	120mm

Interface screw installer (quick coupling)

Order Code	Length	Size
A607005-1	115mm	SW2.0

Interface screw installer (quick coupling)



Order Code	Length	Size
A607005-2	135mm	SW2.5


Interface screw installer (quick coupling)



Order Code	Length	Size
A607005-3	200mm	SW2.8

ISO:13485

Ligamenta talofibulare anterius reconstruction

ATFL Quick-coupling handle



Order Code	Length
A607004	125mm

ATFL Guider



Order Code	Length	Size
A607001	105mm	Φ3.9mm

ATFL Screw tap



Order Code	Length	Size
A607002-1	152mm	Φ3.5mm

ATFL Screw tap



Order Code	Length	Size
A607002-2	152mm	Φ4.75mm

ATFL Drill bit



Order Code	Length	Size
A607003-1	97mm	Φ2.8mm


ATFL Drill bit



Order Code	Length	Size
A607003-2	97mm	Φ3.4mm

ISO:13485

Endoscope holder



Order Code	Size
215032-4	φ5.5
215032-5	φ6.0
215032-3	φ8.5
215032-2	φ9.5
215032-1	φ12.5

ISO:13485

Kerrison Rongeur

Imported materials

- 360° all-round rotation, front mouth, oblique mouth, reverse mouth, one rongeur can solve all.
- Quick assembling structure: easy cleaning and disinfection,one handle with multiselection for body,cost saving.
- DLC ceramic coating,highcorrosion resistance,high wear resistance,super highsurface hardness.





90°



110°



130°

DLC handle, version I
(204047-16)


WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Kerrison Rongeur(DLC Rotatable/Detachable)



Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-30	330mm*2.0mm	3.5mm	90°
701002-124	330mm*2.5mm	3.5mm	90°
701002-31	330mm*3.0mm	3.5mm	90°
701002-123	330mm*3.0mm	3.5mm	110°
701002-20	330mm*2.0mm	3.5mm	130°
701002-121	330mm*2.5mm	3.5mm	130°
701002-122	330mm*3.0mm	3.5mm	130°




Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-127	330mm*2.5mm	4mm	90°
701002-128	330mm*3.0mm	4mm	90°
701002-129	330mm*3.5mm	4mm	90°
701002-125	330mm*2.5mm	4mm	130°
701002-26	330mm*3.0mm	4mm	130°
701002-126	330mm*3.5mm	4mm	130°


ISO:13485


Kerrison Rongeur(DLC Rotatable/Detachable)





Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-138	270mm*1.5mm	3.5mm	90°
701002-71	270mm*2.0mm	3.5mm	90°
701002-139	270mm*2.5mm	3.5mm	90°
701002-72	270mm*3.0mm	3.5mm	90°
701002-140	270mm*1.5mm	3.5mm	130°
701002-61	270mm*2.0mm	3.5mm	130°
701002-141	270mm*2.5mm	3.5mm	130°
701002-75	270mm*3.0mm	3.5mm	130°







Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-142	270mm*2.5mm	4mm	90°
701002-78	270mm*3.0mm	4mm	90°
701002-143	270mm*3.5mm	4mm	90°
701002-144	270mm*2.5mm	4mm	130°
701002-67	270mm*3.0mm	4mm	130°
701002-145	270mm*3.5mm	4mm	130°

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument


ISO:13485


Kerrison Rongeur(DLC Rotatable/Detachable)





Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-146	270mm*3.0mm	5mm	90°
701002-147	270mm*3.5mm	5mm	90°
701002-148	270mm*4.0mm	5mm	90°
701002-149	270mm*4.5mm	5mm	90°
701002-150	270mm*3.0mm	5mm	130°
701002-151	270mm*3.5mm	5mm	130°
701002-152	270mm*4.0mm	5mm	130°
701002-153	270mm*4.5mm	5mm	130°






Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-154	270mm*3.0mm	6mm	90°
701002-155	270mm*3.5mm	6mm	90°
701002-79	270mm*4.0mm	6mm	90°
701002-80	270mm*5.0mm	6mm	90°
701002-158	270mm*3.5mm	6mm	110°
701002-156	270mm*3.0mm	6mm	130°
701002-157	270mm*3.5mm	6mm	130°
701002-82	270mm*4.0mm	6mm	130°
701002-83	270mm*5.0mm	6mm	130°

ISO:13485

Kerrison Rongeur

Imported materials

- 360°all-round rotation, front mouth,oblique mouth,reverse mouth, one rongeur can solve all.
- Quick assembling structure: easy cleaning and disinfection,one handle with multiselection for body,cost saving.
- Silicon handle,comfortable in using,anti-slip.




Handle, version V
(204055-28)

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument


ISO:13485

Kerrison Rongeur(Rotatable/Detachable)



Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-15	330mm*2.0mm	3.5mm	90°
701002-87	330mm*2.5mm	3.5mm	90°
701002-16	330mm*3.0mm	3.5mm	90°
701002-86	330mm*3.0mm	3.5mm	110°
701002-4	330mm*2.0mm	3.5mm	130°
701002-85	330mm*2.5mm	3.5mm	130°
701002-59	330mm*3.0mm	3.5mm	130°


Kerrison Rongeur (Rotatable/Detachable)




Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-90	330mm*2.5mm	4mm	90°
701002-91	330mm*3.0mm	4mm	90°
701002-92	330mm*3.5mm	4mm	90°
701002-88	330mm*2.5mm	4mm	130°
701002-10	330mm*3.0mm	4mm	130°
701002-89	330mm*3.5mm	4mm	130°

ISO:13485

Kerrison Rongeur (Rotatable/Detachable)



Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-101	270mm*1.5mm	3.5mm	90°
701002-45	270mm*2.0mm	3.5mm	90°
701002-102	270mm*2.5mm	3.5mm	90°
701002-46	270mm*3.0mm	3.5mm	90°
701002-103	270mm*1.5mm	3.5mm	130°
701002-35	270mm*2.0mm	3.5mm	130°
701002-104	270mm*2.5mm	3.5mm	130°
701002-49	270mm*3.0mm	3.5mm	130°




Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-105	270mm*2.5mm	4mm	90°
701002-52	270mm*3.0mm	4mm	90°
701002-106	270mm*3.5mm	4mm	90°
701002-107	270mm*2.5mm	4mm	130°
701002-41	270mm*3.0mm	4mm	130°
701002-108	270mm*3.5mm	4mm	130°

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485


Kerrison Rongeur (Rotatable/Detachable)

big channel



Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-109	270mm*3.0mm	5mm	90°
701002-110	270mm*3.5mm	5mm	90°
701002-111	270mm*4.0mm	5mm	90°
701002-112	270mm*4.5mm	5mm	90°
701002-113	270mm*3.0mm	5mm	130°
701002-114	270mm*3.5mm	5mm	130°
701002-115	270mm*4.0mm	5mm	130°
701002-116	270mm*4.5mm	5mm	130°

big channel




Order Code	Working Length*Blade Width	Rod Diameter	Angle
701002-117	270mm*3.0mm	6mm	90°
701002-118	270mm*3.5mm	6mm	90°
701002-53	270mm*4.0mm	6mm	90°
701002-54	270mm*5.0mm	6mm	90°
701002-13	270mm*3.5mm	6mm	110°
701002-119	270mm*3.0mm	6mm	130°
701002-120	270mm*3.5mm	6mm	130°
701002-56	270mm*4.0mm	6mm	130°
701002-57	270mm*5.0mm	6mm	130°

ISO:13485

Nucleus Pulposus Clamps (DLC)

Straight Oval tip



◆ Pinless design,overall structure

Order Code	Working Length*Head Width
SHQ202012725	270mm*2.5mm
SHQ202012728	270mm*2.8mm
SHQ202012730	270mm*3.0mm
SHQ202012735	270mm*3.5mm
SHQ202012740	270mm*4.0mm


Order Code	Working Length*Head Width
SHQ202013325	330mm*2.5mm
SHQ202013328	330mm*2.8mm
SHQ202013330	330mm*3.0mm
SHQ202013335	330mm*3.5mm

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Nucleus Pulposus Clamps (DLC)

Straight Oval teethed tip



◆ Pinless design,overall structure


Order Code	Working Length*Head Width
SHQ202022725	270mm*2.5mm
SHQ202022728	270mm*2.8mm
SHQ202022730	270mm*3.0mm
SHQ202022735	270mm*3.5mm
SHQ202022740	270mm*4.0mm

Order Code	Working Length*Head Width
SHQ202023325	330mm*2.5mm
SHQ202023328	330mm*2.8mm
SHQ202023330	330mm*3.0mm
SHQ202023335	330mm*3.5mm

ISO:13485

Nucleus Pulposus Clamps (DLC)

Straight Oval teethed tip II



◆ Pinless design,overall structure



Order Code	Working Length*Head Width
SHQ202032725	270mm*2.5mm
SHQ202032728	270mm*2.8mm
SHQ202032730	270mm*3.0mm
SHQ202032735	270mm*3.5mm
SHQ202032740	270mm*4.0mm


Order Code	Working Length*Head Width
SHQ202033325	330mm*2.5mm
SHQ202033328	330mm*2.8mm
SHQ202033330	330mm*3.0mm
SHQ202033335	330mm*3.5mm

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485


Nucleus Pulposus Clamps (DLC)

Straight oval reverse tip



◆ Pinless design,overall structure

Straight oval/Reverse/Teethed tip






Order Code	Working Length*Head Width	Type
SHQ202073325	330mm*2.5mm	Straight oval reverse tip
SHQ202073328	330mm*2.8mm	Straight oval reverse tip
SHQ202073330	330mm*3.0mm	Straight oval reverse tip
SHQ202073335	330mm*3.5mm	Straight oval reverse tip

Order Code	Working Length*Head Width	Type
SHQ202083325	330mm*2.5mm	Straight oval/reverse/teethed tip
SHQ202083328	330mm*2.8mm	Straight oval/reverse/teethed tip
SHQ202083330	330mm*3.0mm	Straight oval/reverse/teethed tip
SHQ202083335	330mm*3.5mm	Straight oval/reverse/teethed tip

ISO:13485

Nucleus Pulposus Clamps (DLC)

Straight wheat tip



◆ Pinless design,overall structure

Order Code	Working Length*Head Width
SHQ202062725	270mm*2.5mm
SHQ202062728	270mm*2.8mm
SHQ202062730	270mm*3.0mm
SHQ202062735	270mm*3.5mm
SHQ202062740	270mm*4.0mm


Order Code	Working Length*Head Width
SHQ202043325	330mm*2.5mm
SHQ202043328	330mm*2.8mm
SHQ202043330	330mm*3.0mm
SHQ202043335	330mm*3.5mm

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Nucleus Pulposus Clamps (DLC)

Curved 20° wheat tip



◆ Pinless design,overall structure




Order Code	Working Length*Head Width
SHQ202072725	270mm*2.5mm
SHQ202072728	270mm*2.8mm
SHQ202072730	270mm*3.0mm
SHQ202072735	270mm*3.5mm
SHQ202072740	270mm*4.0mm

Order Code	Working Length*Head Width
SHQ202053325	330mm*2.5mm
SHQ202053328	330mm*2.8mm
SHQ202053330	330mm*3.0mm
SHQ202053335	330mm*3.5mm


ISO:13485

Nucleus Pulposus Clamps (DLC)

Curved 45° wheat tip



◆ Pinless design,overall structure



Curved 45° wheat tip


Order Code	Working Length*Head Width
SHQ202082725	270mm*2.5mm
SHQ202082728	270mm*2.8mm
SHQ202082730	270mm*3.0mm
SHQ202082735	270mm*3.5mm
SHQ202082740	270mm*4.0mm

Order Code	Working Length*Head Width
SHQ202063325	330mm*2.5mm
SHQ202063328	330mm*2.8mm
SHQ202063330	330mm*3.0mm
SHQ202063335	330mm*3.5mm


WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Tendon Forceps(DLC Biting Forceps)



◆ Pinless design,overall structure



Straight



Curved 45°



Curved 15°




Order Code	Working Length*Head Width	Head Shape
701003-18	270mm*2.8mm	Straight
701003-19	270mm*2.8mm	Curved 15°
701003-21	270mm*4.0mm	Curved 15°
701003-20	270mm*2.8mm	Curved 45°
701003-22	270mm*4.0mm	Curved 45°

Order Code	Working Length*Head Width	Head Shape
YQQ202013328	330mm*2.8mm	Straight
YQQ202023328	330mm*2.8mm	Curved 15°
YQQ202033328	330mm*2.8mm	Curved 45°

ISO:13485

Nucleus Pulposus Clamps

Straight Oval tip






Order Code	Working Length*Head Width
701001-49	270mm*2.5mm
701001-50	270mm*2.8mm
701001-51	270mm*3.0mm
701001-52	270mm*3.5mm
701001-78	270mm*4.0mm

Order Code	Working Length*Head Width
701001-17	330mm*2.5mm
701001-18	330mm*2.8mm
701001-19	330mm*3.0mm
701001-20	330mm*3.5mm

ISO:13485

Nucleus Pulposus Clamps

Straight oval teethed tip






Order Code	Working Length*Head Width
701001-53	270mm*2.5mm
701001-54	270mm*2.8mm
701001-55	270mm*3.0mm
701001-56	270mm*3.5mm
701001-79	270mm*4.0mm

Order Code	Working Length*Head Width
701001-21	330mm*2.5mm
701001-22	330mm*2.8mm
701001-23	330mm*3.0mm
701001-24	330mm*3.5mm


ISO:13485

Nucleus Pulposus Clamps

Straight oval reverse tip



Straight Oval/Reverse/Teethed tip



Order Code	Working Length*Head Width	Type
701001-41	330mm*2.5mm	Straight oval reverse tip
701001-42	330mm*2.8mm	Straight oval reverse tip
701001-43	330mm*3.0mm	Straight oval reverse tip
701001-44	330mm*3.5mm	Straight oval reverse tip


Order Code	Working Length*Head Width	Type
701001-45	330mm*2.5mm	Straight oval/reverse/teethed tip
701001-46	330mm*2.8mm	Straight oval/reverse/teethed tip
701001-47	330mm*3.0mm	Straight oval/reverse/teethed tip
701001-48	330mm*3.5mm	Straight oval/reverse/teethed tip


WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Nucleus Pulposus Clamps

Straight wheat tip






Order Code	Working Length**Head Width
701001-61	270mm*2.5mm
701001-62	270mm*2.8mm
701001-63	270mm*3.0mm
701001-64	270mm*3.5mm
701001-75	270mm*4.0mm


Order Code	Working Length**Head Width
701001-29	330mm*2.5mm
701001-30	330mm*2.8mm
701001-31	330mm*3.0mm
701001-32	330mm*3.5mm

ISO:13485

Nucleus Pulposus Clamps

Curved 20° wheat tip





Curved 20° wheat tip



Order Code	Working Length*Head Width
701001-65	270mm*2.5mm
701001-67	270mm*2.8mm
701001-69	270mm*3.0mm
701001-71	270mm*3.5mm
701001-77	270mm*4.0mm


Order Code	Working Length*Head Width
701001-33	330mm*2.5mm
701001-35	330mm*2.8mm
701001-37	330mm*3.0mm
701001-39	330mm*3.5mm


WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Nucleus Pulposus Clamps

Curved 45° wheat tip






Curved 45° wheat tip



Order Code	Working Length*Head Width
701001-66	270mm*2.5mm
701001-68	270mm*2.8mm
701001-70	270mm*3.0mm
701001-72	270mm*3.5mm
701001-76	270mm*4.0mm

Order Code	Working Length*Head Width
701001-34	330mm*2.5mm
701001-36	330mm*2.8mm
701001-38	330mm*3.0mm
701001-40	330mm*3.5mm


Tendon Forceps(Biting Forceps)



Order Code	Working Length*Head Width	Head Shape
701003-7	270mm*2.8mm	Straight
701003-8	270mm*2.8mm	Curved 15°
701003-9	270mm*2.8mm	Curved 45°
701003-10	270mm*4.0mm	Curved 15°
701003-11	270mm*4.0mm	Curved 45°
701003-4	330mm*2.8mm	Straight
701003-5	330mm*2.8mm	Curved 15°
701003-6	330mm*2.8mm	Curved 45°

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument


Nucleus Pulposus Clamps (Spring Forceps)



Order Code	Working Length*Head Width	Head Shape
701004-7	270mm*2.8mm	Straight
701004-8	270mm*2.8mm	Teethed
701004-9	270mm*2.5mm	Wheat tip 45°
701004-4	330mm*2.8mm	Straight
701004-5	330mm*2.8mm	Teethed
701004-6	330mm*2.5mm	Wheat tip 45°

ISO:13485

Visual Trephine system (DLC)




For Endoscope	Order Code	Name	Working ID* length
φ6.3 (working channel φ3.75)	701017-1	Orthopedics Protector	φ7.7*165mm
	701018-1	Sleeve	φ6.5*177mm
	701019-1	Trephine wider teeth	φ6.5*186mm
φ6.3 (working channel φ3.7)	701017-2	Orthopedics Protector	φ7.7*155mm
	701018-2	Sleeve	φ6.5*167mm
	701019-2	Trephine wider teeth	φ6.5*176mm
φ7.0 (working channel φ4.3)	701017-3	Orthopedics Protector	φ8.4*165mm
	701018-3	Sleeve	φ7.2*177mm
	701019-3	Trephine wider teeth	φ7.2*186mm
φ7.0 (working channel φ4.3)	701017-4	Orthopedics Protector	φ8.4*114mm
	701018-4	Sleeve	φ7.2*126mm
	701019-4	Trephine wider teeth	φ7.2*135mm

For Endoscope	Order Code	Name	Working ID* length
φ7.3 (working channel φ4.7)	701017-5	Orthopedics Protector	φ8.7*134mm
	701018-5	Sleeve	φ7.5*146mm
	701019-5	Trephine wider teeth	φ7.5*155mm
φ7.3 (working channel φ4.7)	701017-8	Orthopedics Protector	φ8.7*155mm
	701018-8	Sleeve	φ7.5*167mm
	701019-15	Trephine wider teeth	φ7.5*167mm
φ10.0 (working channel φ7.1)	701017-6	Orthopedics Protector	φ11.4*123mm
	701018-6	Sleeve	φ10.2*135mm
	701019-6	Trephine wider teeth	φ10.2*144mm
φ10.0 (working channel φ6.0)	701017-7	Orthopedics Protector	φ11.4*109mm
	701018-7	Sleeve	φ10.2*121mm
	701019-7	Trephine wider teeth	φ10.2*130mm

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Visual Trephine system




For Endoscope	Order Code	Name	Working ID* length
φ6.3 (working channel φ3.75)	701006-2	Orthopedics Protector	φ7.7*165mm
	701007-2	Sleeve	φ6.5*177mm
	701008-2	Trephine	φ6.5*186mm
φ6.3 (working channel φ3.7)	701006-3	Orthopedics Protector	φ7.7*155mm
	701007-3	Sleeve	φ6.5*167mm
	701008-3	Trephine	φ6.5*176mm
φ7.0 (working channel φ4.3)	701006-4	Orthopedics Protector	φ8.4*165mm
	701007-4	Sleeve	φ7.2*177mm
	701008-4	Trephine	φ7.2*186mm
φ7.0 (working channel φ4.3)	701006-5	Orthopedics Protector	φ8.4*114mm
	701007-5	Sleeve	φ7.2*126mm
	701008-5	Trephine	φ7.2*135mm

For Endoscope	Order Code	Name	Working ID* length
φ7.3 (working channel φ4.7)	701006-7	Orthopedics Protector	φ8.7*134mm
	701007-7	Sleeve	φ7.5*146mm
	701008-7	Trephine	φ7.5*155mm
φ7.3 (working channel φ4.7)	701006-10	Orthopedics Protector	φ8.7*134mm
	701007-10	Sleeve	φ7.5*146mm
	701008-10	Trephine	φ7.5*155mm
φ10.0 (working channel φ6.0)	701006-1	Orthopedics Protector	φ11.4*109mm
	701007-1	Sleeve	φ10.2*121mm
	701008-1	Trephine	φ10.2*130mm
φ10.0 (working channel φ7.1)	701006-6	Orthopedics Protector	φ11.4*123mm
	701007-6	Sleeve	φ10.2*135mm
	701008-6	Trephine	φ10.2*144mm

ISO:13485

Bone Drill System

Precise locating, simplified surgical process, shorten surgical time.



Bone guide needle(blunt tip)



Order Code	Length	Size
701022-2	245mm	φ2.0

Bone guide needle(sharp tip)



Order Code	Length	Size
701022-3	245mm	φ2.0

Bone guide needle(drill bits tip)



Order Code	Length	Size
701022-4	250mm	φ2.0


WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Bone Drill System

Ensure efficient and accurate operation for shaping of foramen intervertebrale

The blunt tip design with safety and efficiency



Safety bone drill handle



Order Code	Length
701021-6	70mm

Safety bone drill



Order Code	Length	Size
701021-1	240mm	φ4mm
701021-2	240mm	φ6mm
701021-3	240mm	φ7mm
701021-4	240mm	φ8mm
701021-5	240mm	φ9mm

ISO:13485

Bone Needle






Nickel titanium wire


Puncture needle

Order Code	Length	Size	Description
701010-4	450mm	φ0.8	Nickel titanium wire
701010-1	450mm	φ1.2	Nickel titanium wire
701010-2	450mm	φ1.4	Nickel titanium wire
701010-3	450mm	φ1.5	Nickel titanium wire
701013-1	150mm	φ1.2	Puncture needle
701013-2	200mm	φ1.2	Puncture needle
701013-3	150mm	φ1.6	Puncture needle
701013-4	200mm	φ1.6	Puncture needle
701013-5	350mm	φ1.6	Puncture needle


Bone Guider

Dilator

Single hole



Double holes



Order Code	Length	Size	Description
701005-1	240mm	φ6.5(φ1.6)	Single hole
701005-2	240mm	φ7.5(φ1.6)	Single hole
701005-3	240mm	φ8.5(φ1.6)	Single hole
701005-4	240mm	φ6.5(φ1.3/1.6)	Double holes
701005-5	240mm	φ7.5(φ1.3/1.6)	Double holes
701005-6	240mm	φ8.5(φ1.3/1.6)	Double holes

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Bone Guider

Dilator

Match with 6.3 system



Order Code	Length	Description
701011-1	240mm	φ2.5
701011-6	230mm	φ4.0
701011-7	210mm	φ5.0
701011-8	190mm	φ6.0

Match with 7.0 system



Order Code	Length	Description
701011-1	240mm	φ2.5
701011-6	230mm	φ4.0
701015-3	210mm	φ7.0

Match with 7.3 system



Order Code	Length	Description
701011-1	240mm	φ2.5
701011-6	230mm	φ4.0
701011-7	210mm	φ5.0
701011-8	190mm	φ6.0
701011-9	170mm	φ7.3

Match with 10.0 system



Order Code	Length	Description
701011-1	240mm	φ2.5
701015-4	210mm	φ6.0
701015-5	190mm	φ10.0


ISO:13485

Orthopedics Protector




Order Code	Length	Size
701028-1	180mm	φ5.1*6.0
701028-2	180mm	φ6.6*7.5
701028-3	180mm	φ7.6*8.5

Trephine II



Order Code	Length	Diameter
701025-1	230mm	φ5.0
701025-2	230mm	φ6.5
701025-3	230mm	φ7.5

Push rod



Order Code	Length	Diameter
701027-1	250mm	φ4.0
701027-2	250mm	φ5.0
701027-3	250mm	φ6.0

Half teeth trephine



Order Code	Length	Size
701031-1	186mm	φ6.5
701031-2	176mm	φ6.5

T-Shape handle



Order Code	Length
701026	70mm

Hammer(silicone)




Order Code	Length	Head weight
701032	225mm	100g

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Made for big tunnel

Threaded sleeve





Order Code	Length	Size	Description
701014-1	120mm	φ10.2	Plain end
701014-2	120mm	φ10.2	Bevel end

Half teeth trephine



Order Code	Length	Size
701031-3	144mm	φ10.2
701031-4	130mm	φ10.2

Big tunnel sleeve

Flat mouth



Duckbill



Order Code	Length	Size	Description
701029-1	220mm	φ6.8*6.2	Plain end
701029-2	206mm	φ5.8*5.2	Plain end
701030-1	255mm	φ6.8*6.2	Duckbill
701030-2	241mm	φ5.8*5.2	Duckbill

Trephine I



Order Code	Length	Size	Description
701023-1	350mm	φ3.5*φ2.5	Trephine I
701023-2	350mm	φ4.0*φ3.0	Trephine I

Push rod




Order Code	Length	Size	Description
701024-1	400mm	φ2.5	Push rod
701024-2	400mm	φ3.0	Push rod

ISO ISO:13485


Nerve Probe






Order Code	Working Length	Head diameter*Hook depth* Rod diameter
701009-1	340mm	φ1.2*4.2mm*φ3
701009-16	340mm	φ1.2*3.0mm*φ3
701009-24	270mm	φ1.0mm*4.2mm*φ3
701009-25	270mm	φ1.2mm*3.0mm*φ3

Nerve Probe





Order Code	Working Length	Head diameter*Hook depth* Rod diameter	Tip Shape
701009-11	340mm	φ1.0*2.5mm*φ2.5	Ball Tip
701009-15	340mm	2.5mm*φ2.5	Flat Tip
701009-14	340mm	φ2.2*φ2.5	Ball Tip

ISO ISO:13485

Nerve Bush-hook






Order Code	Working Length	Head size*Rod diameter
701009-12	340mm	3.3mm*φ3

Stripper






Order Code	Working Length	Head size*Rod diameter
701009-22	270mm	4.0mm*φ3
701009-23	270mm	4.0mm*φ3*20°

Stripper






Order Code	Working Length	Head Width*Rod diameter*Height
701009-4	340mm	2.2mm*φ3*3.2mm
701009-3	340mm	3mm*φ3*3.4mm
701009-5	340mm	3mm*φ3*4.2mm*45°

ISO:13485

Osteotome


MIS round osteotome





Order Code	Working Length	Rod diameter*Blade width
701009-6	340mm	φ3*3mm
701009-26	270mm	φ4.0*6mm
701009-28	270mm	φ4.0*4mm

MIS straight osteotome






Order Code	Working Length	Rod diameter*Blade width
701009-13	340mm	φ3.5*3.5mm
701009-9	340mm	φ4.0*4.0mm
701009-27	270mm	φ4.0*6mm
701009-29	270mm	φ4.0*4mm

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

ISO:13485

Osteotome





Order Code	Working Length	Rod diameter* Blade width	Description
701009-8	340mm	φ3.5*3.5mm	MIS oblique osteotome
701009-7	340mm	φ3.5*3.5mm	MIS crescent osteotome

Cutting Knife





Order Code	Length	Size
701009-2	340mm	φ3

Bone Curette





Extended front bending

Order Code	Length	Size
701009-31	340mm	4mm
701009-32	270mm	4mm

Measuring Rod



Order Code	Length	Size
701009-10	340mm	φ3.5


Fibrous Ring Suture Instrument

Fiber ring cutter



Order Code	Length
701020-3	450mm

Knot pusher



Order Code	Length
701020-1	430mm

Suture cutter



Order Code	Working Length
701020-2	300mm

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

Spinal Minimally Invasive Surgery Instrument Set

Applicable to
6.3 endoscope



The details for Spinal Minimally Invasive Surgery Instrument Set Code: 211067

Seq	Item code	Description	Size	Quantity
1	701006-2	protector sleeve	Φ7.7*165mm	1
2	701007-2	sleeve	Φ6.5*177mm	1
3	701008-2	trephine	Φ6.5*186mm	1
4	701011-1	dilator	φ2.5*240mm	1
5	701011-6	dilator	φ4.0*230mm	1
6	701011-7	dilator	φ5.0*210mm	1
7	701011-8	dilator	φ6.0*190mm	1
8	701011-9	dilator	φ7.3*170mm	1
9	701010-1	Nickel titanium wire	φ1.2*450mm	1
10	701010-3	Nickel titanium wire	φ1.5*450mm	1
11	701005-4	Dilator Double holes	φ6.5×240mm （φ1.3/1.6）	1
12	701009-14	never retractor(ball tip)	340*φ2.5*φ2.2	1
13	701009-16	never probe	340*φ3*3.0	1
14	701009-3	never root stripper	340*φ3*3	1
15	701003-5	Biting Forceps	15°φ2.8×330mm	1
16	701004-4	spring forceps(curved)	φ2.8×330mm	1
17	701001-18	nucleus pulposus clamps	straight oval tip φ2.8×330mm	1
18	701001-34	nucleus pulposus clamps	curved 45° wheat tip φ2.5×330mm	1
19	701002-6	kerrsion rongeur shaft	330mm*3.5mm*110°/φ3.5mm	1
20	701002-4	kerrsion rongeur shaft	330mm*2.0mm130°/φ3.5mm	1
21	204055-26	kerrsion rongeur handle	silicone handle/version II	2
22	701013-4	puncture needle	φ1.6*200mm	1
23	701009-6	semi-circle knife	340*φ3	1
24	701009-13	flat knife	340*φ3.5*3.5	1
25	JYY-D213005-11	hammer	100g	1
26	WG211067	instrument box		1

Spinal Minimally Invasive Surgery Instrument Set II

Applicable to 10.0 endoscope



The details for Spinal Minimally Invasive Surgery Instrument Set II Code: 211074

Seq	Item code	Description	Size	Quantity
1	701014-1	threaded sleeve(flat)	φ10.2*120mm	1
2	701014-2	threaded sleeve(oblique)	φ10.2*120mm	1
3	701015-1	dilator	φ6.0*230mm	1
4	701015-2	dilator	φ10.0*215mm	1
5	701010-3	Ni-ti wire	φ1.5*450mm	1
6	701009-22	nerve stripper	270*φ3*4.0	1
7	701009-24	nerve probe	270*φ3*4.2	1
8	701009-32	extended bone curette	270*4mm	1
9	701009-29	MIS osteotome/flat	270*4mm*φ4.0	1
10	701009-28	MIS osteotome/round	270*4mm*φ4.0	1
11	701006-1	protector sleeve	φ11.4*109mm	1
12	701007-1	sleeve	φ10.2*121mm	1
13	701008-1	trephine	φ10.2*130mm	1
14	701002-34	kerrison rongeur punch	270mm*1.0*130°/φ3.5mm	1
15	701002-50	kerrison rongeur punch	270mm*2.0*130°/φ4mm	1
16	701002-47	kerrison rongeur punch	270mm*4.0*90°/φ4mm	1
17	701002-43	kerrison rongeur punch	270mm*5.0*130°/φ5mm	1
18	701002-58	kerrison rongeur punch	270mm*6.0*130°/φ6mm	1
19	204055-26	kerrison ronguer handle	II	2
20	701001-75	nucleus pulposus clamps	φ4.0*270mm	1
21	701001-66	nucleus pulposus clamps	φ2.5*270mm	1
22	701001-72	nucleus pulposus clamps	φ3.5*270mm	1
23	701001-79	nucleus pulposus clamps	φ4.0*270mm	1
24	701003-10	biting forceps	15°*φ4.0*270mm	1
25	701003-8	biting forceps	15°*φ2.8*270mm	1
26	JYY-D213005-11	bone hammer	100g	1
27	WG211074	box	II	1

WUYANG MEDICAL
Spinal Endoscopic Surgery Instrument

Spinal Minimally Invasive Surgery Instrument Set I

Applicable to 6.3 endoscope



The details for Spinal Minimally Invasive Surgery Instrument Set I Code: 211067-1

Seq	Item code	Description	Size	Quantity
1	701006-2	protector sleeve	Φ7.7*165mm	1
2	701007-2	sleeve	Φ6.5*177mm	1
3	701008-2	trephine	Φ6.5*186mm	1
4	701011-1	dilator	φ2.5*240mm	1
5	701011-6	dilator	φ4.0*230mm	1
6	701011-7	dilator	φ5.0*210mm	1
7	701011-8	dilator	φ6.0*190mm	1
8	701010-1/3	Nickel titanium wire	φ1.2/φ1.5*450mm	1each
9	701013-4	puncture needle	φ1.6*200mm	1
10	701005-4	dilator(double holes)	φ6.5×240mm (φ1.3/1.6)	1
11	701005-5	dilator(double holes)	φ7.5×240mm (φ1.3/1.6)	1
12	701003-4/5	biting forceps	φ2.8/15°φ2.8×330mm	1each
13	701004-4	spring forceps	φ2.8×330mm	1
14	701001-29	nucleus pulposus clamps straight/wheat tip	φ2.5/φ2.5×330mm	1
15	701001-34	nucleus pulposus clamps curved/wheat tip	φ2.5/φ2.5×330mm* 45°	1
16	701001-20	nucleus pulposus clamps straight/oval tip	φ3.5/φ3.5×330mm	1
17	701001-24	nucleus pulposus clamps straight/oval/teethed tip	φ3.5/φ3.5×330mm	1
18	701002-59	kerrison ronguer shaft	330mm*3.0mm*130°/φ3.5mm	1
19	701002-16	kerrison ronguer shaft	330mm*3.0mm*90°/φ3.5mm	1
20	204055-28	kerrison ronguer handle	V	2
21	701009-16	nerve probe	340*φ3*3.0	1
22	701009-3	nerve stripper	340*φ3*3	1
23	701009-6	MIS round osteotome	340*φ3*3.0	1
24	701009-13	MIS flat osteotome	340*φ3.5*3.5	1
25	701032	bone hammer	100g	1
26	701023-1	endoscopic trephine	φ3.5*350mm	1
27	701024-1	endoscopic trephine push rod	φ2.5*400mm	1
28	701025-1/2/3	quick coupling trephine	φ5.0/φ6.5/φ7.5*230mm	1each
29	701027-1/2/3	trephine push rod	φ4.0/φ5.0/φ6.0*250mm	1each
30	701028-1	trephine protective sleeve	φ5.1*6.0*180mm	1
31	701028-2	trephine protective sleeve	φ6.6*7.5*180mm	1
32	701028-3	trephine protective sleeve	φ7.6*8.5*180mm	1
33	701026	trephine handle	70mm	1
34	WG211067-1	instrument box	6.3	1

ISO:13485

Spinal Minimally Invasive Surgery Instrument Set II

Applicable to 10.0 endoscope



The details for Spinal Minimally Invasive Surgery Instrument Set II Code: 211074-1

Seq	Item code	Description	Size	Quantity
1	701014-1	threaded sleeve(Plain end)	φ10.2*120mm	1
2	701014-2	threaded sleeve(Bevel end)	φ10.2*120mm	1
3	701006-6	Protector	Φ11.4*123mm	1
4	701007-6	sleeve	Φ10.2*135mm	1
5	701008-6	Trephine	Φ10.2*144mm	1
6	701011-1	dilator	φ2.5*240mm	1
7	701015-4	dilator	φ6.0*φ2.5*210mm	1
8	701015-5	dilator	φ10.0*φ6.0*190mm	1
9	701013-4	puncture needle	φ1.6*200mm	1
10	701010-1	Nickel titanium wire	φ1.2*450mm	1
11	701009-22	nerve stripper	270*φ3*4.0	1
12	701009-24	nerve probe	270*φ3*4.2	1
13	701009-32	bone curette	270*4mm	1
14	701009-29	MIS round osteotome	270*4mm*φ4.0	1
15	701009-28	MIS flat osteotome	270*4mm*φ4.0	1
16	701002-103	kerrison ronguer shaft	270mm*1.5mm*130°/φ3.5mm	1
17	701002-35	kerrison ronguer shaft	270mm*2.0mm130°/φ3.5mm	1
18	701002-106	kerrison ronguer shaft	270mm*3.5mm*90°/φ4mm	1
19	701002-108	kerrison ronguer shaft	270mm*3.5mm*130°/φ4mm	1
20	701002-116	kerrison ronguer shaft	270mm*4.5mm*130°/φ5mm	1
21	701002-54	kerrison ronguer shaft	270mm*5.0mm*90°/φ6	1
22	701002-57	kerrison ronguer shaft	270mm*5.0mm*130°/φ6	1
23	701002-120	kerrison ronguer shaft	270mm*3.5mm*130°/φ6mm	1
24	204055-28	kerrison ronguer handle	V	2
25	701029-1	big tunnel endoscopic sleeve(flat mouth)	φ6.8*6.2*220mm	1
26	701030-1	big tunnel endoscopic sleeve(duckbill mouth)	φ6.8*6.2*255mm	1
27	701001-51/24	nucleus pulposus clamps	φ3.0×270mm/φ3.5×330mm	1each
28	701001-75/29	nucleus pulposus clamps	φ4.0*270mm/φ2.5×330mm	1each
29	701001-66/72	nucleus pulposus clamps	φ2.5/φ3.5×270mm	1each
30	701003-10/8	nucleus pulposus clamps(Biting Forceps)	15° φ4.0/15°φ2.8×270mm	1each
31	701032	bone hammer	100g	1
32	WG211074-1	Instrument box	10.0	1

ISO:13485

DLC Biportal Osteotome








Order Code	Length	Size	Type
231027-1	285mm	4mm	No.001
231027-2	285mm	4mm	No.002
231027-3	285mm	4.2mm	No.003
231027-4	285mm	5mm	No.004
231027-5	285mm	5mm	No.005
231027-6	285mm	20*4*4mm	No.006
231027-7	285mm	6*6mm	No.007
231027-8	285mm	8*4*4mm	No.008
231027-9	285mm	30*4*4mm	No.009
231027-10	285mm	5mm	No.010

ISO:13485


Biportal osteotome





Order Code	Length	Size	Type
GD2040105	250mm	5mm	Curved left
GD2040805	250mm	5mm	Curved right
GD2040905	250mm	5mm	Straight
GD2041204	250mm	4mm*110°	Front curved
GD2041104	250mm	4mm*125°	Front curved
GD2041304	250mm	4mm*150°	Front curved
GD2041404	275mm	6*6mm	Square corner osteotome
GD2041406	275mm	4*4mm	Square corner osteotome





Order Code	Length	Size	Type
203007-68-1	250mm	5mm	Curved left
203007-69	250mm	6mm	Curved left
203007-70-1	250mm	5mm	Curved right
203007-71	250mm	6mm	Curved right
203007-75	250mm	4mm	Straight
203007-72-1	250mm	5mm	Straight
203007-73	250mm	6mm	Straight
203007-74-1	250mm	4mm*125°	Front curved
203007-76	250mm	4mm*110°	Front curved
203007-77	250mm	4mm*150°	Front curved
231013	240mm	5mm	Triangle
226002-6	275mm	6*6mm	Square corner osteotome
FG-005	275mm	4*4mm	Square corner osteotome

WUYANG MEDICAL

ISO:13485

Biportal osteotome



Order Code	Length	Size	Type
231004-1	195mm	5mm	Straight
231004-2	195mm	5mm	Curved

Biportal position needle



Order Code	Length	Size
231018	210mm	4.0mm
231018-1	210mm	5.0mm

Bone guider

Core for dilator




Order Code	Length	Size	Description
231001	200mm	7mm	core for dilator
231002-1	200mm	5mm	Dilator
231002-2	185mm	7mm	Dilator(hollow)
231002-3	170mm	9mm	Dilator(hollow)
231002-4	155mm	11mm	Dilator(hollow)
231002-5	140mm	13mm	Dilator(hollow)
231002-6	125mm	15mm	Dilator(hollow)
231003-1	150mm	5mm	Dilator(solid)
231003-2	150mm	11mm	Dilator(solid)
231003-3	150mm	13mm	Dilator(solid)
231003-4	150mm	15mm	Dilator(solid)

ISO:13485

Biportal Nerve Root Retractor





Order Code	Length	Size	Type
231010-1	195mm	4mm	Type I
231010-5	195mm	6mm	Type I
231010-6	195mm	8mm	Type I
231010-2	195mm	10mm	Type I
231010-3	195mm	10mm	Type I (left)
231010-4	195mm	10mm	Type I (right)
231010-7	195mm	4mm	Type II
231010-8	195mm	6mm	Type II
231010-9	195mm	8mm	Type II
231010-10	195mm	10mm	Type II

WUYANG MEDICAL
UBE Instrument

ISO:13485

End plate separator



Order Code	Length	Size
231012-1	250mm	Curved
231012-2	250mm	5°
231012-3	250mm	35°

Double ended nerve root stripper



Order Code	Length	Size
231009-1	300mm	5.5mm*5°/15°
231009-2	300mm	5.5mm*25°/35°
231009-3	300mm	4mm*5°/15°
231009-4	300mm	4mm*25°/35°
231009-5	300mm	3mm*5°/15°
231009-6	300mm	3mm*25°/35°

Muscle detacher



Order Code	Length
231008	160mm

ISO:13485

Bone Curette





Big bend | Front curved | Reverse tip | Reverse/ teethed | Right angle

Order Code	Length	Size	Description
GGC2043503	260mm	3mm	Biportal (front curved)
GGC2043505	260mm	5mm	Biportal (front curved)
GGC2043506	260mm	6mm	Biportal (front curved)
GGC2024502	290mm	2mm*45°	Biportal (reverse)
GGC2024503	260mm	3mm*45°	Biportal (reverse)
GGC2024504	260mm	4mm*45°	Biportal (reverse)
GGC2024505	260mm	5mm*45°	Biportal (reverse)
GGC2024506	260mm	6mm*45°	Biportal (reverse)
GGC2054504	260mm	4mm*45°	Biportal (reverse/teethede)
GGC2054505	260mm	5mm*45°	Biportal (reverse/teethede)
GGC2054506	260mm	6mm*45°	Biportal (reverse/teethede)
GGC2069005	260mm	5mm*90°	Biportal (right angle)
GGC2031303	260mm	3mm*130°	Biportal (big bend)






Big bend | Front curved | Reverse tip | Reverse/ teethed | Right angle

Order Code	Length	Size	Description
205009-77	290mm	2mm*45°	Biportal (reverse tip)
205009-78-1	260mm	3mm*45°	Biportal (reverse tip)
205009-79	260mm	4mm*45°	Biportal (reverse tip)
205009-80	260mm	5mm*45°	Biportal (reverse tip)
205009-81	260mm	6mm*45°	Biportal (reverse tip)
205009-82-1	260mm	3mm*130°	Biportal (big bend)
205009-83-1	260mm	3mm	Biportal (front curved)
205009-84-1	260mm	5mm	Biportal (front curved)
205009-85-1	260mm	6mm	Biportal (front curved)
205009-86-1	260mm	4mm*45°	Biportal (reverse/teethed)
205009-87-1	260mm	5mm*45°	Biportal (reverse/teethed)
205009-88	260mm	6mm*45°	Biportal (reverse/teethed)
205009-99	260mm	5mm*90°	Biportal (right angle)

ISO:13485

Biportal reamer



Order Code	Length	Size
231015-6	230mm	7mm
231015	230mm	8mm
231015-1	230mm	9mm
231015-2	230mm	10mm
231015-3	230mm	11mm
231015-4	230mm	12mm
231015-5	230mm	13mm
231015-7	230mm	14mm

Locator





φ1.5 φ2.0

Order Code	Length	Size
231029-1	150mm	φ1.5
231029-2	150mm	φ2.0

Biportal Bone Curette (right angle)



Order Code	Length	Size
GGC1069006	260mm	6mm*90°

Biportal cage impactor



Order Code	Length
231005	235mm


Bone hammer



Order Code	Length	Size
231014	220mm	150g

ISO:13485


Biportal Stripper



Order Code	Length	Size
231023	230mm	5mm
231023-1	230mm	5mm*120°

Biportal nerve root probe





Order Code	Length	Hook depth
231022	230mm	7mm
231022-1	230mm	4mm

Fiber ring cutter





Order Code	Length	Size
231028	285mm	3mm

Bone Graft Funnel



Order Code	Length	Size	Description
231016	165mm	8mm	Bone graft funnel
231017	270mm	8mm	Push rod
231025	165mm	6mm	Bone graft funnel
231026	270mm	6mm	Push rod

WUYANG MEDICAL
UBE Instrument

ISO:13485

Spring retractor



Order Code	Length
231011-1	10*35mm
231011-2	10*50mm
231011-3	20*50mm
231011-4	20*60mm
231011-5	20*70mm
231011-6	20*80mm

Half-sleeve retractor



Order Code	Diameter*Length
231019-13	φ15*50mm
231019-14	φ15*60mm
231019-15	φ15*70mm
231019-16	φ15*80mm
231019-17	φ13*50mm
231019-18	φ13*60mm
231019-19	φ13*70mm
231019-20	φ13*80mm
231019-21	φ10*50mm
231019-22	φ10*60mm
231019-23	φ10*70mm
231019-24	φ10*80mm

Biportal suction



Order Code	Length*Size	Description
231006-1	210mm*3mm	Biportal suction
231006-2	210mm*4mm	Biportal suction
231006-3	210mm*5mm	Biportal suction
231007	200mm*3mm	Biportal suction(curved)

Half-sleeve aspirator



Order Code	Diameter*Length
231024-1	φ10*50mm
231024-2	φ10*60mm
231024-3	φ10*70mm
231024-4	φ10*80mm
231024-5	φ12*50mm
231024-6	φ12*60mm
231024-7	φ12*70mm
231024-8	φ12*80mm

UBE Instrument Set III



The details for UBE Instrument Set III Code: UBE003

Seq	Item code	Description	Size	Quantity
1	231001	Core for dilator	7mm	1
2	231002-1/2/3	Dilator (hollow)	5mm/7mm/9mm	1 each
3	231002-4/5/6	Dilator (hollow)	11mm/13mm/15mm	1 each
4	231005	Biportal cage impactor	/	1
5	231006-1	Biportal suction	φ3mm	1
6	231007	Biportal suction (curved)	φ3mm	1
7	231008	Muscle detacher	Type I	1
8	231009-5	Double ended nerve root stripper	3mm，5°/15°	1
9	231009-6	Double ended nerve root stripper	3mm，25°/35°	1
10	231012-1/2/3	End plate separator	Curved/5°/35°	1 each
11	231010-1/2	Biportal Nerve Root Retractor I	4mm/10mm	1 each
12	231010-3/4	Biportal Nerve Root Retractor I	10mm(left)/10mm(right)	1 each
13	231010-5/6	Biportal Nerve Root Retractor I	6mm/8mm	1 each
14	231004-1/2	Biportal osteotome (straight/curved)	5mm	1 each
15	203007-68-1	Biportal osteotome (curved left)	5mm	1
16	203007-70-1	Biportal osteotome (curved right)	5mm	1
17	203007-72-1	Biportal osteotome (straight)	5mm	1
18	203007-74-1	Biportal osteotome (front curved)	4mm*125°	1
19	231013	Biportal osteotome (triangle)	5mm	1
20	205009-78-1/81	Biportal Bone Curette(reverse tip)	45°*3mm/45°*6mm	1 each
21	205009-82-1	Biportal Bone Curette(big bend)	130°*3mm	1
22	205009-83-1/84-1	Biportal Bone Curette(front curved)	3mm/5mm	1 each
23	205009-85-1	Biportal Bone Curette(front curved)	6mm	1
24	231015	Biportal reamer	8mm	1
25	231014	Bone hammer	150g	1
26	231016	Bone graft funnel	165*φ8	1
27	231017	Push rod	270*φ8	1
28	231018-1	Biportal position needle	5.0*210mm	1
29	231022	Biportal nerve root probe	7mm	1
30	231023	Biportal Stripper	5mm	1
31	231019-13/14	Half cannula retractor	φ15*50/φ15*60	2 each
32	231019-15/16	Half cannula retractor	φ15*70/φ15*80	2 each
33	UBE-003	UBE instrument box	III	1

WUYANG MEDICAL
UBE Instrument

UBE Instrument Set V




The details for UBE Instrument Set V details of the complete set Code: UBE004

Seq	Item code	Description	Size	Quantity
1	231002-1	Dilator (hollow)	5mm	1
2	231002-2	Dilator (hollow)	7mm	1
3	231002-3	Dilator (hollow)	9mm	1
4	231002-4	Dilator (hollow)	11mm	1
5	231002-5	Dilator (hollow)	13mm	1
6	231018-1	Biportal position needle	5.0mm*210mm	2
7	231019-19	Half cannula retractor	φ13*70	2
8	231019-18	Half cannula retractor	φ13*60	2
9	231008	Muscle detacher	Type I	1
10	231009-5	Double ended nerve root stripper	3mm,5°/15°	1
11	231022	Biportal nerve root probe	7mm	1
12	231010-5	Biportal Nerve Root Retractor I	6mm	1
13	231010-2	Biportal Nerve Root Retractor I	10mm	1
14	231014	Bone hammer	150g	1
15	203007-68-1	Biportal osteotome (curved left)	5mm	1
16	203007-70-1	Biportal osteotome (curved right)	5mm	1
17	203007-72-1	Biportal osteotome (straight)	5mm	1
18	205009-78-1	Biportal Bone Curette (reverse tip)	45°*3mm	1
19	205009-83-1	Biportal Bone Curette (front curved)	3mm	1
20	204036-3	Nucleus pulposus clamps Sharp straight	160*4.0mm	1
21	204036-4	Nucleus pulposus clamps Sharp curved	160*4.0mm	1
22	204052-13	Kerrison rongeur Rotatable/dismounted	220*3.0*130°	1
23	204052-14	Kerrison rongeur Rotatable/dismounted	220*4.0*130°	1
24	204055-13	Kerrison rongeur Rotatable/dismounted arc	220*3.0*130°	1
25	204055	Pliers handle	Type I	3
26	UBE-004	UBE instrument box	V	1

ISO ISO:13485

UBE Kerrison Rongeurs




The details for UBE Kerrison Rongeurs Set :

Seq	Item code	Description	Size	Quantity
1	204052-28/29/30	Kerrison rongeur (Rotatable/dismounted)	180*2.0/3.0/4.0*90°	assorting
2	204052-31/32/33	Kerrison rongeur (Rotatable/dismounted)	180*2.0/3.0/4.0*110°	assorting
3	204052-34/35/36	Kerrison rongeur (Rotatable/dismounted)	180*2.0/3.0/4.0*130°	assorting
4	204052-1/2/3/4/5	Kerrison rongeur (Rotatable/dismounted)	220*1.0/2.0/3.0/4.0/5.0*90°	assorting
5	204052-6/7/8/9/10	Kerrison rongeur (Rotatable/dismounted)	220*1.0/2.0/3.0/4.0/5.0*110°	assorting
6	204052-11/12/13/14/15	Kerrison rongeur (Rotatable/dismounted)	220*1.0/2.0/3.0/4.0/5.0*130°	assorting
7	204055-16/17/18	Kerrison rongeur (Rotatable/dismounted arc)	180*2.0/3.0*4.0*90°	assorting
8	204055-19/20/21	Kerrison rongeur (Rotatable/dismounted arc)	180*2.0/3.0*4.0*110°	assorting
9	204055-22/23/24	Kerrison rongeur (Rotatable/dismounted arc)	180*2.0/3.0*4.0*130°	assorting
10	204055-1/2/3/4/5	Kerrison rongeur (Rotatable/dismounted arc)	220*1.0/2.0/3.0/4.0/5.0*90°	assorting
11	204055-6/7/8/9/10	Kerrison rongeur (Rotatable/dismounted arc)	220*1.0/2.0/3.0/4.0/5.0*110°	assorting
12	204055-11/12/13/14/15	Kerrison rongeur (Rotatable/dismounted arc)	220*1.0/2.0/3.0/4.0/5.0*130°	assorting
13	204047-7/10/13/17/34	Kerrison rongeur(DLC Rotatable/dismounted)	220*1.0/2.0/3.0/4.0/5.0*90°	assorting
14	204047-8/11/14/18/32	Kerrison rongeur(DLC Rotatable/dismounted)	220*1.0/2.0/3.0/4.0/5.0*110°	assorting
15	204047-9/12/15/19/33	Kerrison rongeur(DLC Rotatable/dismounted)	220*1.0/2.0/3.0/4.0/5.0*130°	assorting
16	204047-62/63/64/65/66	Kerrison rongeur(DLC Rotatable/dismounted arc)	220*1.0/2.0/3.0/4.0/5.0*90°	assorting
17	204047-67/68/69/70/71	Kerrison rongeur(DLC Rotatable/dismounted arc)	220*1.0/2.0/3.0/4.0/5.0*110°	assorting
18	204047-72/73/74/75/76	Kerrison rongeur(DLC Rotatable/dismounted arc)	220*1.0/2.0/3.0/4.0/5.0*130°	assorting
19	204036-1	Nucleus pulposus clamps(Flat straight)	160mm*4.0mm	assorting
20	204036-2	Nucleus pulposus clamps(Flat curved)	160mm*4.0mm	assorting
21	204036-3	Nucleus pulposus clamps(Sharp straight)	160mm*4.0mm	assorting
22	204036-4	Nucleus pulposus clamps(Sharp curved)	160mm*4.0mm	assorting
23	204036-5	Nucleus pulposus clamps(straight Sharp teeth)	160mm*4.0mm	assorting
24	/	UBE Kerrison Rongeurs box	/	1

ISO ISO:13485

Universal Combination Arm II

One body with snake shape,multi-joints fixation,full-direction adjustment,can reduce the time of assembling




Universal combination arm II

Order Code	Length
215005-1	430mm

Universal Combination Arm V

215005-2-1




Universal combination arm instrument set

Order Code

211049-8

Universal Combination Arm VI




Discectomy retractor system



Posterior Lumbar retractor system



MIS retractor system



OLIF MIS tunnel



Anterior Cervical retractor system



Double joints cervical retractor



WUYANG MEDICAL
Spinal Minimally Invasive Instruments

OLIF Channel system




DLC Spinal MIS retractor (channel) III



Order Code
215009-2

Spinal MIS retractor (channel) III



Order Code
215009-1

DLC Distraction blade (channel II)



Order Code	Length
215015-5	90mm
215015-6	110mm
215015-7	130mm
215015-8	150mm

Distraction blade (channel II)



Order Code	Length
215015-1	90mm
215015-2	110mm
215015-3	130mm
215015-4	150mm

Dilator (OLIF channel)



Order Code	Diameter*Length
215016-1	φ5.0*230mm
215016-2	φ10.5*210mm
215016-3	φ16*195mm
215016-4	φ20.7*180mm

ISO ISO:13485

Blade screwdriver



Order Code	Size
215033-1	SW2.0

Orthopedic wrench (I)



Order Code	Length
215019	243mm

Locating pin OLIF channel



Order Code	Length
215017-1	120mm
215017-2	140mm
215017-3	160mm
215017-4	180mm

Blade wrench



Order Code
215011

Distraction sleeve



Order Code	Size
215033-2	SW7.0

T shape wrench channel)




Order Code	Size
215033-3	SW3.5

OLIF MIS tunnel instrument set

Order Code
211049-9






WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO ISO:13485

Posterior Lumbar MIS Tunnel system



Distraction blade(channel) I




Order Code	Length
215013-1	L50mm
215013-2	L60mm
215013-3	L70mm
215013-4	L80mm
215013-5	R50mm
215013-6	R60mm
215013-7	R70mm
215013-8	R80mm

Bone retractor (blade sector) II



Order Code	Length
215030-1	50mm
215030-2	60mm
215030-3	70mm
215030-4	80mm


Dilator minimally invasive



Order Code	Size*Length
215031-1	φ7.0*195mm
215031-2	φ11.5*175mm
215031-3	φ15.5*155mm
215031-6	φ20.5*145mm

ISO:13485

Posterior Lumbar MIS Tunnel system



blade sector type I



Order Code	Length
215014-1	50mm
215014-2	60mm
215014-3	70mm
215014-4	80mm

Posterior lumbar MIS tunnel instrument set


Order Code: 211049-10



WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

MIS light source sleeve retractor system



Direct light source connection channel, uniform fiber distribution, higher stability

Taper sleeve(with light source)



Order Code	Diameter*Length
215007-33	φ21*50mm
215007-34	φ21*60mm
215007-35	φ21*70mm
215007-36	φ24*50mm
215007-37	φ24*60mm
215007-38	φ24*70mm

Dilator (MIS channel)



Order Code	Diameter*Length
215031-1	φ7.0*195mm
215031-2	φ11.5*175mm
215031-3	φ15.5*155mm
215031-4	φ19.5*135mm
215031-5	φ23.5*125mm

MIS retractor light source sleeve instrument set

Order Code: 211049-13



ISO:13485

MIS tunnel retractor system (DLC)



Dilator(MIS channel)



Order Code	Diameter*Length
215012-1	φ5.3*225mm
215012-2	φ9.1*210mm
215012-3	φ12.6*190mm
215012-4	φ14*170mm
215012-5	φ16.6*150mm
215012-6	φ18*140mm
215012-7	φ22*130mm

DLC Tunnel sleeve



Order Code	Diameter*Length
TT2011540	φ15*40
TT2011550	φ15*50
TT2011560	φ15*60
TT2011570	φ15*70
TT2011580	φ15*80
TT2011840	φ18*40
TT2011850	φ18*50
TT2011860	φ18*60
TT2011870	φ18*70
TT2011880	φ18*80

Order Code	Diameter*Length
TT2012140	φ21*40
TT2012150	φ21*50
TT2012160	φ21*60
TT2012170	φ21*70
TT2012180	φ21*80
TT2012440	φ24*40
TT2012450	φ24*50
TT2012460	φ24*60
TT2012470	φ24*70
TT2012480	φ24*80

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

DLC Tunnel sleeve(oblique type)



Order Code	Diameter*Length
TT2031540	φ15*40
TT2031550	φ15*50
TT2031560	φ15*60
TT2031570	φ15*70
TT2031580	φ15*80
TT2031840	φ18*40
TT2031850	φ18*50
TT2031860	φ18*60
TT2031870	φ18*70
TT2031880	φ18*80

Order Code	Diameter*Length
TT2032140	φ21*40
TT2032150	φ21*50
TT2032160	φ21*60
TT2032170	φ21*70
TT2032180	φ21*80
TT2032440	φ24*40
TT2032450	φ24*50
TT2032460	φ24*60
TT2032470	φ24*70
TT2032480	φ24*80

DLC Tunnel sleeve(taper)



Order Code	Cnicity*Diameter*Length
TT2022450	φ24*φ20*50
TT2022460	φ24*φ20*60
TT2022470	φ24*φ20*70
TT2022480	φ24*φ20*80
TT2022650	φ26*φ22*50
TT2022660	φ26*φ22*60
TT2022670	φ26*φ22*70
TT2022680	φ26*φ22*80
TT2022850	φ28*φ24*50
TT2022860	φ28*φ24*60
TT2022870	φ28*φ24*70
TT2022880	φ28*φ24*80

MIS tunnel retractor system

Tunnel sleeve



Order Code	Diameter*Length
215007-1/2/3/4	φ15*50/60/70/80mm
215007-5/6/7/8	φ18*50/60/70/80mm
215007-9/10/11/12	φ21*50/60/70/80mm
215007-13/14/15/16	φ24*50/60/70/80mm

Tunnel sleeve(oblique type)



Order Code	Diameter*Length
215007-17/18/19/20	φ15*50/60/70/80mm
215007-21/22/23/24	φ18*50/60/70/80mm
215007-25/26/27/28	φ21*50/60/70/80mm
215007-29/30/31/32	φ24*50/60/70/80mm

Tunnel sleeve(taper)



Order Code	Diameter*Length
215007-47/48/49/50	φ24*50/60/70/80mm
215007-43/44/45/46	φ26*50/60/70/80mm
215007-39/40/41/42	φ28*50/60/70/80mm


ISO:13485

MIS retractor tunnel system instrument set




Order Code
211049-11

Optional DLC tunnel sleeve



MIS retractor



WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

DLC MIS retractor



Order Code	Length*Width
214019-1	40mm*16mm
214019-2	50mm*16mm
214019-3	60mm*16mm
214019-4	60mm*20mm
214019-7	70mm*20mm
214019-5	80mm*20mm
214019-6	100mm*20mm
214019-10	60mm*24mm
214019-9	70mm*24mm
214019-8	80mm*24mm

DLC MIS retractor II



Order Code	Length*Width
214019-11	60mm*20mm
214019-14	70mm*20mm
214019-12	80mm*20mm
214019-13	100mm*20mm
214019-17	60mm*24mm
214019-16	70mm*24mm
214019-15	80mm*24mm

Blade version I (Titanium alloy/fixed type)



Order Code	Length*Width
207081-6	60mm*22mm
207081-7	70mm*22mm
207081-8	80mm*22mm

DLC MIS retractor (rack type)



Order Code
207084

Blade (rack type)



Order Code	Length*Width
207079-10	60mm*22mm
207079-11	80mm*22mm
207079-13	70mm*22mm

Dilator(MIS channel)



Order Code	Diameter*Length
215031-1	φ7.0*195mm
215031-2	φ11.5*175mm
215031-3	φ15.5*155mm
215031-4	φ19.5*135mm

ISO:13485

Handle for blade



Workable with various Fixed typeof blades

Order Code

215001-06

Open handle for blade



Workable with various open type of blades

Order Code

215001-18

Handle for blade



Order Code

215001-19


Blade (dis)assemble plier



Order Code

215001-17

Spinal Multi-directional MIS Retractors Combination




Order Code	Length*Width
207073	40mm*16mm
207074	50mm*16mm
207075	60mm*16mm
207076	60mm*20mm
207077	80mm*20mm
207078	100mm*20mm

MIS retractor instrument set

Order Code

211049-12






WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

DLC Spinal Multi-directional MIS Retractors Combination (Double joints)



Spinal MIS retractor (double joints side-open)



Order Code

214021


Spinal MIS retractor (three joints side-open)



Order Code

214022

Double joints cervical retractor (Titanium alloy/side-open)



Workable with different type of blades

Order Code	Length
207058-4	170mm

Three joints cervical retractor (Titanium alloy/side-open)




Workable with different type of blades

Order Code	Length
207058-5	210mm

ISO:13485

Workable with different type of blades

Double joints cervical retractor (side-open)



Order Code	Length
207058-6	170mm

Three joints cervical retractor (side-open)



Order Code	Length
207058-7	210mm

Three joints cervical retractor (Titanium alloy)




Order Code	Length
207058-3	210mm

Three joints cervical retractor



Order Code	Length
207058-2	210mm

Spinal Multi-directional MIS Retractors Combination (Double Joints)



Order Code	Length
207058-1	170mm

Applicable for longitudinal traction

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

Spinal MIS retractor (Double joints cervical side-open)




Order Code
207086

Spinal MIS retractor (three joints)



Order Code
207082

Blade box




Order Code	Size
WG0061	200mm*280mm*40mm

Anterior Cervical MIS retractor instrument set


Order Code
211049-14





Anterior Cervical MIS retractor instrument set (new style)

Order Code
211049-15





ISO:13485

Peek Blade(Open type)

Compatible with side-open type retractors

Type I
Distal tooth design, pull of tissue firmly





Type III
Distal blunt design, hold firmly and gentle



For side open retractors

Easy and quick disassembly, lateral load can be quickly locked.

Suitable for side open type retractor and handle.



PEEK material

The new generation of enhanced peek material, effectively protects soft tissue.

Full radioluscent, Intraoperative vision clear, no light reflex.



A variety of sizes for selection

Width: 16/19/22mm, Suitable for microsurgery and standard orthopedic surgery.

Length: 40/50/60/70mm Suitable for single, double and multi-segment incisions.

Blade version I



Blade version III



Version I

Order Code	Length*Width
DPK3011640	40mm*16mm
DPK3011650	50mm*16mm
DPK3011660	60mm*16mm
DPK3011670	70mm*16mm
DPK3011940	40mm*19mm
DPK3011950	50mm*19mm
DPK3011960	60mm*19mm
DPK3011970	70mm*19mm
DPK3012240	40mm*22mm
DPK3012250	50mm*22mm
DPK3012260	60mm*22mm
DPK3012270	70mm*22mm

Version III

Order Code	Length*Width
DPK3031640	40mm*16mm
DPK3031650	50mm*16mm
DPK3031660	60mm*16mm
DPK3031670	70mm*16mm
DPK3031940	40mm*19mm
DPK3031950	50mm*19mm
DPK3031960	60mm*19mm
DPK3031970	70mm*19mm
DPK3032240	40mm*22mm
DPK3032250	50mm*22mm
DPK3032260	60mm*22mm
DPK3032270	70mm*22mm

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

Titanium alloy blade (open type)

Compatible with side-open type retractors



Version I
Distal tooth design pull of tissue firmly



Version II
Distal blunt design less weight with hollow



Version III
Distal blunt design hold firmly and gentle



Version V
Distal coarse tooth design grip more gentle



For side open retractors



Titanium alloy material

A variety of sizes for selection

Half radioluscent, only a shadow under the X-ray.

Blade version I



Order Code	Length*Width
DPK2011640	40mm*16mm
DPK2011650	50mm*16mm
DPK2011660	60mm*16mm
DPK2011670	70mm*16mm
DPK2011680	80mm*16mm

Order Code	Length*Width
DPK2012240	40mm*22mm
DPK2012250	50mm*22mm
DPK2012260	60mm*22mm
DPK2012270	70mm*22mm
DPK2012280	80mm*22mm

Blade version II



Order Code	Length*Width
DPK2021640	40mm*16mm
DPK2021650	50mm*16mm
DPK2021660	60mm*16mm
DPK2021670	70mm*16mm
DPK2021680	80mm*16mm

Order Code	Length*Width
DPK2022240	40mm*22mm
DPK2022250	50mm*22mm
DPK2022260	60mm*22mm
DPK2022270	70mm*22mm
DPK2022280	80mm*22mm



Titanium alloy blade (open type)

Compatible with side-open type retractors

Blade version III

Order Code	Length*Width	Order Code	Length*Width
DPK2031640	40mm*16mm	DPK2032240	40mm*22mm
DPK2031650	50mm*16mm	DPK2032250	50mm*22mm
DPK2031660	60mm*16mm	DPK2032260	60mm*22mm
DPK2031670	70mm*16mm	DPK2032270	70mm*22mm
DPK2031680	80mm*16mm	DPK2032280	80mm*22mm



Blade version V

Order Code	Length*Width	Order Code	Length*Width
DPK2051640	40mm*16mm	DPK2052240	40mm*22mm
DPK2051650	50mm*16mm	DPK2052250	50mm*22mm
DPK2051660	60mm*16mm	DPK2052260	60mm*22mm
DPK2051670	70mm*16mm	DPK2052270	70mm*22mm
DPK2051680	80mm*16mm	DPK2052280	80mm*22mm

Titanium alloy blade (Fixed type)

Blade version I

Compatible with fixed-type retractors





Fixed design

Fixed during assemble and disassemble, to avoid the risk of loosening during the surgery

Apply to fixed blade handle



Available

Order Code	Length*Width	Order Code	Length*Width
207081-1	40mm*16mm	207081-4	40mm*22mm
207081-2	50mm*16mm	207081-5	50mm*22mm
207081-3	60mm*16mm	207081-6	60mm*22mm
207081-11	70mm*16mm	207081-7	70mm*22mm
207081-12	80mm*16mm	207081-8	80mm*22mm
207081-13	90mm*16mm	207081-9	90mm*22mm
207081-14	100mm*16mm	207081-10	100mm*22mm

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

Titanium alloy blade (Fixed type)

Compatible with fixed-type retractors

Blade version II



Order Code	Length*Width	Order Code	Length*Width
207081-25	40mm*16mm	207081-30	40mm*22mm
207081-26	50mm*16mm	207081-31	50mm*22mm
207081-27	60mm*16mm	207081-32	60mm*22mm
207081-28	70mm*16mm	207081-33	70mm*22mm
207081-29	80mm*16mm	207081-34	80mm*22mm

Blade version III



Order Code	Length*Width	Order Code	Length*Width
207081-35	40mm*16mm	207081-40	40mm*22mm
207081-36	50mm*16mm	207081-41	50mm*22mm
207081-37	60mm*16mm	207081-42	60mm*22mm
207081-38	70mm*16mm	207081-43	70mm*22mm
207081-39	80mm*16mm	207081-44	80mm*22mm

Blade version V



Order Code	Length*Width	Order Code	Length*Width
207081-45	40mm*16mm	207081-50	40mm*22mm
207081-46	50mm*16mm	207081-51	50mm*22mm
207081-47	60mm*16mm	207081-52	60mm*22mm
207081-48	70mm*16mm	207081-53	70mm*22mm
207081-49	80mm*16mm	207081-54	80mm*22mm

ISO:13485

Stainless steel blade (open type)

Compatible with side-open type retractors



Blade version I



Order Code	Length*Width	Order Code	Length*Width
DPK1011640	40mm*16mm	DPK1012260	60mm*22mm
DPK1011650	50mm*16mm	DPK1012270	70mm*22mm
DPK1011660	60mm*16mm	DPK1012280	80mm*22mm
DPK1011670	70mm*16mm	DPK1013050	50mm*30mm
DPK1011680	80mm*16mm	DPK1013060	60mm*30mm
DPK1012240	40mm*22mm	DPK1013070	70mm*30mm
DPK1012250	50mm*22mm	DPK1013080	80mm*30mm

Blade version II



Order Code	Length*Width	Order Code	Length*Width
DPK1021640	40mm*16mm	DPK1022260	60mm*22mm
DPK1021650	50mm*16mm	DPK1022270	70mm*22mm
DPK1021660	60mm*16mm	DPK1022280	80mm*22mm
DPK1021670	70mm*16mm	DPK1023050	50mm*30mm
DPK1021680	80mm*16mm	DPK1023060	60mm*30mm
DPK1022240	40mm*22mm	DPK1023070	70mm*30mm
DPK1022250	50mm*22mm	DPK1023080	80mm*30mm

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

Stainless steel blade (open type)

Compatible with side-open type retractors

Blade version III



Order Code	Length*Width	Order Code	Length*Width
DPK1031640	40mm*16mm	DPK1032260	60mm*22mm
DPK1031650	50mm*16mm	DPK1032270	70mm*22mm
DPK1031660	60mm*16mm	DPK1032280	80mm*22mm
DPK1031670	70mm*16mm	DPK1033050	50mm*30mm
DPK1031680	80mm*16mm	DPK1033060	60mm*30mm
DPK1032240	40mm*22mm	DPK1033070	70mm*30mm
DPK1032250	50mm*22mm	DPK1033080	80mm*30mm

Blade version V



Order Code	Length*Width	Order Code	Length*Width
DPK1051640	40mm*16mm	DPK1052260	60mm*22mm
DPK1051650	50mm*16mm	DPK1052270	70mm*22mm
DPK1051660	60mm*16mm	DPK1052280	80mm*22mm
DPK1051670	70mm*16mm	DPK1053050	50mm*30mm
DPK1051680	80mm*16mm	DPK1053060	60mm*30mm
DPK1052240	40mm*22mm	DPK1053070	70mm*30mm
DPK1052250	50mm*22mm	DPK1053080	80mm*30mm

ISO:13485

Stainless steel blade (Fixed type)

Compatible with fixed-type retractors





Fixed design

Fixed during assemble and disassemble, to avoid the risk of loosening during the surgery.

Apply to fixed blade handle

Blade version I



Order Code	Length*Width	Order Code	Length*Width	Order Code	Length*Width
207081-97	40mm*16mm	207081-102	40mm*22mm	207081-137	50mm*30mm
207081-98	50mm*16mm	207081-103	50mm*22mm	207081-138	60mm*30mm
207081-99	60mm*16mm	207081-104	60mm*22mm	207081-139	70mm*30mm
207081-100	70mm*16mm	207081-105	70mm*22mm	207081-140	80mm*30mm
207081-101	80mm*16mm	207081-106	80mm*22mm		

Blade version V



Order Code	Length*Width	Order Code	Length*Width	Order Code	Length*Width
207081-127	40mm*16mm	207081-132	40mm*22mm	207081-149	50mm*30mm
207081-128	50mm*16mm	207081-133	50mm*22mm	207081-150	60mm*30mm
207081-129	60mm*16mm	207081-134	60mm*22mm	207081-151	70mm*30mm
207081-130	70mm*16mm	207081-135	70mm*22mm	207081-152	80mm*30mm
207081-131	80mm*16mm	207081-136	80mm*22mm		

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO:13485

Titanium alloy blade (rack type)

Compatible with multi-directional spinal retractors (rack type)







For side rack retractors

Use with a rack-type spinal multi-directional retractor

Reliable connection and stable grip

Titanium alloy material

Effect Good biocompatibility, no immune response, beneficial for postoperative healing

Half radioluscent, only a shadow under the X-ray

Order Code	Length*Width
207079-7	40mm*16mm
207079-8	50mm*16mm
207079-9	60mm*16mm
207079-10	60mm*22mm
207079-11	80mm*22mm
207079-12	100mm*22mm
207079-13	70mm*22mm

Stainless steel blade (rack type)

Compatible with multi-directional spinal retractors (rack type)







For side rack retractors

Use with a rack-type spinal multi-directional retractor.

Reliable connection and stable grip.

Stainless steel material

Wear resistance, corrosion resistance, high temperature resistance, long service life.

Order Code	Length*Width
207079-1	40mm*16mm
207079-2	50mm*16mm
207079-3	60mm*16mm
207079-4	60mm*22mm
207079-5	80mm*22mm
207079-6	100mm*22mm

Spinal Minimally Invasive Retractor Set (JZWC-01)



The details for Spinal Minimally Invasive Retractor Set (JZWC-01) Code: 211049-1

Seq	Item code	Description	Size	Quantity
1	207073	Spinal MIS retractor	40mm*16mm	1
2	207074	Spinal MIS retractor	50mm*16mm	1
3	207075	Spinal MIS retractor	60mm*16mm	1
4	207079	Spinal MIS retractor	rack type	1
5	215001-17	Blade (dis)assemble plier	153mm	1
6	207081-1	Blade version I	40mm*16mm (Titanium alloy fixed type)	1
7	207081-2	Blade version I	50mm*16mm (Titanium alloy fixed type)	1
8	207081-3	Blade version I	60mm*16mm (Titanium alloy fixed type)	1
9	207079-1	Blade (rack type)	40mm*16mm	1
10	207079-2	Blade (rack type)	50mm*16mm	1
11	207079-3	Blade (rack type)	60mm*16mm	1
12	215001-07	T shape wrench	/	1
13	215001-06	Blade wrench	178mm	1
14	WG211049-1	Spinal Minimally Invasive Retractor box	Type I	1

Spinal Minimally Invasive Retractor Set (JZWC-02)



The details for Spinal Minimally Invasive Retractor Set (JZWC-02) Code: 211049-2

Seq	Item code	Description	Size	Quantity
1	207076	Spinal MIS retractor	60mm*20mm	1
2	207077	Spinal MIS retractor	80mm*20mm	1
3	207078	Spinal MIS retractor	100mm*20mm	1
4	215001-17	Blade (dis)assemble plier	153mm	1
5	215001-06	Blade wrench	178mm	1
6	207079	Multidirectional retractor	Rack type	1
7	207081-6	Blade version I	60mm*22mm (Titanium alloy fixed type)	1
8	207081-8	Blade version I	80mm*22mm (Titanium alloy fixed type)	1
9	207081-10	Blade version I	100mm*22mm (Titanium alloy fixed type)	1
10	207079-4	Blade (Rack type)	60mm*22mm	1
11	207079-5	Blade (Rack type)	80mm*22mm	1
12	207079-6	Blade (Rack type)	100mm*22mm	1
13	215001-07	T shape wrench	/	1
14	WG211049-2	Spinal Minimally Invasive Retractor box	Type II	1

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

Spinal Minimally Invasive Retractor Set (JZWC-03)



The details for Spinal Minimally Invasive Retractor Set (JZWC-03) Code: 211049-3

Seq	Item code	Description	Size	Quantity
1	207081	Multidirectional retractor	Double joint	1
2	215001-06	Blade wrench	178mm	1
3	215001-07	T shape wrench	/	1
4	215001-17	Blade (dis)assemble plier	153mm	1
5	207081-1	Blade version I	40mm*16mm(Titanium alloy fixed type)	2
6	207081-2	Blade version I	50mm*16mm(Titanium alloy fixed type)	2
7	207081-3	Blade version I	60mm*16mm(Titanium alloy fixed type)	2
8	207081-7	Blade version I	70mm*22mm(Titanium alloy fixed type)	2
9	207081-8	Blade version I	80mm*22mm(Titanium alloy fixed type)	2
10	207081-9	Blade version I	90mm*22mm(Titanium alloy fixed type)	2
11	WG211049-3	Spinal Minimally Invasive Retractor box	Type III	1

Spinal Minimally Invasive Retractor Set (JZWC-04)



The details for Spinal Minimally Invasive Retractor Set (JZWC-04) Code: 211049-4

Seq	Item code	Description	Size	Quantity
1	207082	Multidirectional retractor	Three joint	1
2	207058-2	Three joint Retractor	240mm	1
3	215001-07	T shape wrench	/	1
4	215001-06	Blade wrench	178mm	1
5	207081-30	Blade version II	40mm*22mm(Titanium alloy fixed type)	2
6	207081-31	Blade version II	50mm*22mm(Titanium alloy fixed type)	2
7	207081-32	Blade version II	60mm*22mm(Titanium alloy fixed type)	2
8	207081-33	Blade version II	70mm*22mm(Titanium alloy fixed type)	2
9	207081-34	Blade version II	80mm*22mm(Titanium alloy fixed type)	2
10	207081-56	Blade version VI	60mm	2
11	207081-55	Blade version VI	40mm	2
12	207081-54	Blade version V	80mm*22mm(Titanium alloy fixed type)	2
13	207081-53	Blade version V	70mm*22mm(Titanium alloy fixed type)	2
14	207081-52	Blade version V	60mm*22mm(Titanium alloy fixed type)	2
15	207081-51	Blade version V	50mm*22mm(Titanium alloy fixed type)	2
16	207081-50	Blade version V	40mm*22mm(Titanium alloy fixed type)	2
17	207083	Measurer	φ10.0mm	1
18	WG211049-4	Spinal minimally invasive retractor box	Type V	1

DLC Spinal MIS distraction forceps



Order Code	Length	Size
215006-3	200mm	60mm
215006-4	200mm	80mm

Cable



Order Code
215003



Single cable
215018-1

Double cable
215018-2

Cold Light Source




Order Code
215002

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

Universal Combination Arm I

215001-04



Coupler I

Connecting rod (channel)
215001-05-1

Table hook (channel)
215001-05

With light source retractor, good visualization effect

T shape wrench



Order Code
215001-07


Dilator



Order Code	Diameter*Length
215001-09-1	8mm*215mm
215001-09-2	13mm*215mm
215001-09-3	18mm*215mm
215001-09-4	22mm*215mm

ISO 13485

Spinal MIS Retractor Combination



A variety of free combination,can achieve 4-way retraction

baffle left and right




Order Code	Width*Length
215001-12-1	18mm*50mm
215001-12-2	18mm*60mm
215001-12-3	18mm*70mm
215001-12-4	18mm*80mm
215001-12-5	18mm*90mm
215001-12-6	18mm*100mm
215001-12-7	18mm*110mm
215001-12-8	18mm*120mm
215001-13-1	22mm*50mm
215001-13-2	22mm*60mm
215001-13-3	22mm*70mm
215001-13-4	22mm*80mm
215001-13-5	22mm*90mm
215001-13-6	22mm*100mm
215001-13-7	22mm*110mm
215001-13-8	22mm*120mm

WUYANG MEDICAL
Spinal Minimally Invasive Instruments

ISO 13485

Spinal MIS Retractor Combination





Blade sector



Order Code	Length
215001-15-1	50mm
215001-15-2	60mm
215001-15-3	70mm
215001-15-4	80mm
215001-15-5	90mm
215001-15-6	100mm
215001-15-7	110mm
215001-15-8	120mm

ISO:13485

Spinal Minimally Invasive Retractor Set

The details of Spinal Minimally Invasive Retractor Set Code:215001

Seq	Item code	Description	Size	Quantity
1	215001-05-1	connecting rod	/	1
2	215001-04	Universal Combination arm	type I	1
3	215001-05	table hook	/	1
4	215001-08	Arm clip	/	1
5	215001-16	Kirschner wire	φ1.5*300	5
6	215001-09-1	Expander	8mm	1
7	215001-09-2	Expander	13mm	1
8	215001-09-3	Expander	18mm	1
9	215001-09-4	Expander	22mm	1
10	215001-07	T handle	/	2
11	215001-15-1	Sector blade	50mm	2
12	215001-15-2	Sector blade	60mm	2
13	215001-15-3	Sector blade	70mm	2
14	215001-17	blade assembing pliers	153mm	1
15	215001-01	Basis retractor	/	1
16	215001-02	Mid-way retractor/rotatable	/	1
17	215001-03	Contralateral retractor/rotabale arm	/	1
18	215001-06	blade handle	178mm	2
19	215001-13-1	minimally invasive lumbar vertebrae retractor baffle(light&right)	22mm*50mm	2
20	215001-13-2	minimally invasive lumbar vertebrae retractor baffle(light&right)	22mm*60mm	2
21	215001-13-3	minimally invasive lumbar vertebrae retractor baffle(light&right)	22mm*70mm	2
22	WG215001	instrument box	/	1

ISO:13485

Nerve Stripper



Order Code	Size	Type
508001-1	270mm*4mm	Microscopic Z-type(S-bend)


Microscopic Z-type (S-bend)



Order Code	Size	Type
508001-2	270mm*3mm	Microscopic Z-type(arc)
508001-3	270mm*5mm	Microscopic Z-type(arc)


Microscopic Z-type (arc)



Order Code	Size	Type
508001-4	270mm*3mm*90°	Microscopic Z-type
508001-5	270mm*5mm*90°	Microscopic Z-type


Microscopic Z-type



Order Code	Size	Type
508001-6	270mm*3mm*90°	Microscopic Z-type(left bend)
508001-7	270mm*5mm*90°	Microscopic Z-type(left bend)


Microscopic Z-type (left bend)



Order Code	Size	Type
508001-8	270mm*3mm*90°	Microscopic Z-type(right bend)
508001-9	270mm*5mm*90°	Microscopic Z-type(right bend)


Microscopic Z-type (right bend)

Nerve Stripper



Order Code	Size	Type
508001-16	270mm*6mm	Microscopic Z-type(front curved)



Microscopic Z-type (front curved)



Order Code	Size	Type
508002-5	270mm*3mm	Microscopic (slight curved)
508002-6	270mm*4mm	Microscopic (slight curved)
508002-7	270mm*5mm	Microscopic (slight curved)
508002-8	270mm*7mm	Microscopic (slight curved)



Microscopic (slight curved)



Order Code	Size	Type
508002-9	270mm*5mm	Microscopic (big bend)



Microscopic (big bend)



Order Code	Size	Type
508002-10	270mm*4mm	Microscopic (s-bend)



Microscopic (s-bend)



Order Code	Size	Type
508002-3	270mm*12mm	Microscopic (round head)



Microscopic (round head)

WUYANG MEDICAL
Spinal Microscope Instrument

Nerve Root Probe



Order Code	Size	Description
508001-15	270mm	Micro ball probe Z-shape



Micro ball probe Z-shape



Order Code	Size	Description
508001-11	270mm*5mm*45°	Micro ball probe Z-shape
508001-13	270mm*7mm*45°	Micro ball probe Z-shape



Micro ball probe Z-shape 45°



Order Code	Size	Description
508001-12	270mm*5mm*90°	Micro ball probe Z-shape
508001-14	270mm*7mm*90°	Micro ball probe Z-shape



Micro ball probe Z-shape 90°

Micro suction



Order Code	Size
207060-21	245mm*φ3mm
207060-22	245mm*φ4mm
207060-23	245mm*φ5mm

DLC nerve root retractor aspirator



Round head type I



Flat head type II



Order Code	Size	Type
207047-15	90°*3mm	Type I
207047-16	90°*4mm	Type I
207047-17	90°*5mm	Type I
207047-25	90°*3mm	Type II
207047-26	90°*4mm	Type II
207047-27	90°*5mm	Type II

ISO:13485

Ligament hook knife





Ligament hook knife

Order Code	Size	Description
508002-25	230mm*5mm	Ligament hook knife
508002-26	270mm*5mm	Ligament hook knife

Nerve Root Retractor For Orthopedics





Microscopic Z-type

Order Code	Size	Type
508001-10	270mm*5mm	Microscopic Z-type





Microscopic

Order Code	Size	Type
508002-19	270mm*5mm	Microscopic

DLC extended shank





DLC extended shank Z-type

Order Code	Size	Description
508003-2	265mm*20mm	Z-type





DLC extended shank straight

Order Code	Size	Description
508003-1	265mm*20mm	straight

ISO:13485

Bone Curette (DLC)



DLC Z-type 10°



Order Code	Length	Blade width*Angle
509001-1	320mm	2mm*10°
509001-2	320mm	3mm*10°
509001-3	320mm	4mm*10°
509001-4	320mm	5mm*10°
509001-5	320mm	6mm*10°



DLC Z-type 45°



Order Code	Length	Blade width*Angle
509001-6	320mm	2mm*45°
509001-7	320mm	3mm*45°
509001-8	320mm	4mm*45°
509001-9	320mm	5mm*45°
509001-10	320mm	6mm*45°



DLC Z-type 90°



Order Code	Length	Blade width*Angle
509001-11	320mm	2mm*90°
509001-12	320mm	3mm*90°
509001-13	320mm	4mm*90°
509001-14	320mm	5mm*90°
509001-15	320mm	6mm*90°

ISO:13485

Bone Curette (DLC)



DLC Z-type reverse tip 45°



Order Code	Length	Blade width*Angle
509002-1	320mm	2mm*45°
509002-2	320mm	3mm*45°
509002-3	320mm	4mm*45°
509002-4	320mm	5mm*45°
509002-5	320mm	6mm*45°



DLC Z-type reverse tip 90°



Order Code	Length	Blade width*Angle
509002-6	320mm	2mm*90°
509002-7	320mm	3mm*90°
509002-8	320mm	4mm*90°
509002-9	320mm	5mm*90°
509002-10	320mm	6mm*90°

Osteotome (DLC)



DLC curved osteotome



Order Code	Size	Description
304-0072	360mm*8mm	DLC straight osteotome
304-0073	360mm*8mm	DLC straight osteotome

DLC straight osteotome



WUYANG MEDICAL
Spinal Microscope Instrument

ISO:13485

Spinal Microscope Surgery Instrument Set



The details of Spinal Microscope Surgery Instrument Set Code: 211064

Seq	Item code	Description	Size	Quantity
1	204048-20	DLC Kerrison Rongeur (Standard Z-shape)	250*2.0*110°	1
2	204048-25	DLC Kerrison Rongeur (Standard Z-shape)	250*3.0*130°	1
3	214003-50	DLC Nucleus Pulposus Clamps (Z-shaped straight of finger ring)	3mm	1
4	214003-74	DLC Nucleus Pulposus Clamps (mini curved Z-shape)	3.0mm	1
5	214003-66	DLC Nucleus Pulposus Clamps (mini straight)	190*2.0mm	1
6	214003-53	DLC Nucleus Pulposus Clamps (flat straight)	160*4.0mm	1
7	214003-84	DLC Nucleus Pulposus scissors curved	190*4mm	1
8	509001-8	DLC Bone Curette(Z-type)	45°*4mm	1
9	509001-13	DLC Bone Curette(Z-type)	90°*4mm	1
10	509002-8	DLC Bone Curette(Z-type reverse)	90°*4mm	1
11	207047-26	Nerve root retractor aspirator type II	90°*4mm	1
12	207060-22	Micro suction	φ4mm	1
13	304-0072	DLC square osteotome	360*8mm	1
14	304-0073	DLC curved osteotome	360*8mm	1
15	508001-12	Nerve Root Probe Micro ball probe Z-shape	270*5mm*90°	1
16	508001-10	Nerve Root Retractor (Microscopic Z-type)	270mm*5mm	1
17	508002-26	Ligament hook knife	270mm*5mm	1
18	508001-5	Nerve Stripper Microscopic Z-type	270*5mm*90°	1
19	508001-3	Nerve Stripper Microscopic Z-type(arc)	270*5mm	1
20	508001-16	Nerve Stripper Microscopic Z-type(front curved)	270*6mm	1
21	508003-2	DLC extended shank	Z-type	1
22	WG211064	Spinal Microscope Surgery Instrument box	/	1

WUYANG MEDICAL
OLIF MIS Instrument

ISO:13485

Endplate curette






Round hole curved Round hole Ring

Order Code	Length*Size	Description
227001-7	380mm*7mm	Round hole curved
227001-4	380mm*7mm	Round hole
227001-11	410mm*11mm	Ring

Endplate curette

Teethed Forward bend with teeth Backbend with teeth





Teethed Forward bend with teeth Backbend with teeth

Order Code	Length*Blade width*Angle	Description
227001-10	380mm*7mm	Teethed
227001-8	380mm*7mm*20°	Forward bend with teeth
227001-9	380mm*7mm*20°	Backbend with teeth

Endplate curette





Forward bend 45° Forward bend 90° Backbend

Order Code	Length*Blade width*Angle	Description
227001-12	410mm*6mm*45°	Forward bend
227001-13	410mm*6mm*90°	Forward bend
227001-14	410mm*5mm*90°	Backbend

Endplate curette






Left bend Right bend

Order Code	Length*Blade width	Description
227001-5	360mm*7mm	Left bend
227001-6	360mm*7mm	Right bend

Endplate curette






Order Code	Length*Blade width	Description
227001-1	360mm*7mm	Forward bend (square)
227001-3	360mm*7mm	Left bend (square)
227001-2	360mm*7mm	Right bend (square)

Periosteal Stripper






Order Code	Length*Blade width	Description
227004-1	380mm*9mm	Periosteal elevator
227004-2	380mm*18mm	Periosteal elevator
227005-1	270mm	Hook skull separator (single curved)
227005-2	270mm	Hook skull separator (double curved)

Bone File






Order Code	Length	Description
WY-D342-1	410mm	Straight
WY-D342-2	410mm	Curved

Side osteotome





Order Code	Length*Size	Description
GN079	410mm*6mm	Side osteotome
WY-D343-1	410mm*8mm	Side osteotome

ISO:13485

Spinal retractor type I



Order Code	Width*Depth
201069-1	20mm*100mm
201069-2	20mm*120mm
201069-3	20mm*150mm
201069-4	20mm*180mm
201069-5	25mm*100mm
201069-6	25mm*120mm
201069-7	25mm*150mm
201069-8	25mm*180mm

Spinal retractor type II




Order Code	Width*Depth
201069-9	20mm*100mm
201069-10	20mm*120mm
201069-11	20mm*150mm
201069-12	20mm*180mm
201069-13	25mm*100mm
201069-14	25mm*120mm
201069-15	25mm*150mm
201069-16	25mm*180mm

ISO:13485

Kerrison Rongeur (DLC demountable)

Handle color differentiation,

quick identification of differrent sizes



Order Code	Length*Blade Width*Angle
204048-64	220mm*1.0mm*90°
204048-65	220mm*2.0mm*90°
204048-66	220mm*3.0mm*90°
204048-67	220mm*4.0mm*90°
204048-68	220mm*5.0mm*90°
204048-79	260mm*1.0mm*90°
204048-80	260mm*2.0mm*90°
204048-81	260mm*3.0mm*90°
204048-82	260mm*4.0mm*90°
204048-83	260mm*5.0mm*90°

Order Code	Length*Blade Width*Angle
204048-69	220mm*1.0mm*110°
204048-70	220mm*2.0mm*110°
204048-71	220mm*3.0mm*110°
204048-72	220mm*4.0mm*110°
204048-73	220mm*5.0mm*110°
204048-84	260mm*1.0mm*110°
204048-85	260mm*2.0mm*110°
204048-86	260mm*3.0mm*110°
204048-87	260mm*4.0mm*110°
204048-88	260mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
204048-74	220mm*1.0mm*130°
204048-75	220mm*2.0mm*130°
204048-76	220mm*3.0mm*130°
204048-77	220mm*4.0mm*130°
204048-78	220mm*5.0mm*130°
204048-89	260mm*1.0mm*130°
204048-90	260mm*2.0mm*130°
204048-91	260mm*3.0mm*130°
204048-92	260mm*4.0mm*130°
204048-93	260mm*5.0mm*130°

ISO:13485

Kerrison Rongeur (DLC Standard Z-shape)




Order Code	Working Length*Blade Width	Angle
204048-16	250mm*2.0mm	90°
204048-17	250mm*3.0mm	90°
204048-18	250mm*4.0mm	90°
204048-19	250mm*5.0mm	90°
204048-20	250mm*2.0mm	110°
204048-21	250mm*3.0mm	110°
204048-22	250mm*4.0mm	110°
204048-23	250mm*5.0mm	110°
204048-24	250mm*2.0mm	130°
204048-25	250mm*3.0mm	130°
204048-26	250mm*4.0mm	130°
204048-27	250mm*5.0mm	130°

ISO:13485

Kerrison Rongeur (DLC Z-shape left)


Handle color differentiation
Quick identification of differrent sizes





Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle
204048-40	250mm*2.0mm*90°	204048-44	250mm*2.0mm*110°	204048-48	250mm*2.0mm*130°
204048-41	250mm*3.0mm*90°	204048-45	250mm*3.0mm*110°	204048-49	250mm*3.0mm*130°
204048-42	250mm*4.0mm*90°	204048-46	250mm*4.0mm*110°	204048-50	250mm*4.0mm*130°
204048-43	250mm*5.0mm*90°	204048-47	250mm*5.0mm*110°	204048-51	250mm*5.0mm*130°

Kerrison Rongeur (DLC Z-shape right)




Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle
204048-52	250mm*2.0mm*90°	204048-56	250mm*2.0mm*110°	204048-60	250mm*2.0mm*130°
204048-53	250mm*3.0mm*90°	204048-57	250mm*3.0mm*110°	204048-61	250mm*3.0mm*130°
204048-54	250mm*4.0mm*90°	204048-58	250mm*4.0mm*110°	204048-62	250mm*4.0mm*130°
204048-55	250mm*5.0mm*90°	204048-59	250mm*5.0mm*110°	204048-63	250mm*5.0mm*130°

ISO:13485

Kerrison Rongeur

Key products recommended by experts



WUYANG MEDICAL
Kerrison Rongeurs

ISO:13485

Kerrison Rongeur(DLC Rotatable/Dismounted)



Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle
ZBQ20422109	220mm*1.0mm*90°	ZBQ20422101	220mm*1.0mm*110°	ZBQ20422103	220mm*1.0mm*130°
ZBQ20422209	220mm*2.0mm*90°	ZBQ20422201	220mm*2.0mm*110°	ZBQ20422203	220mm*2.0mm*130°
ZBQ20422309	220mm*3.0mm*90°	ZBQ20422301	220mm*3.0mm*110°	ZBQ20422303	220mm*3.0mm*130°
204047-17	220mm*4.0mm*90°	204047-18	220mm*4.0mm*110°	204047-19	220mm*4.0mm*130°
204047-34	220mm*5.0mm*90°	204047-32	220mm*5.0mm*110°	204047-33	220mm*5.0mm*130°
ZBQ20422159	220mm*1.5mm*90°	ZBQ20422151	220mm*1.5mm*110°	ZBQ20422153	220mm*1.5mm*130°
ZBQ20422259	220mm*2.5mm*90°	ZBQ20422251	220mm*2.5mm*110°	ZBQ20422253	220mm*2.5mm*130°
204047-22	220mm*3.5mm*90°	204047-26	220mm*3.5mm*110°	204047-30	220mm*3.5mm*130°
204047-23	220mm*4.5mm*90°	204047-27	220mm*4.5mm*110°	204047-31	220mm*4.5mm*130°

Kerrison Rongeur(DLC Rotatable/Dismounted)



Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle
204047-35	280mm*1.0mm*90°	204047-40	280mm*1.0mm*110°	204047-45	280mm*1.0mm*130°
204047-36	280mm*2.0mm*90°	204047-41	280mm*2.0mm*110°	204047-46	280mm*2.0mm*130°
204047-37	280mm*3.0mm*90°	204047-42	280mm*3.0mm*110°	204047-47	280mm*3.0mm*130°
204047-38	280mm*4.0mm*90°	204047-43	280mm*4.0mm*110°	204047-48	280mm*4.0mm*130°
204047-39	280mm*5.0mm*90°	204047-44	280mm*5.0mm*110°	204047-49	280mm*5.0mm*130°

ISO:13485

Kerrison Rongeur(DLC Rotatable/Dismounted Arc)




Order Code	Length*Blade Width*Angle
204047-62	225mm*1.0mm*90°
204047-63	225mm*2.0mm*90°
204047-64	225mm*3.0mm*90°
204047-65	225mm*4.0mm*90°
204047-66	225mm*5.0mm*90°

Order Code	Length*Blade Width*Angle
204047-67	225mm*1.0mm*110°
204047-68	225mm*2.0mm*110°
204047-69	225mm*3.0mm*110°
204047-70	225mm*4.0mm*110°
204047-71	225mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
204047-72	225mm*1.0mm*130°
204047-73	225mm*2.0mm*130°
204047-74	225mm*3.0mm*130°
204047-75	225mm*4.0mm*130°
204047-76	225mm*5.0mm*130°

Kerrison Rongeur(DLC Rotatable/Dismounted Z-shape)



Order Code	Length*Blade Width*Angle
204047-50	280mm*2.0mm*90°
204047-51	280mm*3.0mm*90°
204047-52	280mm*4.0mm*90°
204047-53	280mm*5.0mm*90°


Order Code	Length*Blade Width*Angle
204047-54	280mm*2.0mm*110°
204047-55	280mm*3.0mm*110°
204047-56	280mm*4.0mm*110°
204047-57	280mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
204047-58	280mm*2.0mm*130°
204047-59	280mm*3.0mm*130°
204047-60	280mm*4.0mm*130°
204047-61	280mm*5.0mm*130°

WUYANG MEDICAL
Kerrison Rongeurs

ISO:13485

Kerrison Rongeur (DLC Standard)



Order Code	Length*Blade Width*Angle
ZBQ20118109	180mm*1.0mm*90°
ZBQ20118209	180mm*2.0mm*90°
ZBQ20118309	180mm*3.0mm*90°
ZBQ20118409	180mm*4.0mm*90°
ZBQ20118509	180mm*5.0mm*90°
ZBQ20120109	200mm*1.0mm*90°
ZBQ20120209	200mm*2.0mm*90°
ZBQ20120309	200mm*3.0mm*90°
ZBQ20120409	200mm*4.0mm*90°
ZBQ20120509	200mm*5.0mm*90°
204048-1	220mm*1.0mm*90°
204048-2	220mm*2.0mm*90°
204048-3	220mm*3.0mm*90°
204048-4	220mm*4.0mm*90°
204048-5	220mm*5.0mm*90°
204048-28	220mm*1.5mm*90°
204048-29	220mm*2.5mm*90°
204048-30	220mm*3.5mm*90°
204048-31	220mm*4.5mm*90°
ZBQ20126109	260mm*1.0mm*90°
ZBQ20126209	260mm*2.0mm*90°
ZBQ20126309	260mm*3.0mm*90°
ZBQ20126409	260mm*4.0mm*90°
ZBQ20126509	260mm*5.0mm*90°

Order Code	Length*Blade Width*Angle
ZBQ20118101	180mm*1.0mm*110°
ZBQ20118201	180mm*2.0mm*110°
ZBQ20118301	180mm*3.0mm*110°
ZBQ20118401	180mm*4.0mm*110°
ZBQ20118501	180mm*5.0mm*110°
ZBQ20120101	200mm*1.0mm*110°
ZBQ20120201	200mm*2.0mm*110°
ZBQ20120301	200mm*3.0mm*110°
ZBQ20120401	200mm*4.0mm*110°
ZBQ20120501	200mm*5.0mm*110°
204048-6	220mm*1.0mm*110°
204048-7	220mm*2.0mm*110°
204048-8	220mm*3.0mm*110°
204048-9	220mm*4.0mm*110°
204048-10	220mm*5.0mm*110°
204048-32	220mm*1.5mm*110°
204048-33	220mm*2.5mm*110°
204048-34	220mm*3.5mm*110°
204048-35	220mm*4.5mm*110°
ZBQ20126101	260mm*1.0mm*110°
ZBQ20126201	260mm*2.0mm*110°
ZBQ20126301	260mm*3.0mm*110°
ZBQ20126401	260mm*4.0mm*110°
ZBQ20126501	260mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
ZBQ20118103	180mm*1.0mm*130°
ZBQ20118203	180mm*2.0mm*130°
ZBQ20118303	180mm*3.0mm*130°
ZBQ20118403	180mm*4.0mm*130°
ZBQ20118503	180mm*5.0mm*130°
ZBQ20120103	200mm*1.0mm*130°
ZBQ20120203	200mm*2.0mm*130°
ZBQ20120303	200mm*3.0mm*130°
ZBQ20120403	200mm*4.0mm*130°
ZBQ20120503	200mm*5.0mm*130°
204048-11	220mm*1.0mm*130°
204048-12	220mm*2.0mm*130°
204048-13	220mm*3.0mm*130°
204048-14	220mm*4.0mm*130°
204048-15	220mm*5.0mm*130°
204048-36	220mm*1.5mm*130°
204048-37	220mm*2.5mm*130°
204048-38	220mm*3.5mm*130°
204048-39	220mm*4.5mm*130°
ZBQ20126103	260mm*1.0mm*130°
ZBQ20126203	260mm*2.0mm*130°
ZBQ20126303	260mm*3.0mm*130°
ZBQ20126403	260mm*4.0mm*130°
ZBQ20126503	260mm*5.0mm*130°

ISO
ISO:13485

Kerrison Rongeur(DLC Standard Arc)



Order Code	Length*Blade Width*Angle
ZBQ20223109	230mm*1.0mm*90°
ZBQ20223209	230mm*2.0mm*90°
ZBQ20223309	230mm*3.0mm*90°
ZBQ20223409	230mm*4.0mm*90°
ZBQ20223509	230mm*5.0mm*90°


Order Code	Length*Blade Width*Angle
ZBQ20223101	230mm*1.0mm*110°
ZBQ20223201	230mm*2.0mm*110°
ZBQ20223301	230mm*3.0mm*110°
ZBQ20223401	230mm*4.0mm*110°
ZBQ20223501	230mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
ZBQ20223103	230mm*1.0mm*130°
ZBQ20223203	230mm*2.0mm*130°
ZBQ20223303	230mm*3.0mm*130°
ZBQ20223403	230mm*4.0mm*130°
ZBQ20223503	230mm*5.0mm*130°

WUYANG MEDICAL
Kerrison Rongeurs

ISO
ISO:13485

Kerrison Rongeur(Rotatable/Dismounted)




Order Code	Length*Blade Width*Angle
ZBQ10422109	220mm*1.0mm*90°
ZBQ10422209	220mm*2.0mm*90°
ZBQ10422309	220mm*3.0mm*90°
204052-4	220mm*4.0mm*90°
204052-5	220mm*5.0mm*90°
ZBQ10422159	220mm*1.5mm*90°
ZBQ10422259	220mm*2.5mm*90°
204052-18	220mm*3.5mm*90°
204052-19	220mm*4.5mm*90°

Order Code	Length*Blade Width*Angle
ZBQ10422101	220mm*1.0mm*110°
ZBQ10422201	220mm*2.0mm*110°
ZBQ10422301	220mm*3.0mm*110°
204052-9	220mm*4.0mm*110°
204052-10	220mm*5.0mm*110°
ZBQ10422151	220mm*1.5mm*110°
ZBQ10422251	220mm*2.5mm*110°
204052-22	220mm*3.5mm*110°
204052-23	220mm*4.5mm*110°

Order Code	Length*Blade Width*Angle
ZBQ10422103	220mm*1.0mm*130°
ZBQ10422203	220mm*2.0mm*130°
ZBQ10422303	220mm*3.0mm*130°
204052-14	220mm*4.0mm*130°
204052-15	220mm*5.0mm*130°
ZBQ10422153	220mm*1.5mm*130°
ZBQ10422253	220mm*2.5mm*130°
204052-26	220mm*3.5mm*130°
204052-27	220mm*4.5mm*130°

Kerrison Rongeur(Rotatable/Dismounted)




Order Code	Length*Blade Width*Angle
204053-1	280mm*1.0mm*90°
204053-2	280mm*2.0mm*90°
204053-3	280mm*3.0mm*90°
204053-4	280mm*4.0mm*90°
204053-5	280mm*5.0mm*90°

Order Code	Length*Blade Width*Angle
204053-6	280mm*1.0mm*110°
204053-7	280mm*2.0mm*110°
204053-8	280mm*3.0mm*110°
204053-9	280mm*4.0mm*110°
204053-10	280mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
204053-11	280mm*1.0mm*130°
204053-12	280mm*2.0mm*130°
204053-13	280mm*3.0mm*130°
204053-14	280mm*4.0mm*130°
204053-15	280mm*5.0mm*130°

ISO:13485

Kerrison Rongeur(Rotatable/Dismounted Arc)




Order Code	Length*Blade Width*Angle
204055-1	225mm*1.0mm*90°
204055-2	225mm*2.0mm*90°
204055-3	225mm*3.0mm*90°
204055-4	225mm*4.0mm*90°
204055-5	225mm*5.0mm*90°

Order Code	Length*Blade Width*Angle
204055-6	225mm*1.0mm*110°
204055-7	225mm*2.0mm*110°
204055-8	225mm*3.0mm*110°
204055-9	225mm*4.0mm*110°
204055-10	225mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
204055-11	225mm*1.0mm*130°
204055-12	225mm*2.0mm*130°
204055-13	225mm*3.0mm*130°
204055-14	225mm*4.0mm*130°
204055-15	225mm*5.0mm*130°

Kerrison Rongeur(Rotatable/Dismounted)



Order Code	Length*Blade Width*Angle
ZBQ10418209	180mm*2.0mm*90°
ZBQ10418309	180mm*3.0mm*90°
204052-30	180mm*4.0mm*90°


Order Code	Length*Blade Width*Angle
ZBQ10418201	180mm*2.0mm*110°
ZBQ10418301	180mm*3.0mm*110°
204052-33	180mm*4.0mm*110°

Order Code	Length*Blade Width*Angle
ZBQ10418203	180mm*2.0mm*130°
ZBQ10418303	180mm*3.0mm*130°
204052-36	180mm*4.0mm*130°

WUYANG MEDICAL
Kerrison Rongeurs

ISO:13485

Kerrison Rongeur(Rotatable/Dismounted Arc)




Order Code	Length*Blade Width*Angle
204055-16	180mm*2.0mm*90°
204055-17	180mm*3.0mm*90°
204055-18	180mm*4.0mm*90°

Order Code	Length*Blade Width*Angle
204055-19	180mm*2.0mm*110°
204055-20	180mm*3.0mm*110°
204055-21	180mm*4.0mm*110°

Order Code	Length*Blade Width*Angle
204055-22	180mm*2.0mm*130°
204055-23	180mm*3.0mm*130°
204055-24	180mm*4.0mm*130°

Kerrison Rongeur(Rotatable/Dismounted Z-shape)




Order Code	Length*Blade Width*Angle
204054-13	280mm*2.0mm*90°
204054-14	280mm*3.0mm*90°
204054-15	280mm*4.0mm*90°
204054-16	280mm*5.0mm*90°

Order Code	Length*Blade Width*Angle
204054-17	280mm*2.0mm*110°
204054-18	280mm*3.0mm*110°
204054-19	280mm*4.0mm*110°
204054-20	280mm*5.0mm*110°

Order Code	Length*Blade Width*Angle
204054-21	280mm*2.0mm*130°
204054-22	280mm*3.0mm*130°
204054-23	280mm*4.0mm*130°
204054-24	280mm*5.0mm*130°

ISO:13485

Kerrison Rongeur (Standard)




Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle
ZBQ10118109	180mm*1.0mm*90°	ZBQ10118101	180mm*1.0mm*110°	ZBQ10118103	180mm*1.0mm*130°
ZBQ10118209	180mm*2.0mm*90°	ZBQ10118201	180mm*2.0mm*110°	ZBQ10118203	180mm*2.0mm*130°
ZBQ10118309	180mm*3.0mm*90°	ZBQ10118301	180mm*3.0mm*110°	ZBQ10118303	180mm*3.0mm*130°
ZBQ10118409	180mm*4.0mm*90°	ZBQ10118401	180mm*4.0mm*110°	ZBQ10118403	180mm*4.0mm*130°
ZBQ10118509	180mm*5.0mm*90°	ZBQ10118501	180mm*5.0mm*110°	ZBQ10118503	180mm*5.0mm*130°
ZBQ10120109	200mm*1.0mm*90°	ZBQ10120101	200mm*1.0mm*110°	ZBQ10120103	200mm*1.0mm*130°
ZBQ10120209	200mm*2.0mm*90°	ZBQ10120201	200mm*2.0mm*110°	ZBQ10120203	200mm*2.0mm*130°
ZBQ10120309	200mm*3.0mm*90°	ZBQ10120301	200mm*3.0mm*110°	ZBQ10120303	200mm*3.0mm*130°
ZBQ10120409	200mm*4.0mm*90°	ZBQ10120401	200mm*4.0mm*110°	ZBQ10120403	200mm*4.0mm*130°
ZBQ10120509	200mm*5.0mm*90°	ZBQ10120501	200mm*5.0mm*110°	ZBQ10120503	200mm*5.0mm*130°
204057-1	220mm*1.0mm*90°	204057-10	220mm*1.0mm*110°	204057-19	220mm*1.0mm*130°
204057-2	220mm*1.5mm*90°	204057-11	220mm*1.5mm*110°	204057-20	220mm*1.5mm*130°
204057-3	220mm*2.0mm*90°	204057-12	220mm*2.0mm*110°	204057-21	220mm*2.0mm*130°
204057-4	220mm*2.5mm*90°	204057-13	220mm*2.5mm*110°	204057-22	220mm*2.5mm*130°
204057-5	220mm*3.0mm*90°	204057-14	220mm*3.0mm*110°	204057-23	220mm*3.0mm*130°
204057-6	220mm*3.5mm*90°	204057-15	220mm*3.5mm*110°	204057-24	220mm*3.5mm*130°
204057-7	220mm*4.0mm*90°	204057-16	220mm*4.0mm*110°	204057-25	220mm*4.0mm*130°
204057-8	220mm*4.5mm*90°	204057-17	220mm*4.5mm*110°	204057-26	220mm*4.5mm*130°
204057-9	220mm*5.0mm*90°	204057-18	220mm*5.0mm*110°	204057-27	220mm*5.0mm*130°
ZBQ10126109	260mm*1.0mm*90°	ZBQ10126101	260mm*1.0mm*110°	ZBQ10126103	260mm*1.0mm*130°
ZBQ10126209	260mm*2.0mm*90°	ZBQ10126201	260mm*2.0mm*110°	ZBQ10126203	260mm*2.0mm*130°
ZBQ10126309	260mm*3.0mm*90°	ZBQ10126301	260mm*3.0mm*110°	ZBQ10126303	260mm*3.0mm*130°
ZBQ10126409	260mm*4.0mm*90°	ZBQ10126401	260mm*4.0mm*110°	ZBQ10126403	260mm*4.0mm*130°
ZBQ10126509	260mm*5.0mm*90°	ZBQ10126501	260mm*5.0mm*110°	ZBQ10126503	260mm*5.0mm*130°

WUYANG MEDICAL
Kerrison Rongeurs

ISO:13485


Kerrison Rongeur(Standard Arc)



Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle	Order Code	Length*Blade Width*Angle
ZBQ10223109	230mm*1.0mm*90°	ZBQ10223101	230mm*1.0mm*110°	ZBQ10223103	230mm*1.0mm*130°
ZBQ10223209	230mm*2.0mm*90°	ZBQ10223201	230mm*2.0mm*110°	ZBQ10223203	230mm*2.0mm*130°
ZBQ10223309	230mm*3.0mm*90°	ZBQ10223301	230mm*3.0mm*110°	ZBQ10223303	230mm*3.0mm*130°
ZBQ10223409	230mm*4.0mm*90°	ZBQ10223401	230mm*4.0mm*110°	ZBQ10223403	230mm*4.0mm*130°
ZBQ10223509	230mm*5.0mm*90°	ZBQ10223501	230mm*5.0mm*110°	ZBQ10223503	230mm*5.0mm*130°

Kerrison Rongeurs Set

Different models available




Remark:You can choose 5*punches and 2*handles as per your convenience

ISO ISO:13485

DLC Kerrison Rongeurs Set


Different models available



Remark:You can choose 5*punches and 2*handles as per your convenience

DLC Kerrison Rongeurs Set II


Different models available



Remark:You can choose 5*punches and 2*handles as per your convenience

ISO ISO:13485


Nucleus Pulposus Clamps (DLC)



Order Code	Working Length*Blade Width	Type
214003-39	220mm*1.0mm	DLC straight
214003-01	220mm*2.0mm	DLC straight
214003-02	220mm*3.0mm	DLC straight
214003-03	220mm*4.0mm	DLC straight
214003-37	220mm*5.0mm	DLC straight

Order Code	Working Length*Blade Width	Type
214003-40	220mm*1.0mm	DLC curved
214003-04	220mm*2.0mm	DLC curved
214003-05	220mm*3.0mm	DLC curved
214003-06	220mm*4.0mm	DLC curved
214003-38	220mm*5.0mm	DLC curved

Nucleus Pulposus Clamps (DLC)




Order Code	Working Length*Blade Width	Type
214003-07	220mm*2.0mm	DLC straight teeth
214003-08	220mm*3.0mm	DLC straight teeth
214003-09	220mm*4.0mm	DLC straight teeth

Order Code	Working Length*Blade Width	Type
214003-10	220mm*2.0mm	DLC curved teeth
214003-11	220mm*3.0mm	DLC curved teeth
214003-12	220mm*4.0mm	DLC curved teeth

ISO:13485

Nucleus Pulposus Clamps (DLC)



Order Code	Working Length*Blade Width	Type
214003-41	220mm*1.0mm	DLC finger ring straight
214003-42	220mm*2.0mm	DLC finger ring straight
214003-43	220mm*3.0mm	DLC finger ring straight
214003-44	220mm*4.0mm	DLC finger ring straight

Order Code	Working Length*Blade Width	Type
214003-45	220mm*1.0mm	DLC finger ring curved
214003-46	220mm*2.0mm	DLC finger ring curved
214003-47	220mm*3.0mm	DLC finger ring curved
214003-48	220mm*4.0mm	DLC finger ring curved

Nucleus Pulposus Clamps (DLC)




Order Code	Working Length*Blade Width	Type
214003-21	220mm*2.0mm	DLC finger ring straight teeth
214003-22	220mm*3.0mm	DLC finger ring straight teeth
214003-23	220mm*4.0mm	DLC finger ring straight teeth

Order Code	Working Length*Blade Width	Type
214003-24	220mm*2.0mm	DLC finger ring curved teeth
214003-25	220mm*3.0mm	DLC finger ring curved teeth
214003-26	220mm*4.0mm	DLC finger ring curved teeth

ISO:13485

Nucleus Pulposus Clamps (DLC)



Order Code	Working Length*Blade Width	Type
214003-49	240mm*2.0mm	DLC Z-shaped straight of finger ring
214003-50	240mm*3.0mm	DLC Z-shaped straight of finger ring

Order Code	Working Length*Blade Width	Type
214003-51	240mm*2.0mm	DLC Z-shaped upward curved of finger ring
214003-52	240mm*3.0mm	DLC Z-shaped upward curved of finger ring

Mini type

Nucleus Pulposus Clamps (DLC)




Order Code	Working Length*Blade Width	Type
214003-71	200mm*2.0mm	DLC mini straight Z-shape
214003-72	200mm*3.0mm	DLC mini straight Z-shape
214003-73	200mm*2.0mm	DLC mini curved Z-shape
214003-74	200mm*3.0mm	DLC mini curved Z-shape

ISO ISO:13485


Nucleus Pulposus Clamps (DLC)

Mini type



Order Code	Working Length*Blade Width	Type
214003-65	190mm*1.0mm	DLC mini straight
214003-66	190mm*2.0mm	DLC mini straight
214003-67	190mm*3.0mm	DLC mini straight
214003-68	190mm*1.0mm	DLC mini curved
214003-69	190mm*2.0mm	DLC mini curved
214003-70	190mm*3.0mm	DLC mini curved

Nucleus Pulposus Clamps (DLC)




Order Code	Working Length*Blade Width	Type
214003-58	160mm*3.0mm	DLC flat straight
214003-53	160mm*4.0mm	DLC flat straight
214003-60	160mm*5.0mm	DLC flat straight
214003-89	200mm*3.0mm	DLC flat straight
214003-87	200mm*4.0mm	DLC flat straight

Order Code	Working Length*Blade Width	Type
214003-59	160mm*3.0mm	DLC flat curved
214003-54	160mm*4.0mm	DLC flat curved
214003-61	160mm*5.0mm	DLC flat curved
214003-90	200mm*3.0mm	DLC flat curved
214003-88	200mm*4.0mm	DLC flat curved

WUYANG MEDICAL
Nucleus Pulposus Clamps


ISO ISO:13485

Nucleus Pulposus Clamps (DLC)



Order Code	Working Length*Blade Width	Type
214003-55	160mm*4.0mm	DLC sharp straight
214003-91	200mm*3.0mm	DLC sharp straight
214003-85	200mm*4.0mm	DLC sharp straight

Order Code	Working Length*Blade Width	Type
214003-56	160mm*4.0mm	DLC sharp curved
214003-92	200mm*3.0mm	DLC sharp curved
214003-86	200mm*4.0mm	DLC sharp curved



Order Code	Working Length*Blade Width	Type
214003-62	160mm*3.0mm	DLC straight sharp teeth
214003-57	160mm*4.0mm	DLC straight sharp teeth
214003-63	160mm*5.0mm	DLC straight sharp teeth




Order Code	Working Length*Blade Width	Type
214003-83	190mm*4.0mm	Nucleus pulposus scissors straight

Order Code	Working Length*Blade Width	Type
214003-84	190mm*4.0mm	Nucleus pulposus scissors curved

ISO:13485


Nucleus Pulposus Clamps



Order Code	Working Length*Blade Width	Type
204024-13	220mm*1.0mm	Straight
204024-17	220mm*1.5mm	Straight
204024-1	220mm*2.0mm	Straight
204024-2	220mm*2.5mm	Straight
204024-3	220mm*3.0mm	Straight
204024-4	220mm*3.5mm	Straight
204024-5	220mm*4.0mm	Straight
204024-11	220mm*5.0mm	Straight

Order Code	Working Length*Blade Width	Type
204024-15	220mm*1.0mm	Curved
204024-14	220mm×1.5mm	Curved
204024-6	220mm*2.0mm	Curved
204024-7	220mm×2.5mm	Curved
204024-8	220mm*3.0mm	Curved
204024-9	220mm×3.5mm	Curved
204024-10	220mm*4.0mm	Curved
204024-16	220mm*5.0mm	Curved

Nucleus Pulposus Clamps




Order Code	Working Length*Blade Width	Type
204024-26	180mm*1.0mm	Straight
204024-27	180mm*2.0mm	Straight
204024-28	180mm*3.0mm	Straight
204024-29	180mm*4.0mm	Straight
204024-30	180mm*5.0mm	Straight

Order Code	Working Length*Blade Width	Type
204024-31	180mm*1.0mm	Curved
204024-32	180mm*2.0mm	Curved
204024-33	180mm*3.0mm	Curved
204024-34	180mm*4.0mm	Curved
204024-35	180mm*5.0mm	Curved

ISO:13485


Nucleus Pulposus Clamps



Order Code	Working Length*Blade Width	Type
204024-21	260mm*2.0mm	Straight
204024-18	260mm*3.0mm	Straight
204024-20	260mm*4.0mm	Straight
204024-22	260mm*5.0mm	Straight

Order Code	Working Length*Blade Width	Type
204024-23	260mm*2.0mm	Curved
204024-19	260mm*3.0mm	Curved
204024-24	260mm*4.0mm	Curved
204024-25	260mm*5.0mm	Curved

Nucleus Pulposus Clamps




Order Code	Working Length*Blade Width	Type
204028-19	320mm*2.0mm	Straight
204028-20	320mm*3.0mm	Straight
204028-18	320mm*4.0mm	Straight

Order Code	Working Length*Blade Width	Type
204028-21	320mm*2.0mm	Curved
204028-22	320mm*3.0mm	Curved
204028-23	320mm*4.0mm	Curved

ISO ISO:13485


Nucleus Pulposus Clamps



Order Code	Working Length*Blade Width	Type
204027-1	220mm*2.0mm	Straight teeth
204027-3	220mm*3.0mm	Straight teeth
204027-5	220mm*4.0mm	Straight teeth

Order Code	Working Length*Blade Width	Type
204028-1	220mm*2.0mm	Curved teeth
204028-3	220mm*3.0mm	Curved teeth
204028-5	220mm*4.0mm	Curved teeth

Nucleus Pulposus Clamps




Order Code	Working Length*Blade Width	Type
204033-1	220mm*2.0mm	Finger ring straight teeth
204033-3	220mm*3.0mm	Finger ring straight teeth
204033-5	220mm*4.0mm	Finger ring straight teeth

Order Code	Working Length*Blade Width	Type
204034-1	220mm*2.0mm	Finger ring curved teeth
204034-3	220mm*3.0mm	Finger ring curved teeth
204034-5	220mm*4.0mm	Finger ring curved teeth

ISO ISO:13485


Nucleus Pulposus Clamps



Order Code	Working Length*Blade Width	Type
204031-1	220mm*1.0mm	Finger ring straight
204031-3	220mm*2.0mm	Finger ring straight
204031-5	220mm*3.0mm	Finger ring straight
204031-7	220mm*4.0mm	Finger ring straight

Order Code	Working Length*Blade Width	Type
204032-1	220mm*1.0mm	Finger ring curved
204032-3	220mm*2.0mm	Finger ring curved
204032-5	220mm*3.0mm	Finger ring curved
204032-7	220mm*4.0mm	Finger ring curved

Nucleus Pulposus Clamps




Order Code	Length*Blade Width	Type
204032-10	240mm*2	Z-shaped straight of finger ring
204032-11	240mm*3	Z-shaped straight of finger ring
204032-16	240mm*4	Z-shaped straight of finger ring

Order Code	Length*Blade Width	Type
204032-12	240mm*2	Z-shaped upward curved of finger ring
204032-13	240mm*3	Z-shaped upward curved of finger ring
204032-17	240mm*4	Z-shaped upward curved of finger ring

Order Code	Length*Blade Width	Type
204032-14	240mm*2	Z-shaped downward curved of finger ring
204032-15	240mm*3	Z-shaped downward curved of finger ring
204032-18	240mm*4	Z-shaped downward curved of finger ring

ISO
ISO:13485


Nucleus Pulposus Clamps



Order Code	Working Length*Blade Width	Type
204036-19	160mm*2.0mm	Flat straight
204036-6	160mm*3.0mm	Flat straight
204036-1	160mm*4.0mm	Flat straight
204036-8	160mm*5.0mm	Flat straight
204036-23	200mm*3.0mm	Flat straight
204036-17	200mm*4.0mm	Flat straight

Order Code	Working Length*Blade Width	Type
204036-20	160mm*2.0mm	Flat curved
204036-7	160mm*3.0mm	Flat curved
204036-2	160mm*4.0mm	Flat curved
204036-9	160mm*5.0mm	Flat curved
204036-24	200mm*3.0mm	Flat curved
204036-18	200mm*4.0mm	Flat curved

Nucleus Pulposus Clamps




Order Code	Working Length*Blade Width	Type
204036-21	160mm*2.0mm	Sharp straight
204036-27	160mm*3.0mm	Sharp straight
204036-3	160mm*4.0mm	Sharp straight
204036-29	160mm*5.0mm	Sharp straight
204036-25	200mm*3.0mm	Sharp straight
204036-15	200mm*4.0mm	Sharp straight


Order Code	Working Length*Blade Width	Type
204036-22	160mm*2.0mm	Sharp curved
204036-28	160mm*3.0mm	Sharp curved
204036-4	160mm*4.0mm	Sharp curved
204036-30	160mm*5.0mm	Sharp curved
204036-26	200mm*3.0mm	Sharp curved
204036-16	200mm*4.0mm	Sharp curved

ISO
ISO:13485

Nucleus Pulposus Clamps




Order Code	Working Length*Blade Width
204036-10	160mm*3.0mm
204036-5	160mm*4.0mm
204036-11	160mm*5.0mm



Order Code	Working Length*Blade Width	Type
204035-3	190mm*4.0mm	Nucleus pulposus scissors straight

Order Code	Working Length*Blade Width	Type
204035-4	190mm*4.0mm	Nucleus pulposus scissors curved




Order Code	Working Length	Type
204035-1	200mm	Nucleus pulposus scissors straight

Order Code	Working Length	Type
204035-2	200mm	Nucleus pulposus scissors curved

ISO:13485

Nerve Root Retractor For Orthopedics DLC




Order Code	Size	Type
214010-01	95°*3mm	DLC type I
214010-02	95°*4mm	DLC type I
214010-03	95°*5mm	DLC type I
214010-04	95°*8mm	DLC type I
214010-05	95°*10mm	DLC type I




Order Code	Size	Type
214010-06	135°*3mm	DLC type I
214010-07	135°*4mm	DLC type I
214010-08	135°*5mm	DLC type I
214010-09	135°*8mm	DLC type I
214010-10	135°*10mm	DLC type I

Nerve Root Retractor For Orthopedics




Order Code	Size	Type
207047-1	95°*3mm	Type I
207047-2	95°*4mm	Type I
207047-3	95°*5mm	Type I
207047-4	95°*8mm	Type I
207047-9	95°*10mm	Type I



Order Code	Size	Type
207047-5	135°*3mm	Type I
207047-6	135°*4mm	Type I
207047-7	135°*5mm	Type I
207047-8	135°*8mm	Type I
207047-10	135°*10mm	Type I

ISO:13485

Nerve Root Retractor For Orthopedics DLC



Order Code	Size	Type
214010-11	95°*3mm	DLC II型 DLC type II
214010-12	95°*4mm	DLC II型 DLC type II
214010-13	95°*5mm	DLC II型 DLC type II
214010-14	95°*8mm	DLC II型 DLC type II




Order Code	Size	Type
214010-15	135°*3mm	DLC II型 DLC type II
214010-16	135°*4mm	DLC II型 DLC type II
214010-17	135°*5mm	DLC II型 DLC type II
214010-18	135°*8mm	DLC II型 DLC type II

Nerve Root Retractor For Orthopedics



Order Code	Size	Type
207047-11	90°*3mm	Type II
207047-12	90°*4mm	Type II
207047-13	90°*5mm	Type II
207047-14	90°*8mm	Type II




Order Code	Size	Type
207047-21	135°*3mm	Type II
207047-22	135°*4mm	Type II
207047-23	135°*5mm	Type II
207047-24	135°*8mm	Type II

ISO:13485

Nerve Root Retractor For Orthopedics DLC




Order Code	Size	Type
SJG20309503	95°*3mm	Type III
SJG20309504	95°*4mm	Type III
SJG20309505	95°*5mm	Type III
SJG20309506	95°*6mm	Type III
SJG20309508	95°*8mm	Type III



Order Code	Size	Type
SJG20313503	135°*3mm	Type III
SJG20313504	135°*4mm	Type III
SJG20313505	135°*5mm	Type III
SJG20313506	135°*6mm	Type III
SJG20313508	135°*8mm	Type III

DLC nerve root retractor aspirator



Order Code	Size	Type
207047-15	90°*3mm	Type I
207047-16	90°*4mm	Type I
207047-17	90°*5mm	Type I
207047-25	90°*3mm	Type I
207047-26	90°*4mm	Type I
207047-27	90°*5mm	Type I

Nerve root retractor aspirator type II



Order Code	Size
207047-18	90°*3mm
207047-19	90°*4mm
207047-20	90°*5mm

WUYANG MEDICAL
Spinal Basic Instruments

ISO:13485

Suction Tube




Order Code	Length*Diameter	Description
207060-1	280*2mm	Controllable aspirator
207060-2	280*3mm	Controllable aspirator
207060-3	280*4mm	Controllable aspirator
207060-4	280*5mm	Controllable aspirator
207060-5	280*6mm	Controllable aspirator
207060-16	290*2mm	Controllable aspirator(bevel connection)
207060-17	290*3mm	Controllable aspirator(bevel connection)
207060-18	290*4mm	Controllable aspirator(bevel connection)
207060-19	290*5mm	Controllable aspirator(bevel connection)
207060-20	290*6mm	Controllable aspirator(bevel connection)
207060-11	290*2mm	Zero damage aspirator(curved)
207060-12	290*3mm	Zero damage aspirator(curved)
207060-13	290*4mm	Zero damage aspirator(curved)
207060-14	290*5mm	Zero damage aspirator(curved)
207060-15	290*6mm	Zero damage aspirator(curved)

ISO:13485


Nerve Stripper DLC





Order Code	Length*Size	Type
214009-01	280*3mm	DLC hook groove
214009-02	280*5mm	DLC hook groove
214009-03	280*3mm	DLC hook blade
214009-04	280*5mm	DLC hook blade
214009-05	280*3mm	DLC ball tip
214009-06	280*5mm	DLC ball tip
214009-07	280*3mm/5mm	DLC double head
214009-08	280*6mm	DLC double head






Order Code	Length*Size	Type
214009-09	280*3mm	DLC Pre-bent hook groove
214009-10	280*5mm	DLC Pre-bent hook groove
214009-11	280*3mm	DLC Pre-bent hook blade
214009-12	280*5mm	DLC Pre-bent hook blade
214009-13	280*3mm	DLC Pre-bent ball tip
214009-14	280*5mm	DLC Pre-bent ball tip
214009-15	280*3mm/5mm	DLC Pre-bent double head

WUYANG MEDICAL
Spinal Basic Instruments

ISO:13485

Nerve Stripper






Order Code	Length*Size	Type
207048-1	280*3mm	Hook groove
207048-2	280*5mm	Hook groove
207048-3	280*3mm	With blade
207048-4	280*5mm	With blade

Order Code	Length*Size	Type
207048-5	280*4mm/6mm	Ball tip
207048-6	280*5mm	Ball tip
207048-15	280*3mm	Ball tip
207048-7	280*5mm	Double head
207049	280*6mm	Double head
207048-16	280*3mm/5mm	Double head
207048-18	280*3mm/7mm	Double head with hook






Order Code	Length*Size	Type
207048-9	280*3mm	Pre-bent hook groove
207048-10	280*5mm	Pre-bent hook groove
207048-11	280*3mm	Pre-bent ball tip
207048-12	280*5mm	Pre-bent ball tip
207048-13	280*3mm	Pre-bent hook blade
207048-14	280*5mm	Pre-bent hook blade
207048-17	280*3mm/5mm	Pre-bent double head

ISO:13485


Nerve Stripper DLC II





Order Code	Length*Size	Type
214009-16	280*3mm/3mm	DLC hook groove
214009-17	280*5mm/5mm	DLC hook groove
214009-18	280*3mm/3mm	DLC blade
214009-19	280*5mm/5mm	DLC blade
214009-20	280*3mm/3mm	DLC ball tip
214009-21	280*5mm/5mm	DLC ball tip






Order Code	Length*Size	Type
214009-22	280*3mm/3mm	DLC Pre-bent hook groove
214009-23	280*5mm/5mm	DLC Pre-bent hook groove
214009-24	280*3mm/3mm	DLC Pre-bent ball tip
214009-25	280*5mm/5mm	DLC Pre-bent ball tip
214009-26	280*3mm/3mm	DLC Pre-bent hook blade
214009-27	280*5mm/5mm	DLC Pre-bent hook blade

ISO:13485


Nerve Stripper II





Order Code	Length*Size	Type
207048-19	280*3mm/3mm	Hook groove
207048-20	280*5mm/5mm	Hook groove
207048-21	280*3mm/3mm	With blade
207048-22	280*5mm/5mm	With blade
207048-23	280*3mm/3mm	Ball tip
207048-24	280*5mm/5mm	Ball tip






Order Code	Length*Size	Type
207048-25	280*3mm/3mm	Pre-bent hook groove
207048-26	280*5mm/5mm	Pre-bent hook groove
207048-27	280*3mm/3mm	Pre-bent ball tip
207048-28	280*5mm/5mm	Pre-bent ball tip
207048-29	280*3mm/3mm	Pre-bent hook blade
207048-30	280*5mm/5mm	Pre-bent hook blade

Nerve Stripper DLC III





Order Code	Length*Size	Type
214009-28	280*3mm	DLC blade
214009-29	280*3mm	DLC Pre-bent blade

Nerve Root Probe






Order Code	Length*Size	Type
207050	230*φ3*10mm	Curved

Dural sac retractor I





Order Code	Length*Size
207053-1	260*6mm
207053-2	260*8mm
207053-3	260*10mm
207053-4	260*12mm

Ligamentum flavum sword





Order Code	Length
207054	260mm


DLC periosteal elevator



Order Code	Length*Head diameter
214013-01	290*15mm
214013-02	290*20mm

Periosteal elevator






Order Code	Length*Head diameter	Description
207051-2	290*15mm	
207051	290*20mm	
207051-1	290*25mm	
207051-3	295*30mm	
207051-4	290*15mm	Microbend
207051-5	290*20mm	Microbend
207051-6	290*25mm	Microbend



Spinal canal impactor I



Order Code	Size
207052-1	4*10*90°
207052-3	5*12*90°
207052-5	6*14*90°
207052-2	4*10*110°
207052-4	5*12*110°
207052-6	6*14*110°



Spinal canal impactor II



Order Code	Size
207052-7	4*12*90°
207052-9	5*12*90°
207052-8	4*12*110°
207052-10	5*12*110°

Bone Grafting Funnel



Order Code	Working Length*Diameter	Description
207061-1	240mm*φ6	Pedicle bone graft funnel
207061-2	240mm*φ8	Intervertebral space graft funnel
207062-1	245mm*φ6	Push rod
207062-2	245mm*φ8	Push rod



Order Code	Working Length*Diameter	Description
207061-4	60mm*φ6	Curved funnel
207061-5	60mm*φ8	Curved funnel
207062-3	70mm*φ6	Push rod
207062-4	70mm*φ8	Push rod



Order Code	Working Length*Diameter	Description
207061-6	85mm*φ6	Double chamber funnel
207061-7	85mm*φ8	Double chamber funnel
207062-5	90mm*φ6	Push rod
207062-6	90mm*φ8	Push rod



Order Code	Length	Size	Description
231016	165mm	8mm	Bone graft funnel
231017	270mm	8mm	Push rod
231025	165mm	6mm	Bone graft funnel
231026	270mm	6mm	Push rod

ISO:13485

Lamina Retractor

Cervica retractor(S-shape)



Order Code	Length*Size
206002-3	245mm*24mm

Cervical retractor



Order Code	Length*Width*Depth
206002-4	210mm*15mm*65/80mm
206002-5	210mm*18mm*65/80mm
206002-1	210mm*25mm*45/80mm
206002-2	210mm*30mm*40/85mm

Lamina retractor I



Order Code	Length*Width*Depth	Type
206001-1	220mm*30mm*95mm	Type I (large)
206001-2	200mm*25mm*85mm	Type I (medium)
206001-3	195mm*20mm*75mm	Type I (small)

Lamina retractor II

Reverse



Order Code	Length*Width*Depth	Type
206001-17	215mm*30mm*85mm	Type II (large)
206001-18	195mm*25mm*75mm	Type II (medium)
206001-19	185mm*20mm*65mm	Type II (small)

WUYANG MEDICAL
Spinal Basic Instruments

ISO:13485

Lamina Retractor

Lamina retractor expert type



Order Code	Length*Width*Depth*Angle	Type
206001-5	200mm*26mm*60mm*90°	Expert type
206001-6	200mm*26mm*80mm*90°	Expert type

Lamina retractor expert type



Order Code	Length*Width*Depth*Angle	Type
206001-9	200mm*25mm*80mm*90°	Expert type
206001-10	200mm*25mm*90mm*90°	Expert type
206001-11	200mm*30mm*80mm*90°	Expert type
206001-12	200mm*30mm*90mm*90°	Expert type

Lamina retractor expert type



Order Code	Length*Width*Depth*Angle	Type
206001-13	200mm*22mm*60mm*110°	Expert type
206001-14	200mm*22mm*80mm*110°	Expert type
206001-7	200mm*28mm*60mm*110°	Expert type
206001-8	200mm*28mm*80mm*110°	Expert type

Lamina retractor double fork type



Order Code	Length*Depth	Type
206001-15	250mm*80mm	Double fork type
206001-16	250mm*100mm	Double fork type

Spine distractor

Spine distractor model 001



Order Code	Length*Head width
207080-1	230mm*10mm

Spine distractor model 002



Order Code	Length*Head width
207080-2	330mm*5mm

Spine distractor model 003



Order Code	Length*Head width
207080-3	280mm*7mm

Spine distractor model 004



Order Code	Length*Head width
207080-4	340mm*12mm

Spine distractor model 005



Order Code	Length*Head width
207080-5	300mm*10mm

WUYANG MEDICAL
Spinal Basic Instruments

Spine distractor

Spine distractor model 006



Order Code	Length*Head width
207080-6	290mm*10mm

Spine distractor model 007



Order Code	Length*Head width
207080-7	270mm*22mm

Spine distractor model 008



Order Code	Length*Head width
207080-8	270mm*5mm

Spine distractor model 009



Order Code	Length*Head width
207080-9	195mm*6mm

Bone Probe



Order Code	Length*Head diameter	Description
207037	240mm*2mm	Straight probe (hard)
207037-1	235mm*2mm	Pedicle probe (soft)



Order Code	Length*Head diameter	Description
207036	240mm*2mm	Curved probe (hard)
207036-1	235mm*2mm	Pedicle probe (soft)

Pedicle probe (single head)



Straight probe (double head)



Order Code	Length*Head diameter	Description
JYY-D213007-21	300mm*1.5mm	Straight probe (double head)
JYY-D213007-22	235mm*2mm	Pedicle probe (single head)



Bone Cone




Long handle awl (square)
2.5*10mm
2.0*10mm

Long handle opener
φ3.5*15mm

Order Code	Length*Size	Description
207027-8	270mm*2.5*10mm	Long handle awl (square)
207027-9	270mm*2.0*10mm	Long handle awl (square)
207027-10	270mm*3.5*13mm	Long handle awl





Long handle
open cone
φ3.5*50mm

Long handle
open cone
2.5*40mm
3.2*40mm

Long handle
open cone (square
pointed straight)
4.0*30mm

Long handle
open cone (square
pointed curved)
4.0*30mm

Order Code	Length*Size	Description
207027-15	308mm*3.5*50mm	Long handle open cone
207027-13	308mm*2.5*40mm	Long handle open cone
207027-14	308mm*3.2*40mm	Long handle open cone
207027-11	308mm*4.0*30mm	Long handle open cone (square pointed straight)
207027-12	308mm*4.0*30mm	Long handle open cone (square pointed curved)


ISO:13485

Open awl (three blades)

Anterior cervical aw



Bone Cone




Order Code	Length*Size	Description
JYY-213003-10	210mm*3.0*8mm	Anterior cervical awl
JYY-D213008-01	235mm*2.0*7mm	Open awl (three blades)

Long handle awl (square)

Square awl






Order Code	Length*Size	Description
JYY-D213007-01	270mm*2.5*10mm	Long handle awl (square)
YBT-021	235mm*φ2.5*10mm	Square awl

WUYANG MEDICAL
Spinal Basic Instructions


ISO:13485

Straight cone

Straight cone (square)



Bone Cone




Order Code	Length*Size	Description
JYY-D213007-02	220mm*φ3.2	Straight cone
JYY-D213007-03	220mm*φ2.5	Straight cone
WY-Y008	230mm*φ2.5	Straight cone (square)

Ball handle probe (straight)

Ball handle probe (curved)






Order Code	Length*Size	Description
207027-16	240mm*φ3.5*30mm	Ball handle probe (straight)
JYY-D213007-04	240mm*φ3.5	Ball handle probe (curved)

ISO:13485

Open cone (straight)　Open cone (curved)　Open cone



Open cone




订货代码 Order Code	长度*规格 Length*Size	型号 Description
YBT-019	230mm*φ3.5	Open cone (straight)
YBT-020	230mm*φ3.5	Open cone (curved)
JYY-D213008-02	210mm*φ2.0	Open cone

Open awl　Open awl



Open awl




Order Code	Length*Size	Description
JYY-D213009-09	240mm*φ2*6mm	Open awl
207027-7	240mm*φ2.0*45mm	Open awl

ISO:13485

DLC intervertebral dics reamer







Order Code	Length*Blade width	Description
214006-05	340mm*6mm	Front bending
214006-06	340mm*8mm	Front bending
214006-07	340mm*10mm	Front bending
214006-08	340mm*6mm	Left
214006-09	340mm*8mm	Left
214006-10	340mm*10mm	Left
214006-11	340mm*6mm	Right
214006-12	340mm*8mm	Right
214006-13	340mm*10mm	Right

ISO:13485

Intervertebral dics reamer








Order Code	Length*Blade width	Description
205010-13	330mm*6mm	Front bending II
205010-14	330mm*8mm	Front bending II
205010-15	330mm*10mm	Front bending II
205010-16	330mm*6mm	Left II
205010-17	330mm*8mm	Left II
205010-18	330mm*10mm	Left II
205010-19	330mm*6mm	Right II
205010-20	330mm*8mm	Right II
205010-21	330mm*10mm	Right II

WUYANG MEDICAL
Spinal Basic Instruments

ISO:13485

Intervertebral dics scraper (square)






Order Code	Length*Blade width
205010-10	285mm*4mm
205010-11	300mm*6mm
205010-12	300mm*8mm



Vertebral plate push broach



Order Code	Length*Blade width	Description
205012-1	300mm*6mm	Vertebral plate push broach
205012-2	300mm*8mm	Vertebral plate push broach
205012-3	300mm*10mm	Vertebral plate push broach
219003	290mm*8mm	Vertebral plate push broach

ISO:13485


Vertebral Curette

DLC hollow vertebral dics reamer



Hollow vertebral dics reamer






Order Code	Length*Size	Description
214006-01	270mm*7.5*6.5	DLC hollow vertebral dics reamer
214006-02	270mm*8.5*7.5	DLC hollow vertebral dics reamer
214006-03	270mm*9.5*8.5	DLC hollow vertebral dics reamer
214006-04	270mm*10.5*10.5	DLC hollow vertebral dics reamer
205007-1	280mm*7.5*6.5	Hollow vertebral dics reamer
205007-2	280mm*8.5*7.5	Hollow vertebral dics reamer
205007-3	280mm*9.5*8.5	Hollow vertebral dics reamer
205007-4	270mm*10.5*10.5	Hollow vertebral dics reamer

Hollow vertebral dics reamer






Order Code	Length*Size
219005-1	270mm*7.5*6.5
219005-2	270mm*8.5*7.5
219005-3	270mm*9.5*8.5
219005-4	270mm*10.5*10

ISO:13485

Parallel edged intervertebral dics reamer (DLC)






Order Code	Length*Size
205011-37	280mm*4mm
205011-16	280mm*5mm
205011-17	280mm*6mm
205011-8	280mm*7mm
205011-9	280mm*8mm
205011-10	280mm*9mm
205011-11	280mm*10mm
205011-12	280mm*11mm
205011-13	280mm*12mm
205011-14	280mm*13mm
205011-18	280mm*14mm

Square verterbral dics reamer (silicone handle)







Order Code	Length*Size
205011-38	260mm*3mm
205011-19	260mm*4mm
205011-20	260mm*5mm
205011-21	260mm*6mm
205011-22	260mm*7mm
205011-23	260mm*8mm
205011-24	260mm*9mm
205011-25	260mm*10mm
205011-26	260mm*11mm
205011-27	260mm*12mm
205011-28	260mm*13mm
205011-29	260mm*14mm

ISO 13485

Parallel edged intervertebral dics reamer






Order Code	Length*Size
205011-6	280mm*7mm
205011-7	280mm*8mm
205011-1	280mm*9mm
205011-2	280mm*10mm
205011-3	280mm*11mm
205011-4	280mm*12mm
205011-5	280mm*13mm
205011-15	280mm*14mm

Vertebral dics reamer






Order Code	Length*Size
Z205011-30	280mm*7mm
Z205011-31	280mm*8mm
Z205011-32	280mm*9mm
Z205011-33	280mm*10mm
Z205011-34	280mm*11mm
Z205011-35	280mm*12mm
Z205011-36	280mm*13mm

WUYANG MEDICAL
Spinal Basic Instruments

ISO 13485

Vertebral dics reamer






Order Code	Length*Size
GN109	265mm*7mm
GN110	265mm*8mm
GN111	265mm*9mm
GN112	265mm*10mm
GN113	265mm*11mm
GN114	265mm*12mm
GN115	265mm*13mm


Vertebral dics reamer (square)






Order Code	Length*Size
205014-1	290mm*9mm
205014-2	290mm*10mm
205014-3	290mm*11mm
205014-4	290mm*12mm
205014-5	290mm*13mm

Vertebral dics reamer (round)






Order Code	Length*Size
205013-1	290mm*9mm
205013-2	290mm*10mm
205013-3	290mm*11mm
205013-4	290mm*12mm

Circular hollow scraper






Order Code	Length*Size
219006-1	290mm*7mm
219006-2	290mm*8mm
219006-3	290mm*9mm

Vertebral distractor (silicone handle)





Order Code	Length*Size
207056-5	290mm*8mm
207056-6	290mm*9mm
207056-7	290mm*10mm
207056-8	290mm*11mm
207056-9	290mm*12mm


DLC nucleus pulposus chisel

Round



Ellipse





Order Code	Length*Size	Description
214001-01	240mm*φ6	Round
214001-02	240mm*φ8	Round
214001-03	240mm*φ10	Round
214001-04	240mm*6.5*4.5	Ellipse
214001-05	240mm*8.5*6.5	Ellipse
214001-06	240mm*10.5*8.5	Ellipse


Nucleus pulposus chisel

Round



Ellipse





Order Code	Length*Size	Description
203009-1	240mm*φ6	Round
203009-2	240mm*φ8	Round
203009-3	240mm*φ10	Round
203010-1	240mm*6.5*4.5	Ellipse
203010-2	240mm*8.5*6.5	Ellipse
203010-3	240mm*10.5*8.5	Ellipse

Cervical retractor




Order Code	Length*Size	Description
207064-5	140mm	Cervical retractor (right)
207064-2	240mm	Nail inserter
207064-3	60mm*12mm	Nail




Order Code	Length*Size	Description
207064-4	140mm	Cervical retractor (left)
207064-2	240mm	Nail inserter
207064-3	60mm*12mm	Nail

Cervical retractor




Order Code	Length*Size	Type
JYY-D213009-07	140mm	Cervical retractor (double side)
JYY-D213009-06	260mm	Nail inserter
JYY-D213009-05	65mm*12mm	Nail




Order Code	Length*Size	Type
207064-1	140mm	Cervical retractor (double side)
207064-2	240mm	Nail inserter
207064-3	65mm*12mm	Nail

Multi-functional retractor (hand-operated)




Order Code	Length*Size	Type
207065	250mm*48*75mm	Type I
207065-1	250mm*48*60mm	Type II

Pedicle marker inserter



Order Code	Length	Description
YBT-027	280mm	Pedicle marker inserter (lumbar)
207043	65mm	Pedicle marker (lumbar) cylindrical
207044	65mm	Pedicle marker (lumbar) spherical
WY-Y002	230mm	Pedicle marker inserter (cervical)
WY-Y010	55mm	Pedicle marker (cervical) cylindrical
WY-Y011	55mm	Pedicle marker (cervical) spherical

Lumbar positioning network II



Order Code	Length*Size
WY-D501	150mm*210mm

Lumbar positioning network I



Order Code	Length*Size
JYY-D213005-01	180mm*100mm


ISO:13485

Measurer (gauge)



Order Code	Length*Size
201011-9	265mm*170mm

Puncture needle



Order Code	Length*Diameter
JYY-D213005-09	190mm*2mm

T-type quick assembly handle (square)



Order Code	Length
JYY-D213004-44	95mm

Ratchet handle



Order Code	Length
JYY-D213004-42	170mm

WUYANG MEDICAL
Spinal Basic Instruments

ISO:13485

Torque handle



Order Code	Size
210001-4	9N/M
210001-5	12N/M

Hole puncher for spinous process



Order Code	Length
207055	215mm

Vise grip pliers



Order Code	Length*Size
207069-2	290mm*φ5.5
JYY-D213007-14	290mm*φ6.0

ISO:13485

Rod-holding forceps



Order Code	Length*Size
JYY-D213003-06	200mm*φ3.0

Rod-holding forceps



Order Code	Length*Size
JYY-D213007-13	185mm*φ4.0/φ6.0

Cervical rod holding forceps



Order Code	Length*Size
JYY-D213008-18	185mm*φ2.5

Double joint rotating rod forceps



Order Code	Length*Diameter
207069-1	250mm*φ5.5
YBT-029	250mm*φ6.0

WUYANG MEDICAL
Spinal Basic Instruments

ISO:13485

Plate holding forceps



Order Code	Length
JYY-D213009-11	215mm

Hook holding forceps



Order Code	Length
JYY-D213008-11	195mm

Tail cap broker I type



Order Code	Length
YBT-024	190mm

Rod-adjusting forceps



Order Code	Length
YBT-045	220mm

ISO:13485

Rod distraction forceps



Order Code	Length*Diameter*Open size
JYY-D213004-15	290mm*φ5.5*55mm

Rod compression forceps



Order Code	Length*Diameter*Open size
JYY-D213004-12	270mm*φ6.0*60mm

Rod distraction forceps (silicone handle)



Order Code	Length*Diameter*Open size
JYY-D213007-16	290mm*φ6.0*65mm

Rod compression forceps (silicone handle)



Order Code	Length*Diameter*Open size
JYY-D213007-15	265mm*φ6.0*58mm

ISO:13485

Rod distraction forceps



Order Code	Diameter
YBT-026	φ6.5

Rod compression forceps



Order Code	Diameter
YBT-044	φ6.5

Rod distraction forceps



Order Code	Length*Size
CL-D201027	325mm*φ6.0

Rod compression forceps



Order Code	Length*Size
CL-D201010	310mm*φ6.0

ISO 13485

Rod comperssion forceps



Order Code	Length*Diameter*Open size
JYY-D213003-07	235mm*φ3.5*40mm

Rod cutting forceps



Order Code	Size
FJQ04232	φ3.0/φ3.5

Parallel distraction forceps I



Order Code	Length*Open size
JYY-D213005-05	350mm*40mm

Distraction forceps



Order Code	Length*Diameter*Open size
YBT-162	235mm**φ4.0*55mm

WUYANG MEDICAL
Spinal Basic Instruments

ISO 13485

Anterior cervical bending plate forceps



Lumbar rod bending forceps



Cervical rod bending forceps



Order Code	Length *Size	Description
JYY-D213009-12	220mm	Anterior cervical bending plate forceps
YBT-142	175mm*2.5mm	Lumbar rod bending forceps
JYY-D213003-09	330mm	Cervical rod bending forceps

Gun type reduction forceps (cervical)




Order Code	Length *Size
JYY-D213003-21	190mm*65mm

Gun type reduction forceps (Lumbar)



Order Code	Length *Size
JYY-D213004-43	230mm*86mm


Lumbar Vertebra Operation Instrument Set



The details for Lumbar Vertebra Operation Instrument Set Code: 211018

Seq	Item code	Description	Size	Quantity
1	201005-2	Single hook Retractor	230*60mm	2
2	201004-1/2	Multi-hook Retractor three/four teeth	290*50mm/290*60mm	1 each
3	206001-2/1	Lamina retractor Type I	Medium/large	1 each
4	207052-4	Spinal canal impactor I	5*12*110°	1
5	205009-44	Bone Curette Z-type reverse tip	90°*5mm	1
6	207051	Periosteal elevator	20mm	1
7	207054	Ligamentum flavum sword	260mm	1
8	205009-19	Bone Curette Front bending	300*3mm*5°	1
9	205009-25/27	Bone Curette Front bending	300*4mm/6mm*10°	1 each
10	203007-42	Square osteotome	Expert type 280*6mm	1
11	304-0004/5	Square osteotome	Expert type 280*10mm/15mm	1 each
12	201030-4	Periosteal stripper Standard	220*16mm	1
13	207050	Nerve root probe Curved	φ3*10mm	1
14	207048-6	Nerve stripper Round head	5mm	1
15	204024-1/3	Nucleus Pulposus Clamps Straight	220*2.0/220*3.0	1 each
16	204028-3	Nucleus Pulposus Clamps Curved teeth	220*3.0	1
17	204052-7	Kerrison Rongeur Rotatable/dismounted	220*2.0*110°	1
18	204052-13/14	Kerrison Rongeur Rotatable/dismounted	220*3.0/4.0*130°	1 each
19	204055	Pliers handle	Type I	3
20	204009-2/3	Double joint Rongeur curved head	240*3mm/240*4mm	1 each
21	204014-2	Spinous rongeur	260mm	1
22	204014-1	Spinous process scissors	Curved 260mm	1
23	204050-2	Double joint rongeur scissors	Straight 240mm	1
24	207047-5/7	Nerve root retractor Type I	135°*3/135°*5	1 each
25	207048-4	Nerve stripper Hook blade	5mm	1
26	WG211018	Lumbar Vertebra Operation Instrument box	/	1

Cervical Vertebra Operation Instrument Set



The details for Cervical Vertebra Operation instrument Set Code: 211019

Seq	Item code	Description	Size	Quantity
1	201005-3	single hook postcranial Retractor	220mm	2
2	201004-3	multi-hook postcranial Retractor	200*18mm	2
3	206002-3	cervical S shape retractor	245*24mm	2
4	206002-1/2	cervical retractor	25mm/30mm	1 each
5	JYY-D213009-07	cervical retractor (double side)	140mm	1
6	JYY-D213009-06	nail inserter	260mm	1
7	JYY-D213009-05	nail	65*12mm	2
8	203008-2/4	Square osteotome	knurled handle 220*3mm/4mm	1 each
9	203008-1/7	Square osteotome	knurled handle 220*5mm/8mm	1 each
10	207054	Ligamentum flavum sword	260mm	1
11	205009-23/24	Bone Curette Front bending	300*2/3mm*10°	1 each
12	205005-1	Bone Curette reverse	260*2mm	1
13	204005-1	Double joint Rongeur curved head	180*2mm	1
14	204004-1	Double joint Rongeur straight head	180*2mm	1
15	201029-1	Periosteal stripper Standard	190*6mm	1
16	204012-1	rongeur scissors	Straight 180mm	1
17	207060-1/2	controllable aspirator	φ2mm/φ3mm	1 each
18	207048-1	Nerve stripper hook groove	3mm	1
19	207048-15	Nerve stripper Round head	3mm	1
20	204052-1	Kerrison Rongeur Rotatable/dismounted	220*1.0*90°	1
21	204052-6	Kerrison Rongeur Rotatable/dismounted	220*1.0*110°	1
22	204052-12	Kerrison Rongeur Rotatable/dismounted	220*2.0*130°	1
23	204052-7	Kerrison Rongeur Rotatable/dismounted	220*2.0*110°	1
24	204055	Pliers handle	Type I	4
25	204024-1	Nucleus Pulposus Clamps Straight	220*2.0	1
26	204024-6	Nucleus Pulposus Clamps Curved	220*2.0	1
27	204027-1	Nucleus Pulposus Clamps Straight teeth	220*2.0	1
28	204028-3	Nucleus Pulposus Clamps Curved teeth	220*3.0	1
29	201001-6	bone hammer (silicone handle)	300g	1
30	201051-7	rod for tibial plateau (straight)	φ6	1
31	WG211009	Cervical Vertebra Operation instrument box	/	1


Anterior Cervical Vertebra Operation Instrument Set



The details for Anterior Cervical Vertebra Operation Instrument Set Code: 211069

Seq	Item code	Description	Size	Quantity
1	JYY-D213009-07	Cervical retractor (double side)	140mm	1
2	JYY-D213009-06	Nail inserter	260mm	1
3	JYY-D213009-05	Nail	65mm*12mm	2
4	204057-1	Kerrison Rongeur	Standard 220*1.0*90°	1
5	204057-12	Kerrison Rongeur	Standard 220*2.0*110°	1
6	204057-22	Kerrison Rongeur	Standard 220*2.5*130°	1
7	204057-10	Kerrison Rongeur	Standard 220*1.0*110°	1
8	204057-21	Kerrison Rongeur	Standard 220*2.0*130°	1
9	204057-13	Kerrison Rongeur	Standard 220*2.5*110°	1
10	204031-1	Nucleus Pulposus Clamps	Finger ring straight 220*1.0	1
11	204031-3	Nucleus Pulposus Clamps	Finger ring straight 220*2.0	1
12	204032-1	Nucleus Pulposus Clamps	Finger ring curved 220*1.0	1
13	204032-3	Nucleus Pulposus Clamps	Finger ring curved 220*2.0	1
14	204009-8	Double joint rongeur	240mm cusp & curved head	1
15	204009-1	Double joint rongeur	Curved 240*2mm	1
16	205009-19	Bone Curette	Front bending 5°*3mm	1
17	205009-24	Bone Curette	Front bending 10°*3mm	1
18	205009-20	Bone Curette	Front bending 5°*4mm	1
19	206002-3	Cervical S shape retractor	24mm	2
20	206002-1	Cervical retractor	25mm	1
21	206002-2	Cervical retractor	30mm	1
22	207048-1	Nerve stripper	3mm	2
23	203008-2	Osteotome (knurled handle)	3mm	1
24	203008-4	Osteotome (knurled handle)	4mm	1
25	203008-1	Osteotome (knurled handle)	5mm	1
26	203008-7	Osteotome (knurled handle)	8mm	1
27	222006-2	Anti-slip impactor (straight)	φ9	1
28	207060-1	Controllable aspirator	φ2mm	1
29	207060-2	Controllable aspirator	φ3mm	1
30	207060-3	Controllable aspirator	φ4mm	1
31	/	box		1

Posterior Cervical Vertebra Operation Instrument Set



The details for Posterior Cervical Vertebra Operation Instrument Set Code: 211070

Seq	Item code	Description	Size	Quantity
1	204057-12	Kerrison Rongeur	Standard 220*2.0*110°	1
2	204057-22	Kerrison Rongeur	Standard 220*2.5*130°	1
3	204057-21	Kerrison Rongeur	Standard 220*2.0*130°	1
4	204057-13	Kerrison Rongeur	Standard 220*2.5*110°	1
5	204057-10	Kerrison Rongeur	Standard 220*1.0*110°	1
6	204009-8	Double joint rongeur	240mm cusp & curved head	1
7	204009-1	Double joint rongeur	Curved 240*2mm	1
8	204024-1	Nucleus Pulposus Clamps	Straight 220*2.0	1
9	204024-2	Nucleus Pulposus Clamps	Straight 220*2.5	1
10	204050-3	Double joint rongeur scissors	Curved 240mm	1
11	201004-3	Multi-hook postcranial Retractor	18mm	1
12	201004-4	Multi-hook postcranial Retractor	30mm	1
13	201005-3	Single hook postcranial Retractor	220mm	2
14	207080-9	Spine distractor	No.009	1
15	207048-1	Nerve stripper	3mm	1
16	207048-16	Nerve stripper	Double head 3mm/5mm	1
17	207048-17	Nerve stripper	Pre-bent double head 3mm/5mm	1
18	207060-2	Controllable aspirator	φ3mm	1
19	207060-3	Controllable aspirator	φ4mm	1
20	1	Box		1

ISO 13485

Discectomy Operation Instrument Set



The details for Discectomy Operation Instrument Set Code: 211068

Seq	Item code	Description	Size	Quantity
1	204057-13	Kerrison Rongeur	Standard 220*2.5*110°	1
2	204057-23	Kerrison Rongeur	Standard 220*3.0*130°	1
3	204057-25	Kerrison Rongeur	Standard 220*4.0*130°	1
4	204024-2	Nucleus Pulposus Clamps	Straight 220*2.5	1
5	204024-8	Nucleus Pulposus Clamps	Curved 220*3.0	1
6	204024-5	Nucleus Pulposus Clamps	Straight 220*4.0	1
7	204009-2	Double joint rongeur	Curved 240*3mm	1
8	204009-3	Double joint rongeur	Curved 240*4mm	1
9	207047-5	nerve root retractor for orthopedics	135°*3	1
10	207047-7	nerve root retractor for orthopedics	135°*5	1
11	207047-8	nerve root retractor for orthopedics	135°*8	1
12	203009-1	nucleus pulposus chisel (round)	φ6mm	1
13	203009-2	nucleus pulposus chisel (round)	φ8mm	1
14	203009-3	nucleus pulposus chisel (round)	φ10mm	1
15	203010-1	nucleus pulposus chisel (ellipse)	6.5*4.5	1
16	203010-2	nucleus pulposus chisel (ellipse)	8.5*6.5	1
17	203010-3	nucleus pulposus chisel (ellipse)	10.5*8.5	1
18	206001-1	Lamina retractor	large	1
19	206001-2	Lamina retractor	medium	1
20	206001-3	Lamina retractor	small	1
21	201004-2	multi-hook Retractor	four teeth	2
22	205009-20	Bone Curette	Front bending 5°*4mm	1
23	205009-26	Bone Curette	Front bending 10°*5mm	1
24	205009-27	Bone Curette	Front bending 10°*6mm	1
25	/	Box		1

ISO 13485

Drill hole trephine



Order Code	Length*Diameter
222001-1	185mm*φ10
222001-2	185mm*φ11
222001-3	185mm*φ12
222001-4	185mm*φ13

Core for guider



Order Code	Length*Diameter
222002-1	160mm*φ9
222002-2	160mm*φ10
222002-3	160mm*φ11
222002-4	160mm*φ12

Bone removal trephine



Order Code	Length*Diameter
222003-1	185mm*φ12
222003-2	185mm*φ13
222003-3	185mm*φ14
222003-4	185mm*φ15

Bone removal trephine with core



Order Code	Length*Diameter
222005-1	185mm*φ12
222005-2	185mm*φ13
222005-3	185mm*φ14
222005-4	185mm*φ15

ISO:13485

Anti-slip impactor (straight)



Order Code	Length*Head Diameter
222006-1	225mm*φ8
222006-2	225mm*φ9
222006-3	225mm*φ10
222006-4	225mm*φ12

Anti-slip impactor (curved)





Order Code	Length*Head Diameter
222007-1	225mm*φ8
222007-2	225mm*φ9
222007-3	225mm*φ10
222007-4	225mm*φ12

Bone hammer





Order Code	Length*Head Diameter
222004-1	225mm*φ8
222004-2	225mm*φ10
222004-3	225mm*φ13

ISO:13485

PSO Osteotome





310*20mm
310*25mm

310*15mm

310*10mm

310*8.5mm
275*6mm *6mm
275*4mm *4mm

Order Code	Length *Size	Description
226002-1	310*20mm	PSO osteotome
226002-2	310*25mm	PSO osteotome
226002-3	310*15mm	PSO osteotome
226002-5	310*10mm	PSO osteotome
226002-4	310*8.5mm	PSO osteotome
226002-6	275*6mm *6mm	PSO osteotome
FG-005	275*4mm *4mm	PSO osteotome

PSO dilator





PSO dilator

PSO dilator 10°


PSO dilator 30°

Order Code	Length *Size
226003-1	310*30°
226003-2	310*10°
226003-3	310*7*6mm
226003-4	310*9*8mm

ISO:13485



PSO Bone Curette



Order Code	Length *Size	Description
226001-1	310*7mm	Left
226001-2	310*7mm	Right



PSO Bone Curette



Order Code	Length *Size	Description
226001-3	310*5mm	Inner
226001-4	310*5mm	Outer

WUYANG MEDICAL
Spinal Osteotomy Instrument

ISO:13485



PSO osteotome



Order Code	Length *Size
226004-1	310mm*12.5mm
226004-2	310mm*7.5mm



PSO bone hook



Order Code	Length
226005	320mm

PSO probe





Order Code	Length
226006	335mm

PSO nerve retractor





Order Code	Length*Size
226008-1	255*6mm
226008-2	255*8mm
226008-3	255*10mm

PSO retractor



Order Code	Size
226007-1	15*95mm
226007-2	20*95mm
226007-3	25*95mm

Slip hammer (cylindrical)



Order Code	Length*Size
219012	185mm*550g

WUYANG MEDICAL
Spinal Osteotomy Instrument

Spine Osteotomy Instrument Set



The details of Spine Osteotomy Instrument Set Code: 211054

Seq	Item code	Description	Size	Quantity
1	226001-4	PSO bone curette (outer)	5mm	1
2	226001-3	PSO bone curette (inner)	5mm	1
3	226001-2	PSO bone curette (right)	7mm	1
4	226001-1	PSO bone curette (left)	7mm	1
5	226002-1	PSO osteotome	20mm	1
6	226002-2	PSO osteotome	25mm	1
7	226002-3	PSO osteotome	15mm	1
8	226002-4	PSO osteotome	8.5mm	1
9	226002-5	PSO osteotome	10mm	1
10	226003-1	PSO dilator	30°	1
11	226003-2	PSO dilator	10°	1
12	226003-3	PSO dilator	7*6mm	1
13	226003-4	PSO dilator	9*8mm	1
14	226004-2	PSO osteotome	7.5mm	1
15	226004-1	PSO osteotome	12.5mm	1
16	226005	PSO bone hook	/	1
17	226006	PSO probe	/	1
18	226007-1	PSO retractor	15*95mm	4
19	226007-2	PSO retractor	20*95mm	4
20	226007-3	PSO retractor	25*95mm	4
21	226008-1	PSO nerve retractor	6mm	1
22	226008-2	PSO nerve retractor	8mm	1
23	226008-3	PSO nerve retractor	10mm	1
24	219012	Slide hammer (cylindrical)	550g	1
25	WG211054	Spine Osteotomy Instrument box	/	1

ISO:13485

Bone Mill



Bone pieces after crushing



Order Code
232001S

ISO:13485



Rongeur (DLC double joint)



straight head | curved head | cusp & straight head | cusp & curved head

Order Code	Length*Blade Width	Type
214002-01	240mm*2mm	Straight head
214002-02	240mm*3mm	Straight head
214002-03	240mm*4mm	Straight head
214002-07	240mm*5mm	Straight head
214002-08	240mm*6mm	Straight head
214002-11	240mm	Cusp&straight head

Order Code	Length*Blade Width	Type
214002-04	240mm*2mm	Curved head
214002-05	240mm*3mm	Curved head
214002-06	240mm*4mm	Curved head
214002-09	240mm*5mm	Curved head
214002-10	240mm*6mm	Curved head
214002-12	240mm	Cusp&curved head



Rongeur (DLC double joint)



Big opening straight head | Big opening curved head | Big opening cusp&straight head | Big opening cusp&curved head


Order Code	Length*Blade Width	Type
214002-14	240mm*2mm	Big opening straight head
214002-16	240mm*3mm	Big opening straight head
214002-18	240mm*4mm	Big opening straight head
214002-20	240mm*5mm	Big opening straight head
214002-21	240mm*6mm	Big opening straight head
214002-24	240mm	Big opening cusp&straight head

Order Code	Length*Blade Width	Type
214002-13	240mm*2mm	Big opening curved head
214002-15	240mm*3mm	Big opening curved head
214002-17	240mm*4mm	Big opening curved head
214002-19	240mm*5mm	Big opening curved head
214002-22	240mm*6mm	Big opening curved head
214002-23	240mm	Big opening cusp&curved head

ISO:13485

Rongeur（DLC double joint ）





Order Code	Length*Blade Width	Type
214002-31	180mm*2mm	Straight head
214002-32	180mm*3mm	Straight head
214002-33	180mm*4mm	Straight head
214002-34	180mm*5mm	Straight head
214002-35	180mm*6mm	Straight head

Order Code	Length*Blade Width	Type
214002-36	180mm*2mm	Curved head
214002-37	180mm*3mm	Curved head
214002-38	180mm*4mm	Curved head
214002-39	180mm*5mm	Curved head
214002-40	180mm*6mm	Curved head

Rongeur（DLC double joint)






Order Code	Length*Blade Width	Type
214002-41	240mm*2mm	Side bend
214002-42	240mm*3mm	Side bend
214002-43	240mm*4mm	Side bend
214002-44	240mm*6mm	Side bend
214002-45	240mm*8mm	Side bend

Rongeur（DLC single joint ）






Order Code	Length*Blade Width	Type
214002-25	160mm*2mm	Straight head
214002-26	160mm*3mm	Straight head
214002-27	160mm*4mm	Straight head
214002-28	160mm*2mm	Curved head
214002-29	160mm*3mm	Curved head
214002-30	160mm*4mm	Curved head

WUYANG MEDICAL
Bone Rongeur

ISO:13485

Rongeur（Double joint ）






Order Code	Length*Blade Width	Type
204008-1	240mm*2mm	Straight head
204008-2	240mm*3mm	Straight head
204008-3	240mm*4mm	Straight head
204008-4	240mm*5mm	Straight head
204008-5	240mm*6mm	Straight head
204008-6	240mm*8mm	Straight head
204009-9	240mm	Cusp&straight head

Order Code	Length*Blade Width	Type
204009-1	240mm*2mm	Curved head
204009-2	240mm*3mm	Curved head
204009-3	240mm*4mm	Curved head
204009-4	240mm*5mm	Curved head
204009-5	240mm*6mm	Curved head
204009-6	240mm*8mm	Curved head
204009-7	240mm*10mm	Curved head
204009-8	240mm	Cusp&curved head

Rongeur (Double joint big opening)





Order Code	Length*Blade Width	Type
204011-5	240mm*2mm	Straight head
204011-7	240mm*3mm	Straight head
204011-9	240mm*4mm	Straight head
204011-11	240mm*5mm	Straight head
204011-40	240mm*6mm	Straight head
204011-43	240mm	Cusp&straight head

Order Code	Length*Blade Width	Type
204011-4	240mm*2mm	Curved head
204011-6	240mm*3mm	Curved head
204011-8	240mm*4mm	Curved head
204011-10	240mm*5mm	Curved head
204011-41	240mm*6mm	Curved head
204011-42	240mm	Cusp&curved head

ISO:13485

Rongeur (Double joint type II)






Order Code	Length*Blade Width	Description
204010-1	240mm*2mm	Small curved II
204010-2	240mm*3mm	Small curved II
204010-3	240mm*4mm	Small curved II
204010-4	240mm*5mm	Small curved II
204010-5	240mm*6mm	Small curved II
204010-6	240mm*8mm	Small curved II

Order Code	Length*Blade Width	Description
YGQ1032402	240mm*2mm	Straight head II
YGQ1032403	240mm*3mm	Straight head II
YGQ1032404	240mm*4mm	Straight head II
YGQ1032405	240mm*5mm	Straight head II
YGQ1032406	240mm*6mm	Straight head II
YGQ1032408	240mm*8mm	Straight head II

Rongeur (Double joint)






Order Code	Length*Blade Width	Type
204004-1	180mm*2mm	Straight head
204004-2	180mm*3mm	Straight head
204004-3	180mm*4mm	Straight head
204004-4	180mm*5mm	Straight head
204004-5	180mm*6mm	Straight head

Order Code	Length*Blade Width	Type
204005-1	180mm*2mm	Curved head
204005-2	180mm*3mm	Curved head
204005-3	180mm*4mm	Curved head
204005-4	180mm*5mm	Curved head
204005-5	180mm*6mm	Curved head

WUYANG MEDICAL
Bone Rongeur

ISO:13485

Rongeur (Double joint)





Order Code	Length*Blade Width
204011-38	240mm*2mm
204011-39	240mm*3mm
204011-1	240mm*4mm
204011-2	240mm*6mm
204011-3	240mm*8mm






Order Code	Length*Blade Width
204006-1	180mm*2mm
204006-2	180mm*3mm
204006-3	180mm*4mm
204006-4	180mm*5mm
204006-5	180mm*6mm

Rongeur (Single joint)






Order Code	Length*Blade Width	Description
YGQ1012002	200mm*2mm	Straight head
YGQ1012003	200mm*3mm	Straight head
YGQ1012004	200mm*4mm	Straight head

Order Code	Length*Blade Width	Description
YGQ1022002	200mm*2mm	Small curved
YGQ1022003	200mm*3mm	Small curved
YGQ1022004	200mm*4mm	Small curved

ISO:13485

Rongeur (Single joint)






Order Code	Length*Blade Width	Description
204049-1	160mm*2mm	Straight head
204049-2	160mm*3mm	Straight head
204049-3	160mm*4mm	Straight head
204049-7	160mm*2mm	Curved head
204049-8	160mm*3mm	Curved head
204049-9	160mm*4mm	Curved head

Spinous process rongeurs



Order Code	Length
204014-2	260mm

Spinous process scissors curved




Order Code	Length
204014-1	260mm

ISO:13485

Double joint rongeur scissors






Order Code	Length	Description
204050-1	180mm	Straight head
204050-2	240mm	Straight head

Order Code	Length	Description
204050-3	240mm	Curved head
204050-4	180mm	Curved head

Rongeur scissors






Order Code	Length	Description
204012-1	180mm	Straight head
204012-2	200mm	Straight head
204012-3	240mm	Straight head

Order Code	Length	Description
204013-1	180mm	Curved head
204013-2	200mm	Curved head
204013-3	240mm	Curved head

ISO 13485

DLC Osteotome





Order Code	Length*Blade width	Description
304-0064	280mm*6mm	Straight osteotome
304-0051	280mm*8mm	Straight osteotome
304-0052	280mm*10mm	Straight osteotome
304-0053	280mm*12mm	Straight osteotome
304-0054	280mm*15mm	Straight osteotome
304-0088	280mm*18mm	Straight osteotome
304-0055	280mm*20mm	Straight osteotome
304-0089	280mm*25mm	Straight osteotome


Order Code	Length*Blade width	Description
304-0069	280mm*6mm	Curved osteotome
304-0070	280mm*8mm	Curved osteotome
304-0056	280mm*10mm	Curved osteotome
304-0071	280mm*12mm	Curved osteotome
304-0057	280mm*15mm	Curved osteotome
304-0058	280mm*20mm	Curved osteotome

WUYANG MEDICAL
Osteotome Series

ISO 13485

DLC Osteotome







Order Code	Length*Blade width	Description
203007-98	260mm*4mm	Straight osteotome
203007-99	260mm*6mm	Straight osteotome
203007-100	260mm*8mm	Straight osteotome
203007-101	260mm*10mm	Straight osteotome
203007-102	260mm*12mm	Straight osteotome
203007-103	260mm*14mm	Straight osteotome
203007-104	260mm*16mm	Straight osteotome
203007-105	260mm*6mm	Curved osteotome
203007-106	260mm*8mm	Curved osteotome
203007-107	260mm*10mm	Curved osteotome
203007-108	260mm*12mm	Curved osteotome
203007-109	260mm*14mm	Curved osteotome

DLC Osteotome









Order Code	Length*Blade width	Description
203007-110	260mm*4mm	Semicircle tip osteotome
203007-111	260mm*6mm	Semicircle tip osteotome
203007-112	260mm*8mm	Semicircle tip osteotome
203007-113	260mm*10mm	Semicircle tip osteotome
203007-114	260mm*4mm	Semicircle/curved tips osteotome
203007-115	260mm*6mm	Semicircle/curved tips osteotome
203007-116	260mm*8mm	Semicircle/curved tips osteotome
203007-117	260mm*10mm	Semicircle/curved tips osteotome

ISO 13485

DLC Osteotome







Order Code	Length*Blade width	Description
304-0067	280mm*6mm	Semicircle tip osteotome
304-0068	280mm*8mm	Semicircle tip osteotome
304-0060	280mm*10mm	Semicircle tip osteotome
304-0065	280mm*6mm	Semicircle/curved tips osteotome
304-0066	280mm*8mm	Semicircle/curved tips osteotome
304-0059	280mm*10mm	Semicircle/curved tips osteotome

DLC Osteotome








Order Code	Length*Blade width	Description
304-0061	320mm*15mm	Osteotome (crescent) curved
304-0062	320mm*20mm	Osteotome (crescent) curved
304-0063	320mm*25mm	Osteotome (crescent) curved


WUYANG MEDICAL

ISO 13485

Osteotome (DLC)








Order Code	Length*Blade width	Description
203007-129J	280mm*6mm	Straight osteotome
203007-130J	280mm*8mm	Straight osteotome
203007-131J	280mm*10mm	Straight osteotome
203007-132J	280mm*12mm	Straight osteotome
203007-133J	280mm*15mm	Straight osteotome
203007-134J	280mm*18mm	Straight osteotome
203007-135J	280mm*20mm	Straight osteotome
203007-136J	280mm*25mm	Straight osteotome

Order Code	Length*Blade width	Description
203007-137J	280mm*6mm	Curved osteotome
203007-138J	280mm*8mm	Curved osteotome
203007-139J	280mm*10mm	Curved osteotome
203007-140J	280mm*12mm	Curved osteotome
203007-141J	280mm*15mm	Curved osteotome
203007-142J	280mm*18mm	Curved osteotome
203007-143J	280mm*20mm	Curved osteotome

DLC Semicircle tip osteotome








Order Code	Length*Blade width	Description
203007-144J	280mm*6mm	Semicircle tip osteotome
203007-145J	280mm*8mm	Semicircle tip osteotome
203007-146J	280mm*10mm	Semicircle tip osteotome


Order Code	Length*Blade width	Description
203007-147J	280mm*6mm	Semicircle/curved tips osteotome
203007-148J	280mm*8mm	Semicircle/curved tips osteotome
203007-149J	280mm*10mm	Semicircle/curved tips osteotome

ISO
ISO:13485

Osteotome







Order Code	Length*Blade width*Angle	Description
203007-42	280mm*6mm	Straight osteotome (expert type)
304-0003	280mm*8mm	Straight osteotome (expert type)
304-0004	280mm*10mm	Straight osteotome (expert type)
304-0004-1	280mm*12mm	Straight osteotome (expert type)
304-0005	280mm*15mm	Straight osteotome (expert type)
203007-52	280mm*18mm	Straight osteotome (expert type)
304-0006	280mm*20mm	Straight osteotome (expert type)
203007-43	280mm*25mm	Straight osteotome (expert type)
203007-56	280mm*10mm*45°	Osteotome (expert type)
203007-57	280mm*15mm*45°	Osteotome (expert type)
203007-58	280mm*20mm*45°	Osteotome (expert type)


Order Code	Length*Blade width	Description
203007-118	280mm*6mm	Curved osteotome (expert type)
203007-49	280mm*8mm	Curved osteotome (expert type)
304-0007	280mm*10mm	Curved osteotome (expert type)
203007-50	280mm*12mm	Curved osteotome (expert type)
304-0008	280mm*15mm	Curved osteotome (expert type)
203007-51	280mm*18mm	Curved osteotome (expert type)
304-0009	280mm*20mm	Curved osteotome (expert type)
203007-59	280mm*8mm	Curved osteotome big bend (expert type)
203007-60	280mm*10mm	Curved osteotome big bend (expert type)
203007-61	280mm*12mm	Curved osteotome big bend (expert type)
203007-62	280mm*15mm	Curved osteotome big bend (expert type)
203007-63	280mm*18mm	Curved osteotome big bend (expert type)
203007-64	280mm*20mm	Curved osteotome big bend (expert type)

WUYANG MEDICAL
Osteotome Series

ISO
ISO:13485

Osteotome







Order Code	Length*Blade width	Description
203007-78	260mm*4mm	Straight osteotome (silicone handle)
203007-79	260mm*6mm	Straight osteotome (silicone handle)
203007-80	260mm*8mm	Straight osteotome (silicone handle)
203007-81	260mm*10mm	Straight osteotome (silicone handle)
203007-82	260mm*12mm	Straight osteotome (silicone handle)
203007-83	260mm*14mm	Straight osteotome (silicone handle)
203007-84	260mm*16mm	Straight osteotome (silicone handle)
203007-85	260mm*6mm	Curved osteotome (silicone handle)
203007-86	260mm*8mm	Curved osteotome (silicone handle)
203007-87	260mm*10mm	Curved osteotome (silicone handle)
203007-88	260mm*12mm	Curved osteotome (silicone handle)
203007-89	260mm*14mm	Curved osteotome (silicone handle)

Osteotome








Order Code	Length*Blade width	Description
203007-90	260mm*4mm	Semicircle tip osteotome (silicone handle)
203007-91	260mm*6mm	Semicircle tip osteotome (silicone handle)
203007-92	260mm*8mm	Semicircle tip osteotome (silicone handle)
203007-93	260mm*10mm	Semicircle tip osteotome (silicone handle)
203007-94	260mm*4mm	Semicircle/curved tips osteotome(silicone handle)
203007-95	260mm*6mm	Semicircle/curved tips osteotome (silicone handle)
203007-96	260mm*8mm	Semicircle/curved tips osteotome (silicone handle)
203007-97	260mm*10mm	Semicircle/curved tips osteotome (silicone handle)

ISO:13485

Osteotome



Order Code	Length*Blade width	Description
203007-44	280mm*6mm	Semicircle tip osteotome (expert type)
203007-45	280mm*8mm	Semicircle tip osteotome (expert type)
304-0010	280mm*10mm	Semicircle tip osteotome (expert type)
GD1020312	280mm*12mm	Semicircle tip osteotome (expert type)
GD1020315	280mm*15mm	Semicircle tip osteotome (expert type)
203007-46	280mm*6mm	Semicircle/curved tips osteotome (expert type)
203007-47	280mm*8mm	Semicircle/curved tips osteotome (expert type)
203007-48	280mm*10mm	Semicircle/curved tips osteotome (expert type)
GD1020412	280mm*12mm	Semicircle/curved tips osteotome (expert type)
GD1020415	280mm*15mm	Semicircle/curved tips osteotome (expert type)

Osteotome




Order Code	Length*Blade width	Description
304-0080	275mm*10mm	Osteotome (crescent) curved
304-0081	275mm*12mm	Osteotome (crescent) curved
304-0002	320mm*15mm	Osteotome (crescent) curved
304-0001	320mm*20mm	Osteotome (crescent) curved
304-0050	320mm*25mm	Osteotome (crescent) curved
304-0082	275mm*10mm	Osteotome (crescent) Straight
304-0083	275mm*12mm	Osteotome (crescent) Straight
304-0084	320mm*15mm	Osteotome (crescent) Straight

WUYANG MEDICAL
Osteotome Series

ISO:13485

Osteotome





Code No.	Length	Blade Width	Description
203007-53	270mm	15mm	Model 001
203007-54	260mm	15mm	Model 002
203007-55	260mm	15mm	Model 003



Osteotome (DLC)




Order Code	Size	Description
304-0072	360mm*8mm	DLC Straight osteotome
304-0073	360mm*8mm	DLC curved osteotome

ISO:13485

Straight osteotome (knurled handle)






Order Code	Length*Blade Width
203008-3	220mm*2mm
203008-2	220mm*3mm
203008-4	220mm*4mm
203008-1	220mm*5mm
203008-5	220mm*6mm
203008-6	220mm*7mm
203008-7	220mm*8mm
203008-8	220mm*9mm
203008-9	220mm*10mm
203008-10	220mm*12mm
203008-11	220mm*15mm

Straight osteotome (hexagonal handle)






Order Code	Length*Blade Width
203007-119	270mm*6mm
203007-120	270mm*8mm
203007-121	270mm*10mm
203007-122	270mm*12mm
203007-123	270mm*14mm
203007-124	270mm*16mm
203007-125	270mm*18mm
203007-126	270mm*20mm
203007-127	270mm*25mm
203007-128	270mm*30mm

WUYANG MEDICAL
Osteotome Series

ISO:13485

Osteotome (ankle)






Order Code	Length*Blade Width
218015	165mm*4mm
218016	165mm*6mm
218017	165mm*8mm
218018	165mm*10mm
218020-1	165mm*12mm
218019	165mm*15mm
218020	165mm*20mm

HTO osteotome





Order Code	Length*Blade Width
217002	250mm*6mm
217003	250mm*10mm
217004	250mm*15mm
217005	250mm*20mm
217006	250mm*25mm

ISO:13485

Osteotome Instrument Set



The details of Osteotome Instrument Set Code:211027

Seq	Item code	Description	Size	Quantity
1	203007-42	Square corner osteotome	expert type 280*6mm	1
2	304-0004	Square corner osteotome	expert type 280*10mm	1
3	304-0005	Square corner osteotome	expert type 280*15mm	2
4	304-0006	Square corner osteotome	expert type 280*20mm	2
5	304-0007	Curved osteotome	expert type 280*10mm	1
6	304-0008	Curved osteotome	expert type 280*15mm	1
7	201001-5	silicone hanle	400g	1
8	203007-44	Semicricle tip osteotome	expert type 280*6mm	1
9	203007-45	Semicricle tip osteotome	expert type 280*8mm	1
10	203007-47	Semicricle/curved tips osteotome	expert type 280*8mm	1
11	203007-62	Curved osteotome big bend	15mm	1
12	203007-60	Curved osteotome	big bend 10mm	1
13	203008-2	Square corner osteotome	knurled handle 220*3mm	1
14	203008-4	Square corner osteotome	knurled handle 220*4mm	1
15	203008-5	Square corner osteotome	knurled handle 220*6mm	1
16	203010-3	nucleus pulposus chisel（ellipse）	10.5*8.5	1
17	203010-2	nucleus pulposus chisel（ellipse）	8.5*6.5	1
18	203010-1	nucleus pulposus chisel（ellipse）	6.5*4.5	1
19	WG211027	Osteotome Instrument box	/	1

WUYANG MEDICAL
Osteotome Series

ISO:13485

Osteotome Instrument Set




The details of Osteotome Instrument Set Code: 211027-1

Seq	Item code	Description	Size	Quantity
1	203007-79	straight osteotome	silicon handle 260*6mm	1
2	203007-80	straight osteotome	silicon handle 260*8mm	1
3	304-0004	straight osteotome	280*10mm	1
4	304-0005	straight osteotome	280*15mm	1
5	304-0006	straight osteotome	280*20mm	1
6	203007-43	straight osteotome	280*25mm	1
7	203007-44	round osteotome	280*6mm	1
8	203007-45	round osteotome	280*8mm	1
9	304-0010	round osteotome	280*10mm	1
10	203007-46	round osteotome/front curved	280*6mm	1
11	203007-47	round osteotome/front curved	280*8mm	1
12	203007-48	round osteotome/front curved	280*10mm	1
13	203007-85	curved osteotome	silicon handle 260*6mm	1
14	203007-86	curved osteotome	silicon handle 260*8mm	1
15	304-0007	curved osteotome	280*10mm	1
16	304-0008	curved osteotome	280*15mm	1
17	203007-51	curved osteotome	280*18mm	1
18	203008-3/4/5	osteotome/knurled handle	220*2/4/6mm	1 each
19	218015	ankle osteotome	4mm	1
20	218016	ankle osteotome	6mm	1
21	218017	ankle osteotome	8mm	1
22	218018	ankle osteotome	10mm	1
23	218020-1	ankle osteotome	12mm	1
24	218019	ankle osteotome	15mm	1
25	218020	ankle osteotome	20mm	1
26	226002-6	corner osteotome	6mm*6mm	1
27	WG211027-1	instrument box GD-03	440mm*255mm*80mm	1

ISO:13485

DLC Bone Curette





Order Code	Length*Blade width*Angle	Description
214005-37	300mm*2	DLC straight
214005-38	300mm*3	DLC straight
214005-39	300mm*4	DLC straight
214005-40	300mm*5	DLC straight
214005-41	300mm*6	DLC straight
214005-01	300mm*2*5°	DLC front curved
214005-02	300mm*3*5°	DLC front curved
214005-03	300mm*4*5°	DLC front curved
214005-04	300mm*5*5°	DLC front curved
214005-05	300mm*6*5°	DLC front curved
214005-06	300mm*2*10°	DLC front curved
214005-07	300mm*3*10°	DLC front curved
214005-08	300mm*4*10°	DLC front curved
214005-09	300mm*5*10°	DLC front curved
214005-10	300mm*6*10°	DLC front curved
214005-60	300mm*8*10°	DLC front curved
214005-61	300mm*10*10°	DLC front curved


Order Code	Length*Blade width*Angle	Description
214005-62	300mm*2*20°	DLC front curved
214005-63	300mm*3*20°	DLC front curved
214005-64	300mm*4*20°	DLC front curved
214005-65	300mm*5*20°	DLC front curved
214005-66	300mm*6*20°	DLC front curved
214005-67	300mm*8*20°	DLC front curved
214005-68	300mm*10*20°	DLC front curved
214005-69	300mm*2*45°	DLC front curved
214005-70	300mm*3*45°	DLC front curved
214005-71	300mm*4*45°	DLC front curved
214005-72	300mm*5*45°	DLC front curved
214005-73	300mm*6*45°	DLC front curved
214005-74	300mm*8*45°	DLC front curved
214005-75	300mm*10*45°	DLC front curved

WUYANG MEDICAL
Bone Curette Series

ISO:13485

Bone Curette (DLC)





Order Code	Length*Blade width*Angle	Type
214005-76	260mm*1.5	DLC Straight
214005-77	260mm*2	DLC Straight
214005-78	260mm*3	DLC Straight
214005-79	260mm*4	DLC Straight
214005-80	260mm*5	DLC Straight
214005-81	260mm*6	DLC Straight
214005-82	260mm*8	DLC Straight
214005-83	260mm*10	DLC Straight
214005-92	260mm*1.5*10°	DLC Front curved
214005-93	260mm*2*10°	DLC Front curved
214005-94	260mm*3*10°	DLC Front curved
214005-95	260mm*4*10°	DLC Front curved
214005-96	260mm*5*10°	DLC Front curved
214005-97	260mm*6*10°	DLC Front curved
214005-98	260mm*8*10°	DLC Front curved
214005-99	260mm*10*10°	DLC Front curved


Order Code	Length*Blade width*Angle	Type
214005-100	260mm*1.5*20°	DLC Front curved
214005-101	260mm*2*20°	DLC Front curved
214005-102	260mm*3*20°	DLC Front curved
214005-103	260mm*4*20°	DLC Front curved
214005-104	260mm*5*20°	DLC Front curved
214005-105	260mm*6*20°	DLC Front curved
214005-106	260mm*8*20°	DLC Front curved
214005-107	260mm*10*20°	DLC Front curved
214005-108	260mm*1.5*45°	DLC Front curved
214005-109	260mm*2*45°	DLC Front curved
214005-110	260mm*3*45°	DLC Front curved
214005-111	260mm*4*45°	DLC Front curved
214005-112	260mm*5*45°	DLC Front curved
214005-113	260mm*6*45°	DLC Front curved
214005-114	260mm*8*45°	DLC Front curved
214005-115	260mm*10*45°	DLC Front curved

ISO:13485

Bone Curette (DLC)




DLC teethed




Order Code	Length*Blade width	Type
214005-33	300mm*2	DLC teethed
214005-23	300mm*3	DLC teethed
214005-24	300mm*4	DLC teethed
214005-25	300mm*5	DLC teethed
214005-26	300mm*6	DLC teethed
214005-27	300mm*7	DLC teethed
214005-28	300mm*8	DLC teethed
214005-29	300mm*9	DLC teethed
214005-30	300mm*10	DLC teethed
214005-31	300mm*11	DLC teethed
214005-32	300mm*12	DLC teethed

Bone Curette (DLC)




DLC straight



Order Code	Length*Blade width*Angle	Description
214005-57	180mm*3mm	DLC straight
214005-58	180mm*4mm	DLC straight
214005-59	180mm*5mm	DLC straight

ISO:13485

Bone Curette (DLC)




DLC Z-type 10° DLC Z-type 45° DLC Z-type 90°

Order Code	Length	Size	Type
509001-1	320mm	2mm*10°	DLC Z-type
509001-2	320mm	3mm*10°	DLC Z-type
509001-3	320mm	4mm*10°	DLC Z-type
509001-4	320mm	5mm*10°	DLC Z-type
509001-5	320mm	6mm*10°	DLC Z-type

Order Code	Length	Size	Type
509001-6	320mm	2mm*45°	DLC Z-type
509001-7	320mm	3mm*45°	DLC Z-type
509001-8	320mm	4mm*45°	DLC Z-type
509001-9	320mm	5mm*45°	DLC Z-type
509001-10	320mm	6mm*45°	DLC Z-type
509001-11	320mm	2mm*90°	DLC Z-type
509001-12	320mm	3mm*90°	DLC Z-type
509001-13	320mm	4mm*90°	DLC Z-type
509001-14	320mm	5mm*90°	DLC Z-type
509001-15	320mm	6mm*90°	DLC Z-type

Bone Curette (DLC)




DLC Z-type reverse tip 45° DLC Z-type reverse tip 90°


Order Code	Length	Size	Type
509002-1	320mm	2mm*45°	DLC Z-type reverse tip
509002-2	320mm	3mm*45°	DLC Z-type reverse tip
509002-3	320mm	4mm*45°	DLC Z-type reverse tip
509002-4	320mm	5mm*45°	DLC Z-type reverse tip
509002-5	320mm	6mm*45°	DLC Z-type reverse tip

Order Code	Length	Size	Type
509002-6	320mm	2mm*90°	DLC Z-type reverse tip
509002-7	320mm	3mm*90°	DLC Z-type reverse tip
509002-8	320mm	4mm*90°	DLC Z-type reverse tip
509002-9	320mm	5mm*90°	DLC Z-type reverse tip
509002-10	320mm	6mm*90°	DLC Z-type reverse tip

ISO:13485

Bone Curette






Order Code	Length*Blade width*Angle	Description
205009-100	300mm*1.5	Straight
205009-13	300mm*2	Straight
205009-14	300mm*3	Straight
205009-15	300mm*4	Straight
205009-16	300mm*5	Straight
205009-17	300mm*6	Straight
205009-101	300mm*8	Straight
205009-102	300mm*10	Straight
205009-104	300mm*1.5*10°	Front curved
205009-23	300mm*2*10°	Front curved
205009-24	300mm*3*10°	Front curved
205009-25	300mm*4*10°	Front curved
205009-26	300mm*5*10°	Front curved
205009-27	300mm*6*10°	Front curved
205009-55	300mm*8*10°	Front curved
205009-56	300mm*10*10°	Front curved
205009-21	300mm*5*5°	Front curved
205009-22	300mm*6*5°	Front curved
205009-105	300mm*1.5*20°	Front curved
205009-63	300mm*2*20°	Front curved
205009-64	300mm*3*20°	Front curved
205009-65	300mm*4*20°	Front curved
205009-66	300mm*5*20°	Front curved
205009-67	300mm*6*20°	Front curved
205009-68	300mm*8*20°	Front curved
205009-69	300mm*10*20°	Front curved
205009-106	300mm*1.5*45°	Front curved
205009-70	300mm*2*45°	Front curved
205009-71	300mm*3*45°	Front curved
205009-72	300mm*4*45°	Front curved
205009-73	300mm*5*45°	Front curved
205009-74	300mm*6*45°	Front curved
205009-75	300mm*8*45°	Front curved
205009-76	300mm*10*45°	Front curved

WUYANG MEDICAL
Bone Curette Series

ISO:13485

Bone Curette






Order Code	Length*Blade width*Angle	Type
205009-189	260mm*1.5*20°	Front curved
205009-190	260mm*2*20°	Front curved
205009-191	260mm*3*20°	Front curved
205009-192	260mm*4*20°	Front curved
205009-193	260mm*5*20°	Front curved
205009-194	260mm*6*20°	Front curved
205009-195	260mm*8*20°	Front curved
205009-196	260mm*10*20°	Front curved
205009-197	260mm*1.5*45°	Front curved
205009-198	260mm*2*45°	Front curved
205009-199	260mm*3*45°	Front curved
205009-200	260mm*4*45°	Front curved
205009-201	260mm*5*45°	Front curved
205009-202	260mm*6*45°	Front curved
205009-203	260mm*8*45°	Front curved
205009-204	260mm*10*45°	Front curved

Order Code	Length*Blade width*Angle	Type
205009-165	260mm*1.5	Straight
205009-166	260mm*2	Straight
205009-167	260mm*3	Straight
205009-168	260mm*4	Straight
205009-169	260mm*5	Straight
205009-170	260mm*6	Straight
205009-171	260mm*8	Straight
205009-172	260mm*10	Straight
205009-181	260mm*1.5*10°	Front curved
205009-182	260mm*2*10°	Front curved
205009-183	260mm*3*10°	Front curved
205009-184	260mm*4*10°	Front curved
205009-185	260mm*5*10°	Front curved
205009-186	260mm*6*10°	Front curved
205009-187	260mm*8*10°	Front curved
205009-188	260mm*10*10°	Front curved

ISO:13485

Bone Curette





Order Code	Length*Blade width*Angle	Type
205009-86	180mm*2mm	Straight
205009-52	180mm*3mm	Straight
205009-53	180mm*4mm	Straight
205009-54	180mm*5mm	Straight
205009-87	180mm*2*10°	Front curved
205009-60	180mm*3*10°	Front curved
205009-61	180mm*4*10°	Front curved
205009-62	180mm*5*10°	Front curved







Order Code	Length*Blade width*Angle
205009-164	200mm*4*10°

Bone curette (teethed)








Order Code	Length*Blade width	Type
205009-28	300mm*2mm	Straight
205009-29	300mm*3mm	Straight
205009-30	300mm*4mm	Straight
205009-31	300mm*5mm	Straight
205009-32	300mm*6mm	Straight
205009-33	300mm*7mm	Straight
205009-34	300mm*8mm	Straight
205009-35	300mm*10mm	Straight
205009-36	300mm*12mm	Straight

Order Code	Length*Blade width*Angle
205009-140	300mm*3mm*10°
205009-141	300mm*4mm*10°
205009-142	300mm*5mm*10°
205009-143	300mm*6mm*10°
205009-144	300mm*8mm*10°
205009-145	300mm*10mm*10°
205009-146	300mm*3mm*20°
205009-147	300mm*4mm*20°
205009-148	300mm*5mm*20°
205009-149	300mm*6mm*20°
205009-150	300mm*8mm*20°
205009-151	300mm*10mm*20°

ISO:13485

Bone curette (teethed)





Order Code	Length*Blade width	Type
205009-152	300mm*3mm	Teethed left curve
205009-153	300mm*4mm	Teethed left curve
205009-154	300mm*5mm	Teethed left curve
205009-155	300mm*6mm	Teethed left curve
205009-156	300mm*8mm	Teethed left curve
205009-157	300mm*10mm	Teethed left curve

Order Code	Length*Blade width	Type
205009-158	300mm*3mm	Teethed right curve
205009-159	300mm*4mm	Teethed right curve
205009-160	300mm*5mm	Teethed right curve
205009-161	300mm*6mm	Teethed right curve
205009-162	300mm*8mm	Teethed right curve
205009-163	300mm*10mm	Teethed right curve



Bone Curette



Order Code	Length*Blade width	Type
205009-107	300mm*1.5mm	Left curve
205009-108	300mm*2mm	Left curve
205009-109	300mm*3mm	Left curve
205009-110	300mm*4mm	Left curve
205009-111	300mm*5mm	Left curve
205009-112	300mm*6mm	Left curve
205009-113	300mm*1.5mm	Right curve
205009-114	300mm*2mm	Right curve
205009-115	300mm*3mm	Right curve
205009-116	300mm*4mm	Right curve
205009-117	300mm*5mm	Right curve
205009-118	300mm*6mm	Right curve

ISO:13485

Bone Curette







Order Code	Length*Blade width*Angle	Type
205009-57	310mm*2mm*45°	Z type reverse
205009-37	310mm*3mm*45°	Z type reverse
205009-38	310mm*4mm*45°	Z type reverse
205009-39	310mm*5mm*45°	Z type reverse
205009-40	310mm*6mm*45°	Z type reverse
205009-41	310mm*8mm*45°	Z type reverse
205009-58	310mm*2mm*90°	Z type reverse
205009-42	310mm*3mm*90°	Z type reverse
205009-43	310mm*4mm*90°	Z type reverse
205009-44	310mm*5mm*90°	Z type reverse
205009-45	310mm*6mm*90°	Z type reverse
205009-46	310mm*8mm*90°	Z type reverse

Bone Curette








Order Code	Length*Blade width*Angle	Type
205009-89	310mm*2mm*10°	Z type
205009-90	310mm*3mm*10°	Z type
205009-91	310mm*4mm*10°	Z type
205009-92	310mm*5mm*10°	Z type
205009-93	310mm*6mm*10°	Z type
205009-59	310mm*2mm*45°	Z type
205009-47	310mm*3mm*45°	Z type
205009-48	310mm*4mm*45°	Z type
205009-49	310mm*5mm*45°	Z type
205009-50	310mm*6mm*45°	Z type
205009-51	310mm*8mm*45°	Z type
205009-94	310mm*2mm*90°	Z type
205009-95	310mm*3mm*90°	Z type
205009-96	310mm*4mm*90°	Z type
205009-97	310mm*5mm*90°	Z type
205009-98	310mm*6mm*90°	Z type

WUYANG MEDICAL
Bone Curette Series

ISO:13485

Bone Curette






Order Code	Length*Blade width*Angle	Type
205005-20	260mm*1.5mm	Reverse
205005-1	260mm*2mm	Reverse
205005-2	260mm*3mm	Reverse
205005-3	260mm*4mm	Reverse
205005-4	260mm*5mm	Reverse
205005-21	260mm*1.5mm*10°	Reverse
205005-5	260mm*2mm*10°	Reverse
205005-6	260mm*3mm*10°	Reverse
205005-7	260mm*4mm*10°	Reverse
205005-8	260mm*5mm*10°	Reverse

Order Code	Length*Blade width*Angle	Type
205005-22	260mm*1.5mm*20°	Reverse
205005-13	260mm*2mm*20°	Reverse
205005-14	260mm*3mm*20°	Reverse
205005-15	260mm*4mm*20°	Reverse
205005-16	260mm*5mm*20°	Reverse
205005-23	260mm*1.5mm*45°	Reverse
205005-17	260mm*2mm*45°	Reverse
205005-18	260mm*3mm*45°	Reverse
205005-19	260mm*4mm*45°	Reverse
205005-9	260mm*2mm*65°	Reverse
205005-10	260mm*3mm*65°	Reverse
205005-11	260mm*4mm*65°	Reverse
205005-12	260mm*5mm*65°	Reverse

ISO
ISO:13485

Bone Curette






Order Code	Length*Blade width	Type
205009-127	340mm*6mm	Extended front curved
205009-128	340mm*8mm	Extended front curved
205009-129	340mm*10mm	Extended front curved
205009-134	340mm*6mm	Extended left
205009-135	340mm*8mm	Extended left
205009-136	340mm*10mm	Extended left
205009-137	340mm*6mm	Extended right
205009-138	340mm*8mm	Extended right
205009-139	340mm*10mm	Extended right

ISO
ISO:13485


CVT series demonstration





ISO:13485

CVT reduction forceps with aim



Order Code	Size	Description
201057-3	250mm	CVT reduction forceps with aim (ex-large)
201056-14	Φ2.5	CVT guide sleeve
201056-15	Φ3.5	CVT guide sleeve
201056-16	Φ4.0	CVT guide sleeve
201056-17	Φ4.5	CVT guide sleeve
201055	185mm	CVT reduction forceps with aim (large)
201056-6	Φ2.5	CVT guide sleeve (large)
201056-9	Φ3.2	CVT guide sleeve
201056-10	Φ4.5	CVT guide sleeve
201054	180mm	CVT reduction forceps with aim (small)
201056-11	Φ2.5	CVT guide sleeve
201056-12	Φ2.0	CVT guide sleeve
201056-13	Φ1.5	CVT guide sleeve
201057-4	Φ2.5/Φ3.0	CVT drill guide
201057-5	Φ3.2/Φ4.5	CVT drill guide
201057-6	Φ2.5/Φ4.5/Φ5.0	CVT drill guide

CVT holding forceps



Order Code	Length	Size
201057-7	150mm	small
201057-8	160mm	medium
201057-9	190mm	large

CVT ball cusp reduction forcep



Order Code	Length	Size
201057-10	246mm	ex-large

WUYANG MEDICAL
Trauma pliers Series

ISO:13485

CVT point reduction forcep



Order Code	Length	Size
201057-1	160mm	Small
201057-2	180mm	Large

CVT bone plate locking forcep



Order Code	Length	Size
201058	165mm	Small
201059-1	205mm	Large

CVT multi-function bone holder forcep



Order Code	Length
201059	140mm

CVT Drill Guide Instrument Set



The details of CVT drill guide instrument set Code： 211037

Seq	Item code	Description	Size	Quantity
1	201054	CVT bone holder with aim	small	1
2	201055	CVT bone holder with aim	large	1
3	201057-3	CVT bone holder with aim	ex-large	1
4	201056-2	CVT guide sleeve	Φ1.5	1
5	201056-4	CVT guide sleeve	Φ2.0	1
6	201056-5	CVT guide sleeve	Φ2.5	1
7	201056-6	CVT guide sleeve	Φ2.5 large	1
8	201056-7	CVT guide sleeve	Φ2.5 ex-large	1
9	201056-8	CVT guide sleeve	Φ3.5	1
10	201056-9	CVT guide sleeve	Φ3.2	1
11	201056-10	CVT guide sleeve	Φ4.5	1
12	201056-11	CVT guide sleeve	Φ4.5 ex-large	1
13	201056-12	CVT guide sleeve	Φ4.0	1
14	208014-2	drill bit	Φ2.5*150	2
15	208014-5	drill bit	Φ3.0*150	2
16	208014-6	drill bit	Φ3.2*150	2
17	208015-9	drill bit	Φ4.5*200	2
18	208015-18	drill bit	Φ5.0*200	2
19		CVT drill guide instrument box		1

WUYANG MEDICAL
Trauma pliers Series

CVT Reduction Forceps Instrument Set



The details of CVT reduction forceps instrument set Code： 211038

Seq	Item code	Description	Size	Quantity
1	201057-7	CVT holding forceps	small	2
2	201057-8	CVT holding forceps	medium	2
3	201057-9	CVT holding forceps	large	2
4	201057-1	CVT point reduction forcep	small	1
5	201057-2	CVT point reduction forcep	large	1
6	201057-10	CVT ball cusp reduction forcep	ex-large	1
7		CVT reduction forceps instrument box		1

CVT Locking Plate Instrument Set



The details of CVT locking plate instrument set Code：211039

Seq	Item code	Description	Size	Quantity
1	201058	CVT bone plate locking forcep	small	2
2	201059-1	CVT bone plate locking forcep	large	2
3	201059	CVT multi-function bone holder forcep		1
4		CVT locking plate instrument kit		1

ISO:13485

Self-locking central bone holder forceps



Order Code	Length	Size
201065-2	240mm	Large
201065-3	200mm	Medium
201065-4	160mm	Small

Self-locking reduction forceps



Order Code	Length	Size
201028-1	200mm	Small
201028-2	270mm	Large

3 claws reduction forceps



Order Code	Length	Size
201023-4	200mm	Small
201023-5	220mm	Large

3 claws bone holder



Order Code	Length	Size
201023-1	150mm	Small
201023-2	210mm	Medium
201023-3	220mm	Large

WUYANG MEDICAL
Trauma pliers Series

ISO:13485

Curved reduction forceps



Order Code	Length	Size
201027-1	162mm	Small
201027-2	218mm	Large

Self-locking forceps




Order Code	Length	Size
201066-1	220mm	Large
201066-2	180mm	Medium
201066-3	150mm	Small

Reduction forceps



Order Code	Length
201024-25	200mm
201024-26	220mm
201024-27	240mm

Side bend screw type



Order Code	Length
201027-13	150mm
201027-14	180mm
201027-15	250mm

Mini reduction forceps (straight)



Order Code	Length	Size
201025	200mm	Straight

Mini reduction forceps (curved)



Order Code	Length	Size
201026	200mm	Curved

Reduction forceps with ball ring type (asymmetric)



Order Code	Length*Size	Description
201060-5	210mm*60mm	Reduction forceps with ball ring type (asymmetric)
201060-5-1	66mm*25mm	Soft tissue protector

Bone holder reduction forceps (side-bending)



Order Code	Length	Size
201027-8	185mm	30mm

Bone holder reduction forceps



Order Code	Length
201027-6	140mm

Phalanx forceps



Order Code	Length
201072	160mm

Metacarpal finger reduction forceps



Order Code	Length
209011	165mm

Reduction forceps with four paws (straight)




Order Code	Length
201067	130mm

Reduction forceps with four paws (curved)



Order Code	Length
201067-1	130mm

Cusp bone holding forceps



Order Code	Length	Open size
201024-12	180mm	30mm
201024-13	160mm	20mm

Bone holder reduction forceps (bone finger)



Order Code	Length	Size
201027-7	165mm	10mm

ISO:13485

Bone holder reduction forceps (asymmetric)



Order Code	Length
201027-11	160mm

Mini reduction forceps




Order Code	Length
201068	130mm

Soft tissue grasp forceps



Order Code	Length	Size
209012	180mm	Small
209013	200mm	Medium
209014	220mm	Large

Bone holder reduction forceps (straight)



Order Code	Length
201027-9	200mm

Bone holder reduction forceps (curved)



Order Code	Length
201027-10	200mm

Bone holder reduction forceps (Full teeth)



Order Code	Length
201027-12	190mm

WUYANG MEDICAL
Trauma pliers Series

ISO:13485

Reduction forceps



Order Code	Length	Open size
212017-1	380mm	120mm
212017-2	390mm	150mm
212017-3	410mm	180mm

Reduction forceps with guide



Order Code	Length	Open size
212017-6	340mm	120mm

Reduction forceps with ball tip



Order Code	Length	Open size
212017-7	340mm	120mm
212017-8	290mm	120mm

ISO
ISO:13485

Reduction forceps with ball tip




Order Code	Length	Open size
212017-5	300mm	140mm

Reduction forceps



Order Code	Length	Open size
212017-4	300mm	140mm

Reduction of tibial plateau with vigorous reduction forceps



WUYANG MEDICAL
Trauma pliers Series

ISO
ISO:13485

DLC ball head reduction forceps

Large/ Medium



Small



Order Code	Length	Description
214017-06	225mm	Large
214017-07	200mm	Medium
214017-08	180mm	Small

Ball head reduction forceps

Large/ Medium




Small



Order Code	Length	Description
201060-1	225mm	Large
201060-2	200mm	Medium
201060-3	160mm	Small

Self-locking cusp reduction forceps

Large, Medium, Small



Mini



Order Code	Length	Description
201064-1	220mm	Large
201064-2	180mm	Medium
201064-3	150mm	Small
201064-4	130mm	Mini

Cusp reduction forceps



Order Code	Length	Description
201024-1	185mm	Small
201024-2	210mm	Large

Cusp reduction forceps



Order Code	Length	Open Size
201024-8	145mm	35mm
201024-7	170mm	40mm

Cusp Reduction Forceps





Order Code	Length	Open Size
201024-9	110mm	20mm

Double rack




Order Code	Length	Open size
201024-16	190mm	70mm
201024-15	220mm	90mm
201024-14	250mm	120mm
201024-10	210mm	130mm

Cusp reduction forceps



Order Code	Length	Open size
201024-11	135mm	20mm

Cusp reduction forceps




Order Code	Length	Open size
201024-19	200mm	125mm
201024-20	170mm	25mm

ISO:13485

Cusp Reduction Forceps

Reduction forceps with olecranon



Order Code	Length	Open size
201024-21	135mm	35mm

Cusp reduction forceps (cusp)



Order Code	Length	Open size
201024-6	140mm	20mm

Cusp reduction forceps
(narrow head)



Cusp reduction forceps
(straight head)



Order Code	Length*Open size	Description
201024-22	130mm*20mm	Cusp reduction forceps (straight head)
201024-23	210mm*70mm	Cusp reduction forceps (narrow head)

WUYANG MEDICAL
Trauma pliers Series

ISO:13485

Cusp Reduction Forceps

Round head straight



Round head curve





Round head straight　　Rround head curve

Order Code	Length	Description
201024-4	140mm	Round head straight
201024-5	140mm	Rround head curve

Cusp reduction forceps
(for specialist I)



Cusp reduction forceps
(for specialist II)



Order Code	Length*Open size	Description
201024-17	200mm*85mm	I type
304-0026	200mm*90mm	I type
201024-18	220mm*95mm	I type
201024-24	200mm*95mm	II type



Lower Limb Repositor
213001-01 (420mm)
213001-02 (320mm)

Bone hammer(silicone handle)
213004 (280g)





Protector For Soft Tissue
213003 (6.0mm)



Combined Drill Guide
213002 (6.0mm)



T-Shape Handle
202009

Wrench For Repositor
213008




Bone Guide Needle
213006-1 (6.0*180mm)
213006-2 (6.0*230mm)
213006-3 (5.0*230mm)
213006-4 (5.0*180mm)




Drill Bit
208015-10
(4.8*200mm)



Lower Limb Fracture Reduction Instrument Kit(Femur Type)





The details for Lower Limb Fracture Reduction Instrument Kit (Femur Type) Code: 211035

Seq	Item code	Description	Size	Quantity
1	213001-01	Lower Limb Repositor	420mm	1
2	208015-10	Drill bit	Φ4.8*200	2
3	213006-2	Guide needle Thread type	Φ6.0*230	2
4	213006-3	Guide needle Thread type	Φ5.0*230	2
5	213008	Wrench For Repositor	/	1
6	213002	Combined Drill Guide	φ6.0	1
7	202009	T-Shape Handle	100mm	1
8	WG211035	Lower Limb Fracture Reduction Instrument box(Femur Type)		1

Lower Limb Fracture Reduction Instrument Kit(Tibia/Femur type)





The details for Lower Limb Fracture Reduction Instrument Kit(Tibia/Femur type) Code: 211020


Seq	Item code	Description	Size	Quantity
1	213004	Bone hammer(silicone handle)	280g	1
2	208015-10	Drill bit	Φ4.8*200	2
3	213006-1	Guide needle Thread type	Φ6.0*180	2
4	213006-2	Guide needle Thread type	Φ6.0*230	2
5	213006-3	Guide needle Thread type	Φ5.0*230	2
6	213001-02	Lower Limb Repositor	small 320mm	1
7	213001-01	Lower Limb Repositor	large 420mm	1
8	213008	Wrench For Repositor	/	1
9	213002	Combined Drill Guide	Φ6.0	1
10	213003	Protector For Soft Tissue	Φ6.0	1
11	202009	T-Shape Handle	100mm	1
12	WG211020	Lower Limb Fracture Reduction Instrument box		1

Lower limb fracture reduction instrument (effect of closed reduction of femoral shaft)










WUYANG MEDICAL
Trauma pliers Series

Collinear Reduction Clamp Set





The details for Collinear reduction clamp set　　Code：211042

Seq	Item code	Description	Size	Quantity
1	212020	Handpiece	/	1
2	212021	Percutaneous arm	large	1
3	212022	Pelvic arm	medium	1
4	212023	Hohmann-style arm	small	1
5	212010	Protect sleeve	/	2
6	208011-38	Threaded K-wire	2.5*400mm	3
7	208006-9-1	guide needle	2.5*400mm	3
8	208008-3	Cleaning wire	Φ2.5*330mm	1
9	WG211042	Collinear reduction clamp box		1

Handpiece
212020　(290mm)



Repositor tip(big)
212021　(255mm)



Repositor tip(middle)
212022　(225mm)



Repositor tip(small)
212023　(185mm)



Protect sleeve
212010



Cleaning wire
208008-3　(330mm*φ2.5)



Kirschner wire
208006-9-1　(400mm*φ2.5)



Threaded K-wire
208011-38　(400mm*φ2.5)



ISO:13485

DLC Double joint wire cutter



Order Code	Length	Cut Size
214015-08	180mm	≤1.2mm

DLC Double joint wire cutter



Order Code	Length	Cut Size
214015-09	240mm	≤2.0mm

DLC Double joint wire cutter



Order Code	Length	Cut Size
214015-10	250mm	≤2.5mm

DLC Double joint wire cutter




Order Code	Length	Cut Size
214015-11	240mm	≤3.0mm

WUYANG MEDICAL
Cutting Tools

ISO:13485

Double joint wire cutter



Order Code	Length	Cut Size
201013-4	240mm	≤3.0mm

Double joint wire cutter



Order Code	Length	Cut Size
201016-1	250mm	≤2.5mm

Double joint wire cutter II



Order Code	Length	Cut Size
201013-10	270mm	≤2.5mm


Double joint wire cutter



Order Code	Length	Cut Size
201013-6	230mm	≤2.0mm

ISO:13485

Double joint wire cutter



Order Code	Length	Cut Size
201013-5	180mm	≤1.2mm

Double joint wire cutter(olique)



Order Code	Length	Size	Cut Size
201013-7	230mm	large	≤2.5mm
201013-8	180mm	small	≤1.2mm

Wire cutter (bevel type)



Order Code	Length	Cut Size
201015	180mm	≤1.2mm

Wire cutter (top cut)




Order Code	Length	Cut Size
201014	230mm	≤2.5mm

WUYANG MEDICAL
Cutting Tools


ISO:13485

Titanium mesh scissor




Order Code	Length	Range
201016-2	220mm	titanium mesh

Titanium cage scissor




Order Code	Length	Range
201016-3	170mm	titanium cage

Wire cutting pliers



Order Code	Length	Cut Size
201013-9	220mm	≤3.0mm

Kirschner scissors



Order Code	Length	Cut Size
201016-5	210mm	1.5/2.0/2.5

ISO:13485

Wire pliers type I



Order Code	Length	Cut Size
201018-4	205mm	≤2.5mm

Wire pliers type II



Order Code	Length	Cut Size
201018-1	180mm	≤2.0mm

Wire pliers type III



Order Code	Length	Cut Size
201018-2	200mm	≤2.5mm

Wire pliers type V



Order Code	Length	Cut Size
201018-3	240mm	≤2.5mm

WUYANG MEDICAL
Cutting Tools

ISO:13485

Wire pliers type I



Order Code	Length	Cut Size
201017-1	200mm	≤2.0mm

Wire pliers type II



Order Code	Length	Cut Size
201017-2	215mm	≤2.0mm

Wire shears



Order Code	Length	Cut Size
201013-2	350mm	≤3.0mm

Wire shears



Order Code	Length	Cut Size
201013-1	500mm	≤6.0mm

Rod cutter (hand-grasp) I



Order Code	Length	Cut Size
201006-4	500mm	4.0/5.0/5.5/6.0

Rod cutter



Order Code	Length	Size
221005	295mm	φ2.5/3.0/4.0

Plate bender(on-desk type)



Order Code
201007-2

WUYANG MEDICAL
Cutting Tools

Rod cutter (on-desk type) I



Order Code	Length*Cut Size
201006-3	500mm*φ4.0/5.0/5.5/6.0

Rod cutter (on-desk type) II



Order Code	Cut Size
201006-5	φ1.5mm-φ6.0mm

ISO:13485

Joint distraction forceps



Order Code	Length*Head width	Description
304-0027	260mm*11mm	Large
304-0028	260mm*8mm	Small

Joint distraction forceps (mini)



Order Code	Length*Head width
304-0032	230mm*8mm

Joint distraction forceps



Order Code	Length*Head width
218049	190mm*7.5mm

Joint distraction forceps (smooth surface)



Order Code	Length*Head width
218007	190mm*10mm
218008	190mm*17mm

Joint distraction forceps (mesh surface)



Order Code	Length*Head width
218047	190mm*8mm
218005	190mm*10mm
218006	190mm*17mm

WUYANG MEDICAL
Distraction Forceps Series

ISO:13485

Knee joint distraction forceps I



Order Code	Length*Head width
206010	190mm*20*20mm

Knee joint distraction forceps II



Order Code	Length*Head width
206010-3	190mm*24mm

Knee joint distraction forceps (parallel)



Order Code	Length*Head width
206010-1	160mm*12*22mm

HTO distraction forceps



Order Code	Length*Head width
217007	190mm*8mm

ISO:13485

DLC kirschner wire distraction forceps I



Hole diameter: φ1.5-φ2.5mm

Order Code	Length*Open Size
214020-1	190mm*1cm-4.5cm

Kirschner wire distractionforceps I



Order Code	Length*Open Size
218001	190mm*1cm-4.5cm

DLC kirschner wire distraction forceps II



Order Code	Length*Open Size
214020-2	210mm*4cm-9cm

Kirschner wire distraction forceps II



Order Code	Length*Open Size
218002	210mm*4cm-9cm

ISO:13485

DLC kirschner wire distraction forceps III



Hole diameter: φ1.5-φ2.5mm

订货代码 Order Code	长度*撑开尺寸 Length*Open Size
214020-3	220mm*9cm-15cm

Kirschner wire distraction forceps III



订货代码 Order Code	长度*撑开尺寸 Length*Open Size
206010-2	220mm*9cm-15cm

DLC K-wire compression forceps



Order Code	Length*Open Size
214020-4	190mm*1cm-5cm

Hole diameter: φ1.5-φ2.5mm

K-wire compression forceps



Order Code	Length*Open Size
218003	190mm*1cm-5cm

ISO:13485

Shoulder joint distraction forceps (left)



Order Code	Length*Size
206017-1	210mm*8.5mm

Shoulder joint distraction forceps (right)



Order Code	Length*Size
206017-2	210mm*8.5mm

Parallel distraction pressurizer forcpes



Order Code	Size
218004	φ1.5-2.5mm

Ankle pressure forceps



Order Code	Length*Size
218048	190mm*φ2.5

ISO:13485

Rib compression forceps 001



Order Code	Length
201079-4	195mm

Rib compression forceps 003



Order Code	Length
201079-6	195mm

Rib compression forceps 004



Order Code	Length
201079-7	175mm

Rib spreader forceps



Order Code	Length*Size
201079-2	230mm*7mm
201079-3	170mm*6mm

ISO:13485

DLC hollow Wire Threading Device



Order Code	Length	Size
214016-01	315mm	small
214016-02	320mm	large
214016-03	330mm	medium

Hollow Wire Threading Device



Order Code	Length	Size
201034-4	315mm	small
201034-8	320mm	medium
201034-5	330mm	large

Wire Threading Device (Straight hollow)



Order Code	Length	Size
201034-14	350mm	large
201034-15	340mm	medium
201034-16	330mm	small

Wire Threading Device (Expert type)



Order Code	Length	Size
201034-11	320mm	small
201034-12	340mm	medium
201034-13	350mm	large

WUYANG MEDICAL

ISO:13485

Wire Threading Device (Standard)



Order Code	Length	Size
201034-1	240mm	small
201034-2	225mm	medium
201034-3	260mm	large

Wire Threading Device (Expert type II)



Order Code	Length	Size
201034-21	390mm	large
201034-22	370mm	medium

Guide forceps (middle open)



Order Code	Length	Size
201034-9	250mm	small
201034-10	280mm	large
201034-17	300mm	ex-large


Guide forceps II (side open)



Order Code	Length	Size
201034-18	255mm	small
201034-19	275mm	large
201034-20	295mm	ex-large


ISO:13485

Cable clamp forceps I




Order Code	Length
WY-102093-CS	270mm

Cable clamp forceps II



Order Code	Length
201077-13	270mm

Wire strapping plier



Order Code	Length
201071	250mm

Wire logature forceps



Order Code	Length
201073	160mm

TC wire logature forceps



Order Code	Length
201073-1	150mm
201073-2	185mm

Wire I type



Order Code	Length	Diameter
201047-4	5m	0.6mm
201047-1	5m	0.8mm
201047-2	5m	1.0mm
201047-3	5m	1.2mm

WUYANG MEDICAL
Cable Bundling Tools

ISO:13485

Cable clamp (gun type) I



Order Code	Length
201077-2	175mm

Cable tighter



Order Code	Length
201077-10	185mm

Cable Compressor



Order Code	Length
201077-1	250mm

Bone needle bender



Order Code	Length
201077-9	230mm

Cable hook



Order Code	Length
201078	215mm

Threader (curved)



Order Code	Length	Size
201077-8	185mm	Φ1.8mm

Threader (straight)



Order Code	Length	Size
201077-7	135mm	Φ1.8mm

ISO:13485

Threader (front)



Order Code	Length	Size
201077-3	115mm	Φ1.3mm
201077-4	115mm	Φ1.8mm
201077-11	115mm	Φ1.0mm

Threader (rear)



Order Code	Length	Size
201077-5	95mm	Φ1.3mm
201077-6	95mm	Φ1.8mm
201077-12	95mm	Φ1.0mm

Cable Bundling Instrument Set



The details of Cable Bundling Instrument Set Code: 211058

Seq	Item code	Description	Size	Quantity
1	201077-1	Cable Compressor	φ1.0/φ1.3/φ1.8	1
2	201077-2	Wire clamp(gun type)	type I	1
3	201077-3	Threader (front))	φ1.3	2
4	201077-4	Threader (front)	φ1.8	2
5	201077-5	Threader (rear)	φ1.3	1
6	201077-6	Threader (rear)	φ1.8	1
7	201077-7	Threader (straight)	φ1.8	1
8	201077-8	Threader (curved)	φ1.8	1
9	201077-9	Bone needle bender	φ2.0/φ2.5	1
10	201013-15	Wire Threading Device Straight hollow	medium	1
11	201016-3	titanium cage scissor	φ1.8mm	1
12	201034-9	wire cutting pliers	φ3.0mm	1
13	WG0016	Cable Bundling Instrument box	/	1

ISO:13485

Retractor





Multi-hook three teeth

Multi-hook four teeth

Order Code	Length*Hook depth	Type
201004-1	290mm*50mm	Multi-hook three teeth
201004-2	290mm*60mm	Multi-hook four teeth





Multi-hook postcranial

Double joint multi-hook postcranial

Order Code	Length*Hook depth	Type
201004-3	200mm*18mm	Multi-hook postcranial
201004-4	200mm*30mm	Multi-hook postcranial

Order Code	Length*Hook depth	Type
201004-30	205mm*30mm	Double joint multi-hook postcranial
201004-31	205mm*40mm	Double joint multi-hook postcranial

ISO:13485

Multi-hook three teeth retractor



Order Code	Length*Size
201004-26	240mm*60mm
201004-27	240mm*80mm
201004-28	240mm*100mm

Single hook retractor



Order Code	Length*Hook depth	Type
201005-7	150mm*30mm	Single hook
201005-1	230mm*40mm	Single hook
201005-11	230mm*50mm	Single hook
201005-2	230mm*60mm	Single hook
201005-10	230mm*70mm	Single hook
201005-4	230mm*80mm	Single hook

WUYANG MEDICAL
Retractor Series


ISO:13485

Single hook postcranial Retractor



订货代码 Order Code	长度 Length	型号 Type
201005-3	220mm	单钩后颅 Single hook postcranial
201005-5	180mm	单钩后颅 Single hook postcranial
201005-6	140mm	单钩后颅 Single hook postcranial

Single hook retractor




Order Code	Length*Hook depth	Type
201005-16	170mm*40mm	Single hook
201005-17	170mm*50mm	Single hook
201005-18	170mm*60mm	Single hook

ISO:13485

Retractor







Order Code	Length	Type
201004-12	130mm	Multi-hook double teeth

Order Code	Length	Type
201004-32	130mm	Multi-hook three teeth

Retractor





Order Code	Length	Type
201004-14	130mm	Multi-hook double teeth*three teeth
201004-19	130mm	Multi-hook three teeth*four teeth

Double joint multi-hook Retractor three teeth*four teeth




Order Code	Length
201004-20	130mm
201004-21	200mm

WUYANG MEDICAL
Retractor Series

ISO:13485

Retractor







Order Code	Length	Type
201004-8	110mm	Multi-hook double teeth (right)
201004-9	130mm	Multi-hook double teeth (right)

Order Code	Length	Type
201004-10	110mm	Multi-hook double teeth (left)
201004-11	130mm	Multi-hook double teeth (left)

Retractor





Order Code	Length	Type
201004-24	130mm	Multi-hook three teeth (left)
201004-25	130mm	Multi-hook three teeth (right)

Multi-hook retractor (mini)



Order Code	Length	Type
201004-6	100mm	Multi-hook three teeth (mini)
201004-7	100mm	Multi-hook four teeth (mini)

ISO:13485

Multi-hook retractor (micro)



Order Code	Length
201004-5	100mm

Multi-hook skin retractor



Order Code	Length
201004-22	100mm
201004-23	80mm

Single hook retractor (square)



Order Code	Length	Type
201005-8	160mm	Single hook (square)

Single hook retractor (with limiter)




Order Code	Length	Type
201005-9	180mm	Single hook (with limit)

ISO:13485

Anterior Approach Retractor (Supine Position)

Minimally invasive acetabular retractor(1)




Order Code	Width	Length
206003-13	38mm	285mm

Minimally invasive acetabular retractor(2)




Order Code	Width	Length
206003-14	32mm	325mm

Minimally invasive acetabular retractor(3)



Order Code	Width	Length
206003-15	45mm	305mm

Hip joint retractor model (014)




Order Code	Width	Length
206003-42	25mm	335mm

ISO:13485


Anterior Approach Retractor (Supine Position)

Minimally invasive acetabular retractor(4)



Order Code	Width	Length
206003-16	39mm	310mm

Minimally invasive acetabular retractor(5)



Order Code	Width	Length
206003-17	21mm	265mm

Minimally invasive acetabular retractor(6)




Order Code	Width	Length
206003-18	16mm	280mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485


Anterior Approach Retractor (anterior approch)

Hip joint retractor for specialist (DAA-I)




Order Code	Width	Length
206012-1	19mm	300mm

Hip joint retractor for specialist (DAA-II)




Order Code	Width	Length
206012-4	30mm	210mm

Hip joint retractor for specialist (DAA-III)



Order Code	Width	Length
206012-3	31mm	260mm

Hip joint retractor for specialist (DAA-IV)




Order Code	Width	Length
206012-5	33mm	360mm

ISO:13485


Anterior Approach Retractor (anterior approch)

Hip joint retractor for specialist (DAA-V)




Order Code	Width	Length
206012-2	24mm	260mm

Hip joint retractor for specialist (DAA-VI)




Order Code	Width	Length
206012-6	31mm	330mm

Hip joint retractor for specialist (DAA-VII)



Order Code	Width	Length
206012-7	30mm	280mm

Hip joint retractor for specialist (DAA-VIII)




Order Code	Width	Length
206012-17	20mm	220mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485


Anterior Approach Retractor (anterior approch)

Hip joint retractor (for specialist II)




Order Code	Width	Length
206012-9	45mm	320mm

Hip joint retractor (for specialist III)




Order Code	Width	Length
206012-10	30mm	350mm

Hip joint retractor (for specialist IV)



Order Code	Width	Length
206012-11	20mm	255mm

Hip joint retractor (for specialist V)




Order Code	Width	Length
206012-12	19mm	315mm

ISO:13485


Anterior Approach Retractor (anterior approch)

Hip joint retractor (for specialist VI)



Order Code	Width	Length
206012-13	26mm	270mm

Tubrosity distractor




Order Code	Width	Length
206005	33mm	400mm

Minimally invasive Tubrosity distractor



Order Code	Width	Length
206003-19	24mm	360mm

Muscle retractor (with teeth)



Order Code	Width	Length	Depth
201039-49	24mm	205mm	80mm

ISO:13485

L.DAA Anterior Approach Retractor Instrument Set




Details:

Seq	Item code	Description	Size	Quantity
1	206003-2	Hip Joint Retractor version 2	28mm	1
2	206012-17	Hip Joint Retractor DAA-VIII	20mm	1
3	206012-12	Hip Joint Retractor for specialist V	19mm	1
4	206012-2	Hip Joint Retractor DAA-V	24mm	1
5	206003-42	Hip Joint Retractor No.014	25mm	1
6	206003-17	Minimally invasive acetabular retractor	type 5	1
7	206003-19	Minimally invasive Tubrosity distractor	24mm	1
8	201039-49	Muscle retractor (with teeth)	20mm	2
9	206012-14	Knee joint hook	type I	1
10	211048	Disinfection box	36.5cm*22cm*7cm	1

ISO:13485


Posterior Approach Hip Joint Retractor

Hip joint retractor (version 2)




Order Code	Width	Length
206003-2	28mm	270mm

Hip joint retractor (version 3 narrow)




Order Code	Width	Length
206003-3	17mm	290mm

Hip joint retractor (version 3 wide)



Order Code	Width	Length
206003-3-2	32mm	290mm

Hip joint retractor (version 4)




Order Code	Width	Length
206003-4	32mm	278mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485


Posterior Approach Hip Joint Retractor

Hip joint retractor (version 5)




Order Code	Width	Length
206003-5	20mm	260mm

Hip joint retractor (version 6)




Order Code	Width	Length
206003-6	24mm	260mm

Hip joint retractor (version 7)



Order Code	Width	Length
206003-7	34mm	315mm


Hip joint retractor (version 9)



Order Code	Width	Length
206003-22	19mm	225mm


Posterior Approach Hip Joint Retractor

Hip joint retractor (S narrow/ S wide)




Order Code	Width	Length
206003-11	23mm	245mm
206003-10	28mm	245mm

S retractor




Order Code	Width	Length
206002-3	20mm	245mm

Hip joint retractor (double teeth)



Order Code	Width	Length
206003-12	40mm	255mm

Acetabular retractor (rectangular type)



Order Code	Width	Length	Depth
206003-21	35mm	260mm	100mm

Hip joint retractor (frame shape)



Order Code	Width	Blade Width	Blade Depth
206003-1-1	315mm	38mm	60mm

Hip joint retractor (frame shape)




Order Code	Name	Blade Width	Blade Depth	Width
206003-1-2	Frame	/		315mm
206003-1-3	Right blade	38mm	60mm	
206003-1-4	Right blade	38mm	80mm	
206003-1-5	Right blade	38mm	100mm	
206003-1-6	Right blade	38mm	120mm	
206003-1-7	Left blade	38mm	70mm	
206003-1-8	Left blade	38mm	90mm	
206003-1-9	Left blade	38mm	110mm	
206003-1-10	Left blade	38mm	130mm	

ISO 13485


Experts Customization

Hip joint retractor model 001




Order Code	Width	Length
206003-29	35mm	160mm

Hip joint retractor model 002




Order Code	Width	Length
206003-30	20mm	240mm

Hip joint retractor model 003



Order Code	Width	Length
206003-31	30mm	245mm

Hip joint retractor model 004




Order Code	Width	Length
206003-32	30mm	430mm

WUYANG MEDICAL
Joint Instrument Series

ISO 13485


Experts Customization

Hip joint retractor model 005




Order Code	Width	Length
206003-33	30mm	370mm

Hip joint retractor model 006




Order Code	Width	Length
206003-34	20mm	370mm

Hip joint retractor model 007



Order Code	Width	Length
206003-35	25mm	365mm

Hip joint retractor model 008




Order Code	Width	Length
206003-36	25mm	350mm

ISO:13485


Experts Customization

Hip joint retractor model 009




Order Code	Width	Length
206003-37	27mm	340mm

Hip joint retractor model 010




Order Code	Width	Length
206003-38	20mm	230mm

Hip joint retractor model 011



Order Code	Width	Length
206003-39	30mm	450mm

Hip joint retractor model 012




Order Code	Width	Length
206003-40	14mm	300mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485


Experts Customization

Hip joint retractor model 013




Order Code	Width	Length
206003-41	25mm	285mm

Hip joint retractor model 015




Order Code	Width	Length
206003-43	16mm	325mm

Hip joint retractor model 016



Order Code	Width	Length
206003-44	20mm	335mm

Hip joint retractor model 017




Order Code	Width	Length
206003-45	32mm	415mm

ISO:13485


Experts Customization

Hip joint retractor model 018




Order Code	Width	Length
206003-46	54mm	450mm

Hip joint retractor model 019




Order Code	Width	Length
206003-47	35mm	385mm

Joint retractor (specialist #3)



Order Code	Width	Length
304-0013	12mm	280mm

Joint retractor (specialist #4)




Order Code	Width	Length
304-0014	15mm	294mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485

Experts Customization

Joint retractor (specialist #5)




Order Code	Width	Length
304-0015	12mm	256mm

Joint retractor (specialist #6)




Order Code	Width	Length
304-0016	12mm	264mm

Joint retractor (specialist #7)



Order Code	Width	Length
304-0017	12mm	268mm

Joint retractor (specialist #8)




Order Code	Width	Length
304-0086-1	20mm	240mm

ISO:13485


Experts Customization

Joint retractor (specialist #9)




Order Code	Width	Length
304-0086-2	20mm	240mm

Joint retractor (specialist #12)




Order Code	Width	Length
304-0021	17mm	230mm

Minimally invasive joint retractor



Order Code	Width	Length
304-0018	18mm	230mm

Retractor 22



Order Code	Width	Length
304-0077	15mm	223mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485

Experts Customization

Retractor 26



Order Code	Width	Length
304-0076	23mm	280mm

Retractor 27 j



Order Code	Width	Length
304-0074	25mm	228mm

Retractor 28 j




Order Code	Width	Length
304-0075	24mm	228mm

ISO:13485


Experts Customization

Bone pry 001 (small fragment)




Order Code	Width	Length
201002-4	15mm	255mm

Bone pry 001 (large fragment)




Order Code	Width	Length
201002-5	45mm	255mm

Bone pry 002 (small fragment)



Order Code	Width	Length
201002-6	20mm	240mm

Bone pry 002 (large fragment)



Order Code	Width	Length
201002-7	32mm	240mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485

Knee joint retractor (type I)




Order Code	Width	Length
206009	18mm	217mm

Knee joint retractor (type II)




Order Code	Width	Length
206008	43mm	245mm

Knee joint retractor (type III)



Order Code	Width	Length
206009-1	36mm	245mm


Meniscus retractor



Order Code	Width	Length
206004	5mm	178mm


ISO:13485

Knee joint retractor model 001




Order Code	Width	Length
206009-3	14mm	280mm

Knee joint retractor model 002




Order Code	Width	Length
206009-4	15mm	300mm

Knee joint retractor model 003



Order Code	Width	Length
206009-5	24mm	250mm

Knee joint retractor model 004




Order Code	Width	Length
206009-6	15mm	240mm

WUYANG MEDICAL
Joint Instrument Series


ISO:13485

Knee joint retractor model 005




Order Code	Width	Length
206009-7	25mm	240mm

Knee joint retractor model 006




Order Code	Width	Length
206009-8	13mm	270mm

Knee joint retractor model 007



Order Code	Width	Length
206009-9	21mm	240mm


Knee joint retractor model 008



Order Code	Width	Length
206009-10	22mm	275mm


ISO 13485

Knee joint retractor model 009




Order Code	Width	Length
206009-11	30mm	230mm

Knee joint retractor model 010



Order Code	Width	Length
206009-13	20mm	335mm

Knee joint retractor model 011



Order Code	Width	Length
206009-14	7mm	230mm

Joint retractor (small)




Order Code	Width	Length
206003-20	5mm	225mm

WUYANG MEDICAL
Joint Instrument Series


ISO 13485

Knee joint retractor model 011




Order Code	Width	Length
206009-15	10mm	130mm

Knee joint retractor (double fork type)




Order Code	Width	Length
206003-26	21mm	250mm

Knee joint retractor (for specialist Z-type)



Order Code	Width	Length
304-0019	12mm	205mm


Knee joint retractor (for specialist)



Order Code	Width	Length	Depth
304-0011	20mm	205mm	50mm
304-0012	20mm	205mm	60mm


ISO:13485

Humeral head retractor model 001




Order Code	Width	Length
206016-1	36mm	190mm

Humeral head retractor model 002




Order Code	Width	Length
206016-2	31mm	180mm

Glenoid retractor model 001



Order Code	Width	Length
206016-3	15mm	290mm

Glenoid retractor model 002



Order Code	Width	Length
206016-4	23mm	295mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485

Osteotomy Instrument Set JG-01 (Expert Recommendation)



The details for Osteotomy Instrument Set JG-01 Code No:211023

Seq	Item code	Description	Size	Quantity
1	304-0029	Compasses I	/	1
2	204049-8	Single joint Rongeur curved head	160*3mm	1
3	204009-3	Double joint Rongeur curved head	240*4mm	1
4	304-0030	probe	1.0*10mm	1
5	304-0026	cusp reduction forceps(for specialist I)	200mm*90mm	2
6	304-0027	joint distraction forceps	large	1
7	304-0028	joint distraction forceps	small	1
8	304-0031	Osteotomy impactor	type I	1
9	304-0013	Joint retractor	expert type 3	1
10	304-0014	Joint retractor	expert type 4	1
11	304-0015	Joint retractor	expert type 5	1
12	304-0016	Joint retractor	expert type 6	1
13	304-0017	Joint retractor	expert type 7	1
14	304-0018	minimally invasive joint retractor	18mm	2
15	304-0039	Periosteal Stripper Joint	14mm（blunt）	1
16	304-0042	Periosteal Stripper Joint	8mm	1
17	304-0041-2	Periosteal Stripper Joint	12mm（sharp）	1
18	304-0041-1	Periosteal Stripper Joint	12mm（blunt）	1
19	304-0040	Periosteal Stripper Joint	double head 4mm	1
20	304-0044	Periosteal Stripper Joint	14mm（sharp）	1
21	304-0045	Periosteal Stripper Joint	8mm curved	1
22	304-0001/2	osteotome (crescent) curved	320mm*20mm/15mm	1 each
23	304-0003/4	square osteotome	expert type 280*8/10mm	1 each
24	304-0005/6	square osteotome	expert type 280*15/20mm	1 each
25	304-0007	curved osteotome	expert type 280*10mm	1
26	304-0008	curved osteotome	expert type 280*15mm	1
27	304-0009	curved osteotome	expert type 280*20mm	1
28	WG211023	Osteotomy Instrument box	JG-01	1

Children Osteotomy Instrument Set JG-02 (Expert Recommendation)



The details for Children Osteotomy Instrument Set JG-02 Code No.: 211041

Seq	Item code	Description	Size	Quantity
1	304-0077	retractor	22	1
2	304-0076	retractor	26	1
3	304-0013	Joint retractor	specialist #3	1
4	304-0074	retractor	27J	1
5	304-0075	retractor	28J	1
6	201039-25	Minimally invasive muscle retractor	15*40	2
7	201039-33	Minimally invasive muscle retractor(diagonal)	15*40	1
8	201039-27/50	Minimally invasive muscle retractor	15*60/15*80	2 each
9	304-0029	Compasses I	/	1
10	304-0043	Periosteal Stripper Joint	8mm curved	1
11	304-0041-2	Periosteal Stripper Joint	12mm（sharp）	1
12	304-0039	Periosteal Stripper Joint	14mm（blunt）	1
13	207051	Periosteal elevator	20mm	1
14	204012-2	Rongeur scissors	straight 200mm	1
15	304-0024	single joint curved head	180*3mm	1
16	304-0032	joint distraction forceps	mini	1
17	304-0026	cusp reduction forceps(for specialist I)	200mm*90mm	1
18	213006-3	thread type	Φ5.0*230	1
19	202009	T-shape handle（silicone handle）	100mm	1
20	301005-2	witn hook	120mm*0.6mm	1
21	304-0002	osteotome (crescent) curved	320*15mm	1
22	304-0082/84	osteotome (crescent) straight	320*10mm/15mm	1 each
23	304-0080	osteotome (crescent) curved	320*10mm	1
24	304-0007/8	curved osteotome	expert type 280*10mm/15mm	1 each
25	304-0005/4	square osteotome	expert type 280*15mm/10mm	1 each
26	WG211041	Children Osteotomy Instrument box	/	1

Osteotomy Instrument Set JG-03 (Expert Recommendation)



The details for Osteotomy Instrument Set JG-03 Code No: 211023-1

Seq	Item code	Description	Size	Quantity
1	304-0029-1	Compasses II	/	1
2	304-0004	square osteotome	expert type 280*10mm	1
3	304-0006	square osteotome	expert type 280*20mm	1
4	304-0007	curved osteotome	expert type 280*10mm	1
5	304-0009	curved osteotome	expert type 280*20mm	1
6	231022	biportal never root probe	7mm	1
7	304-0085-1	Periosteal Stripper Joint	16mm(sharp)	1
8	304-0085-2	Periosteal Stripper Joint	20mm(sharp)	1
9	304-0087	osteotome (crescent) curved	extended 320*20mm	2
10	304-0018	minimally invasive joint retractor	18mm	1
11	304-0014	Joint retractor	expert type #4	1
12	304-0016	Joint retractor	expert type #6	2
13	304-0086-1	Joint retractor	expert type #8	1
14	304-0086-2	Joint retractor	expert type #9	1
15	204008-4	duoble joint straight	240*5mm	1
16	304-0026	cusp reduction forceps(for specialist I)	200mm*90mm	1
17	304-0031-1	Osteotomy impactor	II	1
18	201039-53	Minimally invasive muscle retractor	25*50	1
19	201039-57	Minimally invasive muscle retractor	25*90	1
20	213006-4	guide needle thread type	Φ5.0*180	2
21	213006-5	guide needle thread type	Φ4.5*180	2
22	201039-50	Minimally invasive muscle retractor	15*80	1
23	WG211023-1	Osteotomy Instrument box	JG-03	1

Hip joint instrument set KGJ-01



The details for Hip Joint Instrument Set KGJ-01 Code No: 211025

Seq	Item code	Description	Size	Quantity
1	206003-17	minimally invasive acetabular retractor	#5	2
2	304-0021	Joint retractor	expert type 12	3
3	304-0034	acetabulum nail	140mm	2
4	304-0035	bone shovel	300*26mm	1
5	206005	tubrosity distractor	33mm	1
6	304-0003	square osteotome	expert type 280*8mm	1
7	304-0004	square osteotome	expert type 280*10mm	1
8	304-0005	square osteotome	expert type 280*15mm	1
9	304-0006	square osteotome	expert type 280*20mm	1
10	304-0007	curved osteotome	expert type 280*10mm	1
11	304-0008	curved osteotome	expert type 280*15mm	1
12	304-0010	semicricle tip osteotome	expert type 280*10mm	1
13	304-0037	Bone hook (left)	40mm	1
14	304-0038	Bone hook (right)	40mm	1
15	WG211025	Hip Joint Instrument Set	/	1

Surgical Dislocation Instrument Kit



The details for Surgical Dislocation Instrument Set Code No: 211057

Seq	Item code	Description	Size	Quantity
1	304-0014	Joint retractor	expert type 4	1
2	304-0015	Joint retractor	expert type 5	1
3	304-0017	Joint retractor	expert type 7	1
4	201039-21	Minimally invasive muscle retractor	30*80	2
5	304-0003	square osteotome	expert type 8mm	1
6	304-0005	square osteotome	expert type 15mm	1
7	203007-49	curved osteotome	expert type 8mm	1
8	304-0008	curved osteotome	expert type 15mm	1
9	204049-8	single joint Rongeur	curved 180*3mm	1
10	201033-2	Bone hook	large	1
11	201033-1	Bone hook	small	1
12	304-0029	Compasses	/	1
13	304-0044	Joint periosteal elevator	14mm sharp	1
14	304-0043	Joint periosteal elevator	8mm (slight curved)	1
15	218035	tissue forceps	/	1
16	304-0077	retractor 22	/	2
17		box		1

ISO 13485

Hip Joint Instrument Set



The details for Hip Joint Instrument Set JG-03 Code No：211025-1

Seq	Item code	Description	Size	Quantity
1	206003-19	minimally invasive tuberosity pry	24mm	1
2	206003-10	hip joint retractor	S shape(wide) 28mm	1
3	304-0021	hip joint retractor	No.12	1
4	206003-6	hip joint retractor	single teeth 24mm	1
5	206003-3-1	hip joint retractor	single teeth 17mm	1
6	206003-3-2	hip joint retractor	single teeth 32mm	1
7	206012-13	hip joint retractor	26mm	1
8	201033-2	bone hook	big 32mm	1
9	206006	Acetabular nail handle	80mm	1
10	206007	Acetabular nail	130mm	2
11	206007-1	Acetabular nail	180mm	2
12	304-0004/0005	straight osteotome	280*10mm/15mm	1 each
13	304-0008	curved osteotome	280*15mm	1
14	204011-1	double joint bone ronguer	side curved 240*4mm	1
15	204010-3	double joint bone ronguer	curved/version II 240*4mm	1
16	201030-3/4	periosteal detacher	220*12mm/16mm	1 each
17	201027-12	bone holding reduction forceps	190mm	1
18	209025	soft tissue grasper	big,220mm	1
19	205009-144	bone curette	teethed 300*8mm*10°	1
20	201034-5	hollow wire introducer	big	1
21	201001-4	bone hammer	500g	1
22	201018-2	flat head wire pliers	version III,φ 2.5mm	1
23	201013-7	double joint bevel mouth scissors	φ2.5mm	1
24	201063	vernier caliper	version I	1
25	201022-1	intramedullary file	100mm*8mm	1
26	WG211025-1	instrument box KGJ-03	455mm*255mm*135mm	1

WUYANG MEDICAL
Joint Instrument Series

ISO 13485

Hip Joint Instrument Set



The details for Hip Joint Instrument Set JG-04 Code No: 211025-2

Seq	Item code	Description	Size	Quantity
1	206003-19	minimally invasive tuberosity pry	24mm	1
2	206003-17	minimally invasive acetabulum retractor	version 5	1
3	206003-2	hip joint retractor	single teeth 28mm	1
4	206003-40	hip joint retractor	14mm	1
5	206012-12	hip joint retractor	19mm	1
6	206012-2	hip joint retractor	24mm	1
7	201039-49	muscle retractor	24mm	2
8	206012-14	knee joint bone hook	version I	1
9	304-0004	straight osteotome	280*10mm	1
10	304-0005	straight osteotome	280*15mm	1
11	304-0008	curved osteotome	280*15mm	1
12	204011-1	double joint bone ronguer	side curved 240*4mm	1
13	204010-3	double joint bone ronguer	curved/version II 240*4mm	1
14	201030-3	periosteal detacher	220*12mm	1
15	201030-4	periosteal detacher	220*16mm	1
16	201027-12	bone holding reduction forceps	full teeth 190mm	1
17	209025	soft tissue grasper	big, 220mm	1
18	205009-144	bone curette	teethed 300*8mm*10°	1
19	201034-5	hollow wire introducer	big	1
20	201001-4	bone hammer	500g	1
21	201018-2	wire plier III	φ 2.5mm	1
22	201013-7	double joint bevel mouth scissors	φ2.5mm	1
23	201063	vernier caliper	version I	1
24	201022-1	intramedullary file	100mm*8mm	1
25	WG211025-2	instrument box	KGJ-04	1


Knee Joint Instrument Set XGJ-01



The details for Knee Joint Instrument Set XGJ-01 Code No: 211024

Seq	Item code	Description	Size	Quantity
1	206003-17	minimally invasive acetabular retractor	#5	3
2	304-0019	Knee joint retractor for specialist	Z-type	2
3	304-0003	square osteotome	expert type 280*8mm	1
4	304-0004	square osteotome	expert type 280*10mm	1
5	304-0005	square osteotome	expert type 280*15mm	1
6	304-0006	square osteotome	expert type 280*20mm	1
7	304-0007	curved osteotome	expert type 280*10mm	1
8	304-0008	curved osteotome	expert type 280*15mm	1
9	304-0010	semicricle tip osteotome	expert type 280*10mm	1
10	206010	knee joint distraction forceps	I	2
11	304-0041-2	Periosteal Stripper Joint	12mm (sharp)	1
12	304-0041-1	Periosteal Stripper Joint	12mm (blunt)	1
13	304-0040	Periosteal Stripper Joint	double head 4mm	1
14	207051-2	Periosteal elevator	15mm	1
15	304-0011	Knee joint retractor for specialist	20mm	1
16	304-0012	Knee joint retractor for specialist (teeth)	20mm	1
17	201034-4	wire threading device hollow	small	1
18	201034-5	wire threading device hollow	large	1
19	WG211024	Knee Joint Operation Instrument Set	/	1

Knee Joint Instrument Set



The details for Knee Joint Instrument Set XGJ-02 Code: 211024-1

Seq	Item code	Description	Size	Quantity
1	201074	Tibial platform puncher	version I	1
2	206010	knee joint distractor	version I	1
3	206003-20	hip joint retractor	Small, 5mm	2
4	206009	knee joint retractor	version I, 18mm	2
5	206003-26	knee joint retractor	double fork type, 21mm	1
6	206009-11	knee joint retractor	No.009, 30mm	1
7	206009-14	knee joint retractor	No.011, 7mm	1
8	304-0003	straight osteotome	280*8mm	1
9	304-0004	straight osteotome	280*10mm	1
10	304-0005	straight osteotome	280*15mm	1
11	304-0006	straight osteotome	280*20mm	1
12	203007-49	curved osteotome	280*8mm	1
13	304-0008	curved osteotome	280*15mm	1
14	203007-51	curved osteotome	280*18mm	1
15	304-0019	knee joint retractor	Z shape	2
16	209025	soft tissue grasper	big, 220mm	1
17	201027-12	bone holding reduction forceps	full teeth 190mm	1
18	207048-10	nerve root stripper	5mm	1
19	204049-9	single joint bone rongeur	curved 160*4mm	1
20	204011-8	double joint bone ronguer	big open/curved 240*4mm	1
21	201001-4	bone hammer	500g	1
22	WG211024-1	instrument box XGJ-02	445mm*245mm*160mm	1

Bone Hook



Order Code	Length*Size	Type
201033-1	260mm*26mm	Small
201033-2	260mm*32mm	Large

Bone Hook



Order Code	Length*Size	Type
201033-5	260mm*45mm	Small
201033-4	260mm*55mm	Large

Bone hook type II



Order Code	Length	Type
201033-3	235mm	Type II

Knee joint hook type I



Order Code	Length*Hook Diameter	Type
206012-14	230mm*40mm	Type I

Bone hook (left)



Order Code	Hook Diameter*Length	Type
304-0037	40mm*270mm	Right
304-0038	40mm*270mm	Left

骨撬
Bone Pry



Order Code	Head Width
304-0022	17mm

Compasses I



Order Code	Length	Type
304-0029	190mm	Type I
304-0029-1	180mm	Type II

Vernier caliper



Order Code	Length*Measuring Distance
201063	160mm*140mm

ISO:13485

Intramedullary file



Order Code	Length	Length*Width*High
201022-1	235mm	100*8*6mm

Platform file



Order Code	Length	Length*Width*High
201022	200mm	100*16*5mm

Double ended bone file (straight)



Order Code	Length	Working Length
201022-3	200mm	45mm

Double ended bone file (curved)



Order Code	Length	Working Length
201022-4	200mm	45mm

ISO:13485

Periosteal Stripper



Order Code	Length*Blade Width	Type
304-0043	190mm*8mm	slight curved
304-0045	185mm*8mm	curved

Joint periosteal elevator



Order Code	Length*Blade Width
304-0042	270mm*8mm

Joint periosteal elevator



Order Code	Length*Blade Width	Type
304-0041-1	270mm*12mm	Blunt
304-0041-2	270mm*12mm	Sharp

Joint periosteal elevator



Order Code	Length*Blade Width	Type
304-0039	270mm*14mm	Blunt
304-0044	270mm*14mm	Sharp

ISO:13485

Periosteal Stripper



Order Code	Length*Blade Width
304-0040	195mm*4mm

Probe





Order Code	Length*Size
304-0030	280mm*1.0*10mm

Osteotomy impactor I



Order Code	Length
304-0031	220mm

Femoral head impactor



Order Code	Length*Diameter
206013-1	250mm*φ16
206013-2	250mm*φ18

ISO:13485

Femoral head extractor



Order Code	Length
206011-2	255mm

Femoral head extractor (quick coupling)




Order Code	Length
206011-3	205mm

Patellar claw reduction forceps I



Order Code	Length*Open Size
201060-4	170mm*65mm

Double ended curette



Order Code	Length*Size
206015	255mm*4mm/4.5mm

Puncher



Order Code	Length*Width
WY-D297	230mm*20mm

Tibial platform puncher I



Order Code	Length
201074	110mm

Acetabulum nail handle




Order Code	Length	Description
206006	80mm	handle
206007	130mm	nails I
206007-1	180mm	nails II

Soft tissue grasp forceps



Order Code	Length	Type
209012	190mm	Small
209013	210mm	Mediun
209014	240mm	Large

Bone holder reduction forceps (straight)




Order Code	Length
201027-9	200mm

Bone holder reduction forceps (curved)



Order Code	Length
201027-10	200mm

Nail extract forceps



Order Code	Length*Size	Name
201076	210mm*φ3.0	Nail extract forceps
206009-2	80mm*3.2mm	Knee joint positioning pin
206009-12	80mm*3.0mm	Knee joint positioning pin


Femoral head extraction forceps



Order Code	Length*Size
216016	228mm*18mm

ISO
ISO:13485

Nucleus Pulposus Clamps



Order Code	Length*Blade Width	Head Shape
204028-7	320mm*5.0mm	Straight with teeth

Bone Cement Gun




Order Code	Length	Type
206014	250mm	Type I

Prosthesis extractor



Order Code	Length	Name
216014	434mm	Prosthesis extractor
202039	/	Slide hammer (cylindrical)

Bone cement tap



Order Code	Length*Size
216010	460mm*φ11.0

WUYANG MEDICAL
Joint Instrument Series

ISO
ISO:13485

Bone curette



Order Code	Length*Blade Width
216011	380mm*6mm
216012	380mm*7mm

Bone curette (reverse)



Order Code	Length*Blade Width
216013	435mm*10mm

Acetambulum cup remove-out chisel



Order Code	Length*Size
216007	345mm*48mm
216008	345mm*52mm
216009	345mm*56mm

Flat chisel



Order Code	Length*Blade Width
216001	330mm*6mm

Chisel (V-shape)



Order Code	Length*Blade Width
216002	450mm*7mm

Chisel (straight)



Order Code	Length*Blade Width
216003	450mm*8mm
216003-1	350mm*8mm

Chisel (cross)



Order Code	Length*Blade Width
216004	450mm*7mm

Chisel (semicircle)



Order Code	Length*Blade Width
216005	450mm*9mm

Chisel (step)



Order Code	Length*Blade Width
216006	450mm*8mm

WUYANG MEDICAL
Joint Instrument Series

Hip Joint Revision Instrument Set (KGJFX-01)



The details for Hip Joint Revision Instrument Set (KGJFX-01) Code: 211051

Seq	Item code	Description	Size	Quantity
1	216001	Chisel (flat chisel)	330*6	1
2	216002	Chisel (V-shape)	450*7	1
3	216003	Chisel (straight)	450*8	1
4	216004	Chisel (cross)	450*7	1
5	216005	Chisel (semicircle)	450*9	1
6	216006	Chisel (step)	450*8	1
7	216007/8	Acetambulum cup remove-out chisel	345*48/345*52	1 each
8	216009	Acetambulum cup remove-out chisel	345*56	1
9	216010	Bone cement tap	φ11.0	1
10	216011/12	Bone curette	380*6/380*7	1 each
11	216013	Bone curette (reverse)	435*10	1
12	216014	Prosthesis extractor	480mm	1
13	202039	Slide hammer (cylindrical)	840g	1
14	218040-1/2/3	Quick coupling osteotome(straight)	165*8/165*10/165*12	1 each
15	218040-9/10/11	Quick coupling osteotome(straight)	100*8/100*10/100*12	1 each
16	218040-14/15/16	Quick coupling osteotome(straight)	80*8/80*10/80*12	1 each
17	218039	T Wrench	SW3.5	1
18	218041	Quick coupling handle	180mm	1
19	202034	connecting rod 001	350mm	1
20	218040-17/18/19	Quick coupling osteotome(C-shaped)	74*10/78*10/110*10	1 each
21	218040-6/7/8	Quick coupling osteotome(arc)	165*12/165*14/165*16	1 each
22	204028-7	Nucleus Pulposus Clamps (Straight with teeth)	320*5.0	1
23	201031-14	hexagon screwdriver (silicone handle)	SW4.0mm	1
24	WG211051	Hip Joint Revision Instrument Set	/	1

ISO:13485

Osteotome



Order Code	Length*Blade Width
216015-7	42mm*35.5mm
216015-8	42mm*47mm
216015-9	44mm*35.5mm
216015-10	44mm*47mm
216015-11	46mm*35.5mm
216015-12	46mm*47mm
216015-13	48mm*35.5mm
216015-14	48mm*47mm
216015-15	50mm*35.5mm
216015-16	50mm*47mm
216015-17	52mm*35.5mm


Order Code	Length*Blade Width
216015-18	52mm*47mm
216015-19	54mm*35.5mm
216015-20	54mm*47mm
216015-21	56mm*35.5mm
216015-22	56mm*48.5mm
216015-23	58mm*35.5mm
216015-24	58mm*48.5mm
216015-25	60mm*35.5mm
216015-26	60mm*48.5mm
216015-27	62mm*35.5mm
216015-28	62mm*48.5mm

Positioner-ball shape




Order Code	Size
216015-3	φ22.2
216015-4	φ28
216015-5	φ32
216015-6	φ36

Fixed handle



Order Code	Length
216015-1	300mm

Rotated handle




Order Code	length
216015-2	300mm

WUYANG MEDICAL
Joint Instrument Series

ISO:13485

Joint Revision Osteotome Instrument Set I



The details for Joint Revision Osteotome Instrument Set I Code: 211051-1

Seq	Item code	Description	Size	Quantity
1	216015-1	Fixed handle	300mm	1
2	216015-3	Positioner-ball shape	φ22.2	1
3	216015-4	Positioner-ball shape	φ28	1
4	216015-5	Positioner-ball shape	φ32	1
5	216015-6	Positioner-ball shape	φ36	1
6	216015-7	Osteotome	42*35.5mm	1
7	216015-8	Osteotome	42*47mm	1
8	216015-9	Osteotome	44*35.5mm	1
9	216015-10	Osteotome	44*47mm	1
10	216015-11	Osteotome	46*35.5mm	1
11	216015-12	Osteotome	46*47mm	1
12	216015-13	Osteotome	48*35.5mm	1
13	216015-14	Osteotome	48*47mm	1
14	216015-15	Osteotome	50*35.5mm	1
15	216015-16	Osteotome	50*47mm	1
16	216015-17	Osteotome	52*35.5mm	1
17	216015-18	Osteotome	52*47mm	1
18	216015-19	Osteotome	54*35.5mm	1
19	216015-20	Osteotome	54*47mm	1
20	216015-21	Osteotome	56*35.5mm	1
21	216015-22	Osteotome	56*48.5mm	1
22	216015-23	Osteotome	58*35.5mm	1
23	216015-24	Osteotome	58*48.5mm	1
24	216015-25	Osteotome	60*35.5mm	1
25	216015-26	Osteotome	60*48.5mm	1
26	216015-27	Osteotome	62*35.5mm	1
27	216015-28	Osteotome	62*48.5mm	1
28	201031-14	screwdriver (silicone handle)	SW4.0	1
	WG211051-1	Joint Revision Osteotome Instrument box	/	1

ISO 13485

Quick coupling handle



Order Code	length
218041	150mm

Quick coupling osteotome(straight)



Order Code	Length*Blade Width
218040-14	80mm*8mm
218040-15	80mm*10mm
218040-16	80mm*12mm

Quick coupling osteotome(straight)



Order Code	Length*Blade Width
218040-9	100mm*8mm
218040-10	100mm*10mm
218040-11	100mm*12mm
218040-12	100mm*14mm
218040-13	100mm*16mm

Quick coupling osteotome(straight)



Order Code	Length*Blade Width
218040-1	165mm*8mm
218040-2	165mm*10mm
218040-3	165mm*12mm
218040-4	165mm*14mm
218040-5	165mm*16mm

Quick coupling osteotome(arc)



Order Code	Length*Blade Width
218040-6	165mm*12mm
218040-7	165mm*14mm
218040-8	165mm*16mm

Quick coupling osteotome(C-shaped)



Order Code	Length*Blade Width
218040-17	74mm*10mm
218040-18	78mm*10mm
218040-19	110mm*10mm

WUYANG MEDICAL
Joint Instrument Series

ISO 13485

Flexible Osteotome Instrument Set






The details for Flexible Osteotome Instrument Set Code: 211043

Seq	Item code	Description	Size	Quantity
1	218039	T Wrench	SW3.5	1
2	218040-19	Quick coupling osteotome(C-shaped)	110*10	1
3	218040-18	Quick coupling osteotome(C-shaped)	78*10	1
4	218040-17	Quick coupling osteotome(C-shaped)	74*10	1
5	218040-16	Quick coupling osteotome(straight)	80*12	1
6	218040-15	Quick coupling osteotome(straight)	80*10	1
7	218040-14	Quick coupling osteotome(straight)	80*8	1
8	218040-13	Quick coupling osteotome(straight)	100*16	1
9	218040-12	Quick coupling osteotome(straight)	100*14	1
10	218040-11	Quick coupling osteotome(straight)	100*12	1
11	218040-10	Quick coupling osteotome(straight)	100*10	1
12	218040-9	Quick coupling osteotome(straight)	100*8	1
13	218040-8	Quick coupling osteotome(arc)	165*16	1
14	218040-7	Quick coupling osteotome(arc)	165*14	1
15	218040-6	Quick coupling osteotome(arc)	165*12	1
16	218040-5	Quick coupling osteotome(straight)	165*16	1
17	218040-4	Quick coupling osteotome(straight)	165*14	1
18	218040-3	Quick coupling osteotome(straight)	165*12	1
19	218040-2	Quick coupling osteotome(straight)	165*10	1
20	218040-1	Quick coupling osteotome(straight)	165*8	1
21	218041	Quick coupling handle	180mm	2
22	221010	Slide hammer (cylindrical)	450g	1
23	202034	connecting rod 001	350mm	1
24	WG211043	Flexible Osteotome Instrument Set	/	1

ISO 13485

Flexible reamer



Order Code	Length	Size
228013	275mm	Φ10.5

Flexible reamer



Order Code	Length	Size
228014	310mm	Φ8.5

Hollow drill bit



Order Code	Length*Size
228002	275mm*8mm

Core decompression cannulated drill bit



Order Code	Length*Size
228005-1	270mm*φ6
228005-2	270mm*φ7
228005-3	270mm*φ8
228005-4	270mm*φ9
228005-5	270mm*φ10
228005-6	270mm*φ12

T type hollow drill bit



Order Code	Length*Size
228001-1	270mm*φ8
228001-2	270mm*φ9
228001-3	270mm*φ10
228001-4	270mm*φ11
228001-5	270mm*φ12

WUYANG MEDICAL
Joint Instrument Series

ISO 13485

Core decompression funnel



Order Code	Length*Diameter
228004	300mm*φ8

Bone graft impactor (straight)



Order Code	Length*Size
228003-1	235mm*φ4
228003-2	235mm*φ7
228003-3	235mm*φ10
228003-4	235mm*φ15

Bone graft impactor (big curved)



Bone graft impactor (small curved)



Order Code	Length*Size	Type
228003-5	235mm*φ6.5	small curved
228003-6	235mm*φ6.5	big curved

Core decompression bone graft tool



Order Code	Length*Size
228003-7	340mm*8mm
228003-8	340mm*10mm

ISO 13485

Stopper wrench



Order Code	Length*Size
228006	80mm*SW3.0

Drill bit stopper



Order Code	Size
228006-1	6mm
228006-2	7mm
228006-3	8mm

Core decompression T-handle



Order Code	Length
228012	85mm

Needle sleeve



Order Code	Length*Size
228007	130mm*2.5mm

Core decompression sleeve



105mm*φ7

100mm*φ9

90mm*φ12

Order Code	Length*Size
228010-1	105mm*φ7
228010-2	100mm*φ9
228010-3	90mm*φ12

WUYANG MEDICAL
Joint Instrument Series

ISO 13485

Core Decompression Instrument Set I



The details for Core Decompression Instrument Set I Code: 211062

Seq	Item code	Description	Size	Quantity
1	228003-7	Core decompression bone graft tool	8mm	1
2	228003-8	Core decompression bone graft tool	10mm	1
3	228004	Core decompression funnel	300*φ8	1
4	228005-6	Core decompression cannulated drill bit	φ12mm	1
5	228005-5	Core decompression cannulated drill bit	φ10mm	1
6	228005-4	Core decompression cannulated drill bit	φ9mm	1
7	228005-3	Core decompression cannulated drill bit	φ8mm	1
8	228005-2	Core decompression cannulated drill bit	φ7mm	1
9	228005-1	Core decompression cannulated drill bit	φ6mm	1
10	228006-3	Drill bit stopper	φ8	4
11	228006-2	Drill bit stopper	φ7	1
12	228006-1	Drill bit stopper	φ6	1
13	228006	Stopper wrench	SW3.0	1
14	228007	Needle sleeve	2.5*130mm	1
15	228008	kirschner wire	φ2.5*350mm	4
16	228009	guide needle depth sounder	250mm	1
17	228010-3	Core decompression sleeve	φ12	1
18	228010-2	Core decompression sleeve	φ9	1
19	228010-1	Core decompression sleeve	φ7	1
20	228011-3	teethed front bending	6mm	1
21	228011-2	teethed right curve	6mm	1
22	228011-1	teethed left curve	6mm	1
23	228012	Core decompression T-handle	85mm	1
24	201011-6	X-ray ruler	200mm	1
25	WG211062	Core Decompression Instrument box	/	1

ISO 13485

Height ruler



Order Code	Length
217011	120mm

Angle ruler



Order Code	Length
217001	130mm

Tiba&femur clip



Order Code	Length	Description
217008	170mm	胫骨夹 Tiba clip
217009	230mm	股骨夹 Femur clip

HTO osteotome



Order Code	Length*Blade Width
217002	250mm*6mm
217003	250mm*10mm
217004	250mm*15mm
217005	250mm*20mm
217006	250mm*25mm

WUYANG MEDICAL
Joint Instrument Series

ISO 13485

HTO Osteotomy Instrument Set



The details for HTO Osteotomy Instrument Set Code: 211031

Seq	Item code	Description	Size	Quantity
1	217001	Angle ruler	I	1
2	217003	HTO osteotome	10mm	1
3	217004	HTO osteotome	15mm	1
4	217005	HTO osteotome	20mm	1
5	217006	HTO osteotome	25mm	1
6	217007	HTO distraction forceps	8mm	1
7	217008	Tiba clip	small	1
8	217009	femur clip	large	1
9	217010-02	pole	/	2
10	217010-01	pole	thread type	1
11	217011	Height ruler	I	1
12	210001-2	torque handle	4.0N*M	1
13	202025-5	hexagon screwdriver(quick-coupling)	SW3.5*90mm	1
14	201011-4	depth gauge	120mm	1
15	201031-13	hexagon screwdriver(silicone handle)	SW3.5mm	1
16	201020-2	drill guide	φ4.5-6.5	1
17	208015-8	Drill Bit	φ4.2*200	2
18	208011-6	kirschner wire	φ2.5*250	2
19	201001-5	bone hammer(silicone handle)	400g	1
20	WG211031	HTO Osteotomy Instrument box	/	1

ISO:13485

Pelvic reduction forceps (double claw)



Order Code	Length	Open size
212001	425mm	85mm

Pelvic reduction forceps (asymmetric double claw)



Order Code	Length	Open size
212003	415mm	75mm

Pelvic reduction forceps (3 claws)



Order Code	Length	Open size
212002	410mm	75mm

Pelvic reduction forceps (straight)



Order Code	Length	Open size
212006	280mm	100mm

Pelvic reduction forceps (curved)



Order Code	Length	Open size
212005	280mm	110mm
212005-1	250mm	70mm

Pelvic reduction forceps (acetabulum)



Order Code	Length	Open size
212004	345mm	85mm

WUYANG MEDICAL
Pelvic Instruments

ISO:13485

Pelvic reduction forceps (multiple teeth)



Order Code	Length
212007	250mm
212007-1	195mm

Asymmetric double claws reduction forceps I



Order Code	Length	Open size
212024-1	435mm	130mm

Asymmetric double claws reduction forceps II



Order Code	Length	Open size
212024-2	425mm	130mm

Asymmetric double claws reduction forceps III



Order Code	Length	Open size
212024-3	295mm	160mm

Asymmetric double claws reduction forceps IV



Order Code	Length	Open size
212024-4	295mm	165mm

Asymmetric double claws reduction forceps V



Order Code	Length	Open size
212024-5	250mm	145mm

ISO:13485

Asymmetric double claws reduction forceps VI



Order Code	Length	Open size
212024-6	425mm	160mm

Asymmetric double claws reduction forceps VII



Order Code	Length	Open size
212024-7	435mm	165mm

Asymmetric double claws reduction forceps VIII



Order Code	Length	Open size
212024-8	445mm	145mm

Asymmetric double claws reduction forceps IX



Order Code	Length	Open size
212024-9	435mm	145mm

Plate bending forceps



Order Code	Length
212008	275mm

WUYANG MEDICAL
Pelvic Instruments

ISO:13485

Pelvic retractor 004



Order Code	Length	Width
212025-4	295mm	25mm

Bone retractor(with Suction)




Order Code	Length	Width	Description
212026-1	340mm	27mm	retractor
212026-2		φ4.5	Suction

Retractor I



Order Code	Length
212013	235mm

T shape retractor



Order Code	Length
212014	210mm

Bone retractor(sciatic nerve)



Order Code	Length	Width
212015	300mm	20mm

Screw clamp forceps



Order Code	Length
212016	205mm

ISO:13485

Templet curved
Templet straight



Order Code	Length	Size
212012	145mm	Straight
212012-1	155mm	Curved

Pelvis guide drill



Order Code	Length
212019	220mm

Plate bender I



Order Code	Length
212027	270mm

Push rod I



Order Code	Length
212009	305mm

Push rod II



Order Code	Length
212019-1	435mm

Push rod III



Order Code	Length
212019-2	435mm

Hexagon screwdriver (silicone handle)



Order Code	Length	Size
212018	410mm	SW2.5

Hexagon screwdriver (silicone handle)



Order Code	Length	Size
212018-1	415mm	SW2.5

Star screwdriver (silicone handle)




Order Code	Length	Size
212029-1	415mm	T15

WUYANG MEDICAL
Pelvic Instruments

ISO:13485

Pelvic Reconstruction Instrument Set



The details for Pelvic Reconstruction Instrument Set Code: 211026

Seq	Item code	Description	Size	Quantity
1	208014-2	Drill bit	2.5×150	2
2	208014-5	Drill bit	3.0×150	2
3	201048-1	Soft drill	2.5	2
4	201021-4	Tap	HB4.0	1
5	201021-1	Tap	HA3.5	1
6	212012/-1	Templet	straight/curved	1 each
7	212009	Push rod		2
8	201020-1	Guide drill	2.5/4.0	1
9	201020-11	Guide drill	3.5/4.0	1
10	212013	Retractor		1
11	212014	T shape retractor		1
12	201011-10	Depth gauge	90mm	1
13	212007/212007-1	Multi-teeth reduction forceps	long/short	1 each
14	212004	Acetabulum reduction forceps		1
15	212001	Double claws reduction forceps	415mm	1
16	201007-1	Reconstruction plate bender	universal type	1
17	212008	Plate bending forceps		1
18	212005	Curved reduction forceps	240mm	1
19	212005-1	Curved reduction forceps	200mm	1
20	201031-11	Hexagon screwdrive (silicone handle)	SW2.5mm	1
21	212006	Straight reduction forceps		1
22	212016	Screw clamp forceps		1
23	212002	3 claws reduction forceps	415mm	1
24	212011-2	Universal hexagon screwdriver	SW2.5	1
25	212015	Bone retractor(sciatic nerve)		1
26	212003	Asymmetric double claws reduction forceps	415mm	1
27	212019	Pelvis guide drill	2.5mm	1
28	212010	protect sleeve		2
29	WG211026	Pelvic Reconstruction Instrument box		1

ISO:13485

Hexagon screwdriver



Order Code	Length*Size
202006-1	150mm*SW1.5
202006-2	150mm*SW2.0
202006-3	150mm*SW2.5
202006-4	150mm*SW3.0
202006-5	150mm*SW3.5
202006-6	150mm*SW4.0
202006-7	150mm*SW4.5
202006-8	150mm*SW5.0
202006-9	150mm*SW5.5
202006-17	150mm*SW7.0
202006-16	150mm*SW8.0

Order Code	Length*Size
202025-1	90mm*SW1.5
202025-2	90mm*SW2.0
202025-3	90mm*SW2.5
202025-4	90mm*SW3.0
202025-5	90mm*SW3.5
202025-6	90mm*SW4.0
202025-7	90mm*SW4.5
202025-8	90mm*SW5.0
202025-9	90mm*SW5.5

Order Code	Length*Size
202006-10	AO 100mm*SW1.5
202006-11	AO 100mm*SW2.0
202006-12	AO 100mm*SW2.5
202006-13	AO 100mm*SW3.0
202006-14	AO 100mm*SW3.5
202006-15	AO 100mm*SW4.0
202006-18	AO 150mm*SW2.5
202006-19	AO 150mm*SW3.5
202006-20	AO 150mm*SW2.0

Torx screwdriver



Order Code	Length*Size
202024-9	90mm*T6
202024-11	90mm*T6.2
202024-10	90mm*T7
202024-1	90mm*T8
202024-7	90mm*T9
202024-2	90mm*T10
202024-3	90mm*T15
202024-8	90mm*T18
202024-4	90mm*T20
202024-5	90mm*T25
202024-6	90mm*T30

Order Code	Length*Size
202002-1	150mm*T10
202002-2	150mm*T15
202002-6	150mm*T18
202002-3	150mm*T20
202002-4	150mm*T25
202002-5	150mm*T30

Order Code	Length*Size
209016	AO 90mm*T6
209017	AO 90mm*T8
202024-12	AO 105mm*T8
202002-2-1	AO 150mm*T15
202002-4-1	AO 150mm*T25

WUYANG MEDICAL
Internal Fixation Removal Series

ISO:13485

Straight screwdriver



Order Code	Length*Size
202022-1	90mm*3.0
202022-2	90mm*6.0
202003-1	150mm*3.0
202003-2	150mm*6.0

Square screwdriver



Order Code	Length*Size
202023-1	90mm*1.2
202023-2	90mm*1.5
202008-1	150mm*1.2
202008-2	150mm*1.5

Cross screwdriver



Order Code	Length
202021	90mm
202007	150mm

Triangle screwdriver



Order Code	Length*Size
202022-3	90mm*φ2.0

ISO:13485

Fixed screw extractor



Order Code	Length
202020	90mm
202004	150mm

Broken screw hollow saw



Order Code	Length*Size
202001-1	90mm*φ2.0
202001-2	90mm*φ2.7
202001-3	150mm*φ4.0
202001-4	150mm*φ5.0
202001-6	150mm*φ6.5
202001-7	150mm*φ8.0

Slip extractor



Order Code	Length*Size
202019-4	90mm*SW2.0
202019-1	90mm*SW2.5
202019-5	90mm*SW2.7
202019-2	90mm*SW3.5
202019-3	90mm*SW4.0
202005-1	150mm*SW2.5
202005-2	150mm*SW3.5
202005-3	150mm*SW4.0

Trephine



Order Code	Length*Size
202018-1	90mm*φ4.0
202018-2	90mm*φ5.0
202018-4	90mm*φ6.5

WUYANG MEDICAL
Internal Fixation Removal Series

ISO:13485

Blade extractor



Order Code	Length
202033-3	150mm

Alloy drill bit



Order Code	Length*Size
202017-4	70mm*φ4
202017-1	70mm*φ5
202017-2	70mm*φ6

Reamer



Order Code	Length
202014	150mm

Sharp hook I



Order Code	Length
202015	150mm

ISO:13485

Handle



Order Code	Length
202010	140mm

T-Shape Handle



Order Code	Length
202009	100mm

Broken Screw Holding Forcep



Order Code	Length
202012	205mm

Strong Extraction Forcep



Order Code	Length
202012-1	250mm

WUYANG MEDICAL
Internal Fixation Removal Series

ISO:13485

L wrench



Order Code	Length
202035	152mm

L wrench



Order Code	Length*Size
202035-1	150mm*SW5.0

Wrench



Order Code	Length*Size
202035-2	130mm*SW11.0

Universal hexagon screwdriver



Order Code	Length*Size
202038	245mm*SW5.0

Hexagon sleeve



Order Code	Length*Size
202026-1	100mm*SW6.0
202026-2	100mm*SW7.0
202026-3	100mm*SW8.0
202026-4	100mm*SW9.0
202026-5	100mm*SW10.0

ISO:13485


Nail Extractor

Connecting rod 001



Order Code	Length
202032-1	90mm

Connecting rod 002



Order Code	Length
202032-2	90mm

Connecting rod 003




Order Code	Length
202032-3	90mm

Connecting rod 004



Order Code	Length
202032-4	90mm

Connecting rod 005




Order Code	Length
202032-5	90mm

Connecting rod 006



Order Code	Length
202032-6	90mm

Connecting rod 007



Order Code	Length
202032-7	90mm

Connecting rod 008



Order Code	Length
202032-8	90mm

WUYANG MEDICAL

Internal Fixation
Removal Series

ISO:13485

Nail Extractor

Connecting rod 009




Order Code	Length
202032-9	90mm

Connecting rod 010



Order Code	Length
202032-12	90mm

Connecting rod 011



Order Code	Length
202032-13	90mm

Connecting rod 012



Order Code	Length
202032-14	90mm

Connecting rod 013




Order Code	Length
202032-15	90mm

Connecting rod 001



Order Code	Length
202032-10	90mm

Connecting rod 002



Order Code	Length
202032-11	90mm

Connecting rod 003



Order Code	Length
202032-16	90mm

Screw Extractor

Hollow slip extractor



Order Code	Length
202036	400mm

PFNA blade screwdriver (left)



Order Code	Length
202033-1	300mm

PFNA blade screwdriver (right)



Order Code	Length
202033-2	300mm

Broken screw extractor



Order Code	Length*Size
202016-1	200mm*φ3.5/4.0mm

Broken screw extractor



Order Code	Length*Size
202016-2	200mm*φ4.5/5.0mm

WUYANG MEDICAL
Internal Fixation Removal Series

Connecting rod 001



Order Code	Length
202034	350mm

Handle for connecting rod 001



Order Code	Length
202034-1	140mm

Slide Hammer



Order Code	Length*Head weight
221010	255mm*450g

Hammer (cylindrical)



Order Code	Length*Weight
202039	100mm*840g

Osteotome (silicone handle)



Order Code	Length*Size
202011-1	210mm*6mm
202011	210mm*8mm

ISO:13485

Screwdriver for orthopedics

Multifunctional screwdriver
I (hexagon)



Code No.: 202029




1.2/1.5 Square screwdriver | SW1.5/2.0 Hexagon screwdriver | SW2.5/5mm Hexagon screwdriver | SW3.5/2.0 Hexagon screwdriver | SW3.0/4.0 Hexagon screwdriver | SW4.5 Hexagon screwdriver

Seq	Item code	Description	Size	Quantity
1	202027	Multifunctional screwdriver handle	I	1
2	202027-1	Square screwdriver (quick-coupling)	SW1.2/SW1.5	1
3	202027-2	Hexagon screwdriver (quick-coupling)	SW1.5/SW2.0	1
4	202027-3	Hexagon screwdriver (quick-coupling)	SW2.5/5mm	1
5	202027-4	Hexagon screwdriver (quick-coupling)	SW3.5/2.0mm	1
6	202027-5	Hexagon screwdriver (quick-coupling)	SW3.0/SW4.0	1
7	202027-6	Hexagon screwdriver (quick-coupling)	SW4.5	1

Multifunctional screwdriver
II (star)



Code No.: 202030



T7/T15 Star screwdriver | T9/T18 Star screwdriver | T25/T10 Star screwdriver | T8/T20 Star screwdriver | T6.2/φ2.0 Star screwdriver | T6/3mm Star screwdriver

Seq	Item code	Description	Size	Quantity
1	202028	Multifunctional screwdriver handle	II	1
2	202028-1	Star screwdriver (quick-coupling)	T7/T15	1
3	202028-2	Star screwdriver (quick-coupling)	T9/T18	1
4	202028-3	Star screwdriver (quick-coupling)	T8/T20	1
5	202028-4	Star screwdriver (quick-coupling)	T6/3mm	1
6	202028-5	Star screwdriver (quick-coupling)	T25/T10	1
7	202028-6	Star screwdriver (quick-coupling)	T6.2/φ2.0	1


WUYANG MEDICAL

Internal Fixation Removal Series

ISO:13485

Screw Removal Set DDQC-01

Apply to trauma,spine



The details for Screw Removal Set DDQC-01 Code: 211003-2


Seq	Item code	Description	Size	Quantity
1	202024-10/9/11	torx screwdriver(quick-coupling)	T7/T6/T6.2*90mm	1 each
2	202024-6/5/4	torx screwdriver(quick-coupling)	T30/T25/T20*90mm	1 each
3	202024-8/3/2	torx screwdriver(quick-coupling)	T18/T15/T10*90mm	1 each
4	202024-7/1	torx screwdriver(quick-coupling)	T9/T8*90mm	1 each
5	202025-9/8/7	hexagon screwdriver(quick-coupling)	SW5.5/SW5.0/SW4.5*90mm	1 each
6	202025-6/5/4	hexagon screwdriver(quick-coupling)	SW4.0/SW3.5/SW3.0*90mm	1 each
7	202025-3/2/1	hexagon screwdriver(quick-coupling)	SW2.5/SW2.0/SW1.5*90mm	1 each
8	202017-4/2/1	Alloy drill bit	φ4mm/φ6mm/φ5mm	1 each
9	202001-7/6	Broken nail hollow saw	φ8.0/φ6.5*150mm	1 each
10	202001-4/3	Broken nail hollow saw	φ5.0/φ4.0*150mm	1 each
11	202001-2/1	Broken nail hollow saw	φ2.7/φ2.0*90mm	1 each
12	202019-3/2	Slip extractor	SW4.0/SW3.5*90mm	1 each
13	202019-5/1/4	Slip extractor	SW2.7/SW2.5/SW2.0*90mm	1 each
14	202020	Fixed screw extractor	90mm	1
15	202021	Cross screwdriver(quick-coupling)	90mm	1
16	202022-1/2	Straight screwdriver(quick-coupling)	3/6*90mm	1 each
17	202022-3	Triangle screwdriver(quick-coupling)	φ2.0*90mm	1
18	202023-2/1	Square screwdriver(quick-coupling)	1.5/1.2*90mm	1 each
19	202012	Broken Nail Holding Forcep	205mm	1
20	202014	Reamer	150mm	1
21	202015	Sharp hook I	I	1
22	202009	T-Shape Handle (silicone handle)	100mm	1
23	202010	Handle (silicone handle)	140mm	1
24	202011	Osteotome (silicone handle)	210*8mm	1
25	202018-4/2/1	trephine	φ6.5/φ5.0/φ4.0*90mm	1 each
26	202016-1	broken nail extractor	φ3.5/4.0mm	1
27	202016-2	broken nail extractor	φ4.5/5.0mm	1
28	WG211003-2	Screw Removal box	II	1

ISO 13485

Screw Removal Set DDQC-02

Apply to intramedullary nail







The details for Screw Removal Set DDQC-02

Code: 211003-3

Seq	Item code	Description	Size	Quantity
1	202032-16/11/10	Connecting rod	003/002/001	1 each
2	202032-15/14/13	Connecting rod	013/012/011	1 each
3	202032-12/9/8	Connecting rod	010/009/008	1 each
4	202032-7/6/5	Connecting rod	007/006/005	1 each
5	202032-4/3/2	Connecting rod	004/003/002	1 each
6	202032-1	Connecting rod	001	1
7	202033-3	Blade extractor	150mm	1
8	202033-2/1	PFNA blade screwdriver (right)/(left)	300mm/300mm	1 each
9	202006-3/4/5	hexagon screwdriver(quick-coupling)	SW2.5/SW3.0/SW3.5*150mm	1 each
10	202006-6/7/8	hexagon screwdriver(quick-coupling)	SW4.0/SW4.5/SW5.0*150mm	1 each
11	202006-17/16	hexagon screwdriver(quick-coupling)	SW7.0/SW8.0*150mm	1 each
12	202003-2	Straight screwdriver(quick-coupling)	6*150mm	1
13	202003-3/4/6	torx screwdriver(quick-coupling)	T20/T25/T18*150mm	1 each
14	202011-1	Osteotome (silicone handle)	210*6mm	1
15	202034-1	Handle for connecting rod 001	140mm	1
16	202034	Connecting rod 001	350mm	1
17	221010	Slide Hammer	450g	1
18	202012-1	Strong Extraction Forcep	250mm	1
19	202017-1/2/4	Alloy drill bit	φ5/φ6/φ4	1 each
20	202009	T-Shape Handle (silicone handle)	100mm	1
21	202035-2	Wrench	SW11.0	1
22	202035	L wrench	/	1
23	202036	Hollow slip extractor	400mm	1
24	202038	Universal hexagon screwdriver	SW5.0	1
25	202005-1/2/3	Slip extractor	SW2.5/SW3.5/SW4.0*150mm	1 each
26	WG211003-3	Screw Removal box	III	1

WUYANG MEDICAL
Internal Fixation Removal Series

ISO 13485

Screw Removal Set DDQC-03

Apply to trauma, spine, intramedullary nail







The details for Screw Removal Set DDQC-03

Code: 211003-4


Seq	Item code	Description	Size	Quantity
1	202032-16/11/10	Connecting rod	003/002/001	1 each
2	202032-15/14/13/12/9/8	Connecting rod	013/012/011/010/009/008	1 each
3	202032-7/6/5/4/3/2/1	Connecting rod	007/006/005/004/003/002/001	1 each
4	202033-3	Blade extractor	150mm	1
5	202033-2/1	PFNA blade screwdriver (right)/(left)	300mm/300mm	1 each
6	202011-1	Osteotome (silicone handle)	210*6mm	1
7	202034-1	Handle for connecting rod 001	140mm	1
8	202034	Connecting rod 001	350mm	1
9	221010	Slide Hammer	450g	1
10	202012-1	Strong Extraction Forcep	250mm	1
11	202035-2/202035	Wrench /L wrench	SW11.0	1 each
12	202036	Hollow slip extractor	400mm	1
13	202038	Universal hexagon screwdriver	SW5.0	1
14	202021	Cross screwdriver(quick-coupling)	90mm	1
15	202022-1/2	Straight screwdriver(quick-coupling)	3/6*90mm	1 each
16	202022-3	Triangle screwdriver(quick-coupling)	φ2.0*90mm	1
17	202023-2/1	Square screwdriver(quick-coupling)	1.5/1.2*90mm	1 each
18	202018-4/2/1	Trephine	φ6.5/φ5.0/φ4.0*90mm	1 each
19	202025-9/8/7/6/5	hexagon screwdriver(quick-coupling)	SW5.5/SW5.0/SW4.5/SW4.0/SW3.5*90mm	1 each
20	202025-4/3/2/1	hexagon screwdriver(quick-coupling)	SW3.0/SW2.5/SW2.0/SW1.5*90mm	1 each
21	202020	Fixed screw extractor	90mm	1
22	202001-7/6/4/3	Broken nail hollow saw	φ8.0/φ6.5/φ5.0/φ4.0*150mm	1 each
23	202021-2/1	Broken nail hollow saw	φ2.7/φ2.0*90mm	1 each
24	202019-3/2/5/1/4	Slip extractor	SW4.0/SW3.5/SW2.7/SW2.5/SW2.0*90mm	1 each
25	202024-11/10/9/6/5/4	torx screwdriver(quick-coupling)	T6.2/T7/T6/T30/T25/T20*90mm	1 each
26	202024-8/3/2/7/1	torx screwdriver(quick-coupling)	T18/T15/T10/T9/T8/*90mm	1 each
27	202017-1/2/4	Alloy drill bit	φ5/φ6/φ4	1 each
28	202015	Sharp hook I	I	1
29	202014	Reamer	150mm	1
30	202009/202010	T-Shape Handle /Handle(silicone handle)	100mm/140mm	1 each
31	202012	Broken Nail Holding Forcep	205mm	1
32	202016-1/2	Broken nail extractor	φ3.5/4.0mm / φ4.5/5.0mm	1 each
33	202006-16/17	hexagon screwdriver(quick-coupling)	SW8.0/SW7.0*150mm	1 each
34	WG211003-4	Screw Removal box	V	1


ISO ISO:13485

Screw Removal Set DDQC-04

Apply to intramedullary nail







The details for Screw Removal Set DDQC-04 Code：211003-5

Seq	Item code	Description	Size	Quantity
1	202032-16	Connecting rod	003	1
2	202032-11/10	Connecting rod	002/001	1 each
3	202032-15/14	Connecting rod	013/012	1 each
4	202032-13/12	Connecting rod	011/010	1 each
5	202032-9/8	Connecting rod	009/008	1 each
6	202032-7/6	Connecting rod	007/006	1
7	202032-5	Connecting rod	005	1 each
8	202032-4	Connecting rod	004	1
9	202032-3/2	Connecting rod	003/002	1 each
10	202032-1	Connecting rod	001	1
11	202033-3	Blade extractor	150mm	1
12	202033-2	PFNA blade screwdriver (right)	300mm	1
13	202033-1	PFNA blade screwdriver (left)	300mm	1
14	202006-3/4	hexagon screwdriver(quick-coupling)	SW2.5/SW3.0*150mm	1 each
15	202006-5/6	hexagon screwdriver(quick-coupling)	SW3.5/SW4.0*150mm	1 each
16	202006-7/8	hexagon screwdriver(quick-coupling)	SW4.5/SW5.0*150mm	1 each
17	202006-17/16	hexagon screwdriver(quick-coupling)	SW7.0/SW8.0*150mm	1 each
18	202034-1	Handle for connecting rod 001	140mm	1
19	202034	Connecting rod 001	350mm	1
20	202035-2	Wrench	SW11.0	1
21	202035-1	L wrench	SW5.0	1
22	202035	L wrench	/	1
23	202009	T-Shape Handle (silicone handle)	100mm	1
24	202039	Hammer (cylindrical)	840g	1
25	WG211003-3	Screw Removal box	VI	1

ISO ISO:13485

Hexagon screwdriver (silicone handle)





Order Code	Length*Size
201031-9	210mm*SW1.5
201031-10	210mm*SW2.0
201031-11	260mm*SW2.5
201031-17	260mm*SW2.8
201031-12	260mm*SW3.0
201031-13	260mm*SW3.5
201031-14	260mm*SW4.0
201031-15	260mm*SW4.5
201031-16	260mm*SW5.0

Star screwdriver (silicone handle)





Order Code	Length*Size
201032-21	210mm*φ1.4
201032-13	210mm*T6(φ1.8)
201032-20	210mm*T6.2(φ2.0)
201032-19	210mm*T7(φ2.4)
201032-14	210mm*T8(φ2.5)
201032-10	210mm*T9(φ2.7)
201032-15	210mm*T10(φ3.0)
201032-11	240mm*T15(φ3.4)
201032-16	240mm*T18(φ3.9)
201032-17	240mm*T20(φ4.3)
201032-12	260mm*T25(φ4.5)
201032-18	260mm*T30(φ5.1)

Straight screwdriver (silicone handle)





Order Code	Length*Size
201044-4	200mm*3mm
201044-3	230mm*6mm

Cross screwdriver (silicone handle)





Order Code	Length*Size
209001-1	210mm*2.5mm

ISO:13485

Square screwdriver (silicone handle)





Order Code	Length*Size
209002-4	210mm*SW1.2
209002-5	210mm*SW1.5

Cannulated screwdriver (silicone handle)





Order Code	Length*Size
208001-13	210mm*SW1.5
208001-11	210mm*SW2.0
208001-8	210mm*SW2.5
208001-12	260mm*SW3.0
208001-9	260mm*SW3.5
208001-10	260mm*SW4.0
208001-14	260mm*SW4.5
208001-15	260mm*SW5.0

Broken screw extractor (T-type)



Order Code	Length*Size
201045-1	180mm*3.5-4.0mm
201045-2	180mm*4.5-5.0mm

Slip extractor (T-type)



Order Code	Length*Size
201043-1	150mm*SW2.5
201043-2	150mm*SW3.0
201043-3	150mm*SW3.5
201043-4	150mm*SW4.0

Broken screw hollow saw (T-type)



Order Code	Length*Size
201042-1	100mm*φ2.0
201042-2	100mm*φ2.7
201042-3	150mm*φ4.0
201042-4	150mm*φ5.0
201042-5	150mm*φ6.0
201042-6	150mm*φ6.5
201042-7	175mm*φ8.0

ISO:13485

Minimally invasive muscle retractor



Order Code	Length	Width	Depth
201039-24	230mm	15mm	30mm
201039-25	230mm	15mm	40mm
201039-26	230mm	15mm	50mm
201039-27	230mm	15mm	60mm
201039-28	230mm	15mm	70mm
201039-50	230mm	15mm	80mm

Minimally invasive muscle retractor



Order Code	Length	Width	Depth
201039-77	230mm	18mm	60mm
201039-78	230mm	18mm	70mm
201039-79	230mm	18mm	80mm

Minimally invasive muscle retractor



Order Code	Length	Width	Depth
201039-9	230mm	20mm	30mm
201039-10	230mm	20mm	40mm
201039-18	230mm	20mm	50mm
201039-19	230mm	20mm	60mm
201039-20	230mm	20mm	70mm
201039-51	230mm	20mm	80mm

Minimally invasive muscle retractor



Order Code	Length	Width	Depth
201039-52	230mm	25mm	40mm
201039-53	230mm	25mm	50mm
201039-54	230mm	25mm	60mm
201039-55	230mm	25mm	70mm
201039-56	230mm	25mm	80mm
201039-57	230mm	25mm	90mm

ISO:13485

Minimally invasive muscle retractor



Order Code	Length	Width	Depth
201039-11	230mm	30mm	50mm
201039-12	230mm	30mm	60mm
201039-13	230mm	30mm	70mm
201039-21	230mm	30mm	80mm
201039-32	230mm	30mm	100mm

Minimally invasive muscle retractor



Order Code	Length	Width	Depth
201039-22	230mm	40mm	60mm
201039-23	230mm	40mm	70mm
201039-14	230mm	40mm	80mm
201039-29	230mm	40mm	100mm
201039-30	230mm	40mm	120mm
201039-31	230mm	40mm	150mm

Minimally invasive muscle retractor (diagonal)



Order Code	Length*Width*Depth
201039-33	230mm*15mm*40mm

Plate muscle retractor



Order Code	Length*Width*Depth
201039-16	230mm*30mm*50mm
201039-35	230mm*35mm*65mm
201039-17	230mm*20mm*40mm
201039-15	230mm*40mm*80mm

WUYANG MEDICAL
Basic Instruments

ISO:13485

Muscle retractor (K-wire type)



Order Code	Length*Width*Depth
201039-64	230mm*25mm*60mm
201039-61	230mm*25mm*80mm
201039-62	230mm*25mm*100mm
201039-63	230mm*25mm*120mm

Muscle retractor



Order Code	Length*Width*Depth
201039-1	215mm*25mm*32mm
201039-2	235mm*36mm*58mm
201039-3	250mm*42mm*65mm

Muscle retractor (teethed)



Order Code	Length*Width*Depth
201039-65	205mm*38mm*110mm

Double ended muscle retractor



Order Code	Length*Width*Depth
201039-58	170mm*20mm*8mm


Thyroid retractor



Order Code	Width	Length
206003-24	15mm	215mm
206003-25	16mm	220mm

ISO:13485

Bone hammer (silicone handle)



Order Code	Length*Head weight
201001-6	220mm*300g
201001-5	220mm*400g
201001-4	230mm*500g
201001-9	260mm*800g
201001-7	260mm*1000g

Bone hammer (silicone handle)



Order Code	Length*Head weight
213004	180mm*280g

Periosteal Stripper (Standard)



Order Code	Length*Size
201029-1	190mm*6mm
201029-2	190mm*8mm
201029-3	190mm*10mm
201029-4	190mm*12mm
201030-1	220mm*8mm
201030-2	220mm*10mm
201030-3	220mm*12mm
201030-4	220mm*16mm
201030-5	220mm*20mm

Periosteal Stripper (Round)



Order Code	Length*Size
GB1011906	190mm*6mm
GB1011908	190mm*8mm
GB1011910	190mm*10mm
GB1011912	190mm*12mm
GB1012212	220mm*12mm
GB1012216	220mm*16mm
GB1012218	220mm*18mm
GB1012220	220mm*20mm

ISO:13485

Periosteal Stripper (Double head)



Order Code	Length*Size
201030-7	250mm*8/10mm
201030-8	250mm*10/12mm
201030-9	250mm*12/15mm

Periosteal Stripper (Flat head)



Order Code	Length*Size
201029-9	190mm*6mm
201029-12	190mm*8mm
201029-10	190mm*10mm
201029-11	190mm*12mm

Periosteal Stripper (Pointed head)



Order Code	Length*Size
201029-5	165mm*5mm
201029-13	200mm*6mm
201029-6	200mm*8mm
201029-7	200mm*10mm

Periosteal Stripper (Round head)




Order Code	Length*Size
201029-14	170mm*4mm
201029-8	170mm*5mm
201029-15	170mm*6mm
201029-16	170mm*7mm

ISO:13485

Rod for tibial plateau







Order Code	Length*Head Size	Type
201051-7	260mm*6mm	Straight
201051-8	260mm*8mm	Straight
201051-9	260mm*10mm	Straight
201051-10	260mm*12mm	Straight
201051-1	250mm*6mm	Curved
201051-3	250mm*8mm	Curved
201051-5	250mm*10mm	Curved
201051-6	250mm*12mm	Curved
201051-11	260mm*6*8mm	Square
201051-12	260mm*8*10mm	Square
201051-13	260mm*10*12mm	Square

Bone pry 001 (small fragment)

Experts Customization



Order Code	Width	Length
201002-4	15mm	255mm

Bone pry 001 (large fragment)



Order Code	Width	Length
201002-5	45mm	255mm

WUYANG MEDICAL
Basic Instruments

ISO:13485

Bone pry 002 (small fragment)



Order Code	Width	Length
201002-6	20mm	240mm

Bone pry 002 (large fragment)

Experts Customization



Order Code	Width	Length
201002-7	32mm	240mm

Bone pry (small fragment)



Order Code	Length*Width
201002-2	160mm*15mm

Bone pry (small fragment)



Order Code	Length*Width
201002-3	190mm*22mm/15mm

Bread board



Order Code	Length*Width
201002	270mm*26mm

ISO:13485

Torque handle



Order Code	Size
210001-1	1.5N/M
210001-2	4.0N/M
210001-3	0.8N/M

AO handle



Order Code	Size
210011-3	0.8N/M
210011-1	1.5N/M
210011-2	3.5N/M
YBT-2009	4.0N/M

Self locking wrench I



Order Code	Size
221003	175mm

Self locking wrench II



Order Code	Size	Description
201070	145mm	Type II
221008	120mm	Wrench

WUYANG MEDICAL
Basic Instruments

ISO:13485

Self locking wrench III



Order Code	Size
201070-1	150mm

Self locking wrench V



Order Code	Size
201070-2	150mm

Guide needle (Thread type)



Order Code	Length*Size
213006-5	180mm*φ4.5
213006-4	180mm*φ5.0
213006-1	180mm*φ6.0
213006-3	230mm*φ5.0
213006-2	230mm*φ6.0

K-wire bender



Order Code	Length*Size
201010-1	200mm*φ1.2/φ1.5
201010-2	200mm*φ2.0/φ2.5

ISO:13485

Bone Cone (Puncher)



Order Code	Length	Type
201075-1	200mm	No.001
201075-3	160mm	No.003



Order Code	Length	Type
201075-2	200mm	No.002
201075-4	170mm	No.004

Plaster spreader forceps



Order Code	Length*Size
201003-1	280mm*43mm

Plaster cutter



Order Code	Length
201003	550mm

Rib cutter





Order Code	Length
201016-6	220mm

WUYANG MEDICAL
Basic Instruments

ISO:13485

Haemostatic Forceps





Order Code	Length	Type
301001-1	180mm	Straight
301001-2	180mm	Curved
301001-3	210mm	Straight
301001-4	210mm	Curved

Gauze bandage scissor (TC type)



Order Code	Length
301006-1	140mm
301006-2	180mm

Repositor



Order Code	Length	Size
205008-1	340mm	Tibial
205008	510mm	Femur

Flexible drill bits



Order Code	Length*Size	Type
201048-1	200mm*φ2.5	Type I
201048-2	210mm*φ3.2	Type I
201048-1-1	200mm*φ2.5	Type I
201048-2-1	210mm*φ3.2	Type I

X-ray ruler



Order Code	Length
201011-6	200mm
201011-7	400mm
201011-8	500mm
201011-11	1200mm

ISO:13485

Kirschner Wire





Order Code	Length*Size
208010-1	150mm*φ0.8
208010-2	150mm*φ1.0
208010-3	150mm*φ1.2
208010-4	150mm*φ1.5
208011-37	400mm*φ3.2

Order Code	Length*Size
208011-1	250mm*φ0.8
208011-2	250mm*φ1.0
208011-3	250mm*φ1.2
208011-4	250mm*φ1.5
208011-42	250mm*φ1.8
208011-5	250mm*φ2.0
208011-6	250mm*φ2.5
208011-7	250mm*φ3.0
208011-8	250mm*φ3.5
208011-9	250mm*φ4.0

Titanium K-wire





Order Code	Length*Size
208011-18	150mm*φ0.8
208011-19	150mm*φ1.0
208011-20	150mm*φ1.2
208011-21	150mm*φ1.5

Order Code	Length*Size
208011-22	250mm*φ0.8
208011-10	250mm*φ1.0
208011-11	250mm*φ1.2
208011-12	250mm*φ1.5
208011-13	250mm*φ2.0
208011-14	250mm*φ2.5
208011-15	250mm*φ3.0
208011-16	250mm*φ3.5
208011-17	250mm*φ4.0

Threaded K-wire





Order Code	Length*Size
208006-1	150mm*φ1.0
208006-2	150mm*φ1.2
208006-3	150mm*φ1.5
208006-13	320mm*φ2.5
208011-38	400mm*φ2.5
208006-8	400mm*φ3.2

Order Code	Length*Size
208006-6	250mm*φ1.5
208006-4	250mm*φ2.0
208006-5	250mm*φ2.5
208006-7	250mm*φ3.0
208006-9	200mm*φ2.5
208006-10	200mm*φ3.0
208006-11	200mm*φ3.5
208006-12	200mm*φ4.0

WUYANG MEDICAL
Basic Instruments

ISO:13485

Patella needle





Order Code	Length*Size
208011-23	40mm*φ1.5
208011-24	45mm*φ1.5
208011-25	50mm*φ1.5
208011-26	55mm*φ1.5
208011-27	60mm*φ1.5
208011-28	65mm*φ1.5
208011-29	70mm*φ1.5

Order Code	Length*Size
208011-30	40mm*φ2.0
208011-31	45mm*φ2.0
208011-32	50mm*φ2.0
208011-33	55mm*φ2.0
208011-34	60mm*φ2.0
208011-35	65mm*φ2.0
208011-36	70mm*φ2.0
208011-39	50mm*φ2.5
208011-40	60mm*φ2.5
208011-41	70mm*φ2.5

Olive head guide needle



Tip diameter 4mm

Order Code	Length
208009	1000mm
208009-1	700mm

Hollow drill bit





Order Code	Length	OD*ID
208017-1	150mm	φ2.0*φ1.0
208017-10	150mm	φ2.5*φ1.2
208017-2	150mm	φ2.7*φ1.2
208017-9	150mm	φ3.0*φ1.2
208017-3	150mm	φ3.2*φ1.5
208017-8	150mm	φ3.5*φ1.5

Order Code	Length	OD*ID
208017-11	250mm	φ4.0*φ2.0
208017-4	250mm	φ4.5*φ2.5
208017-5	250mm	φ4.8*φ2.5
208017-6	250mm	φ5.0*φ2.5
208017-7	250mm	φ5.8*φ3.0

ISO:13485

Drill Bit



Order Code	Length*Size
208012	110mm*φ1.1
208013-1	110mm*φ1.5
208013-5	110mm*φ1.8
208013-2	110mm*φ2.0
208013-3	110mm*φ2.5
208013-4	110mm*φ3.2
208014-1	150mm*φ2.0
208014-2	150mm*φ2.5
208014-3	150mm*φ2.7
208014-4	150mm*φ2.8
208014-5	150mm*φ3.0
208014-6	150mm*φ3.2
208014-7	150mm*φ3.5
208014-9	150mm*φ4.5

Order Code	Length*Size
208014-8	120mm*φ3.0
208015-1	200mm*φ2.7
208015-2	200mm*φ2.8
208015-3	200mm*φ2.9
208015-4	200mm*φ3.0
208015-5	200mm*φ3.2
208015-6	200mm*φ3.8
208015-7	200mm*φ4.0
208015-8	200mm*φ4.2
208015-21	200mm*φ4.3
208015-9	200mm*φ4.5
208015-10	200mm*φ4.8
208015-14	200mm*φ2.5

Order Code	Length*Size
208015-15	250mm*φ2.5
208015-16	250mm*φ3.0
208015-17	250mm*φ3.2
208015-19	250mm*φ3.5
208015-20	250mm*φ4.2
208016-29	250mm*φ4.3
208016-1	300mm*φ3.8
208016-2	300mm*φ3.9
208016-3	300mm*φ4.0
208016-4	300mm*φ4.1
208016-5	300mm*φ4.2
208016-6	300mm*φ4.3
208016-8	300mm*φ3.2
208016-9	300mm*φ4.5

AO drill bit




Order Code	Length*Size
208016-23	85mm*φ1.5
208016-25	110mm*φ2.5
208016-26	110mm*φ2.0
208016-13	150mm*φ2.0
208016-19	150mm*φ2.2
208016-10	150mm*φ2.5
208016-22	150mm*φ2.7
208016-28	150mm*φ3.0
208016-14	150mm*φ3.2

Order Code	Length*Size
208016-24	175mm*φ2.5
208016-11	200mm*φ2.7
208016-12	200mm*φ2.9
208016-15	200mm*φ3.2
208016-16	200mm*φ3.5
208016-17	250mm*φ4.0
208016-18	250mm*φ4.3
208016-20	250mm*φ3.2
208016-21	250mm*φ4.2

WUYANG MEDICAL
Basic Instruments

ISO:13485

Flexible reamer shaft,head (seperated)



Order Code	Size
201049-21	Reamer rod
201049-33	φ7.0
201049-34	φ7.5
201049-22	φ8.0
201049-23	φ8.5
201049-24	φ9.0
201049-25	φ9.5
201049-26	φ10.0
201049-27	φ10.5

Order Code	Size
201049-28	φ11.0
201049-29	φ11.5
201049-30	φ12.0
201049-31	φ12.5
201049-32	φ13.0
201049-35	φ13.5
201049-36	φ14.0
201049-37	φ14.5


Flexible reamer (soft)



Order Code	Length*Size
201049-12	470mm*φ7.0
201049-13	470mm*φ7.5
201049-1	470mm*φ8.0
201049-2	470mm*φ8.5
201049-3	470mm*φ9.0
201049-4	470mm*φ9.5

Order Code	Length*Size
201049-5	470mm*φ10.0
201049-6	470mm*φ10.5
201049-7	470mm*φ11.0
201049-8	470mm*φ11.5
201049-9	470mm*φ12.0
201049-10	470mm*φ12.5
201049-11	470mm*φ13.0

Reamer (hard)



Order Code	Length*Size
201049-15	450mm*φ7.0
201049-16	450mm*φ8.0
201049-17	450mm*φ9.0
201049-18	450mm*φ10.0
201049-19	450mm*φ11.0
201049-20	450mm*φ12.0

ISO:13485

Drill bits limiter



Order Code	Size
210008-1	φ2.5
210008-8	φ2.8
210008-2	φ3.2
210008-6	φ3.9
210008-3	φ4.0
210008-4	φ4.2
210008-9	φ4.5
210008-5	φ5.0

Drill bit limited wrench




Order Code	Length*Size
210008-7	70mm*SW2.5

Guide



Order Code	Length*Size
210004-1	80mm*φ1.5
210004-13	100mm*φ2.5
210004-14	80mm*φ2.8
210004-3	80mm*φ3.2
210004-4	100mm*φ4.3

Depth gauge



Order Code	Depth	Range
201012-1	40mm	Bone finger
201011-1	60mm	Small fragment
201011-10	90mm	Small fragment
201011-4	120mm	Large fragment

WUYANG MEDICAL
Basic Instruments

ISO:13485

Double ended compression guide



Order Code	Length*Size
201019-1	170mm*φ2.5mm
201019-2	170mm*φ3.2mm

Drill guide




Order Code	Length*Size
209006-1	160mm*φ1.5-2.0
209006-2	160mm*φ2.0-2.7
201020-6	160mm*φ2.5-3.5
201020-1	160mm*φ2.5-4.0
201020-4	160mm*φ3.0-4.0
201020-5	160mm*φ3.2-4.5
201020-3	160mm*φ4.0-5.0
201020-2	160mm*φ4.5-6.5

C type guider



Order Code	Length*Open Size	Size
201020-7	210mm*72mm	3.2/4.5
201020-8	150mm*46mm	2.7/4.0


Countersink drill



Order Code	Length*Head Size	Type
201040	140mm*φ6.0	Small fragment
201041	200mm*φ8.0	Large fragment
209010-1	140mm*φ4.0	Mini
209010-2	200mm*φ5.0	Mini

ISO:13485

Tap



Order Code	Length*Size
209007-1	140mm*HA2.0mm
209007-2	140mm*HA2.7mm
201021-1	150mm*HA3.5mm
201021-2	150mm*HA4.0mm
201021-3	150mm*HA4.5mm
201021-4	150mm*HB4.0mm
201021-5	170mm*HB6.5mm
210002-10	200mm*HC4.0mm
210002-11	200mm*HC5.0mm

Quick tap



Order Code	Length*Size
210002-1	150mm*HA3.5mm
210002-2	150mm*HA4.0mm
210002-3	150mm*HA4.5mm
210002-4	150mm*HA5.0mm
210002-5	150mm*HA6.0mm
210002-6	150mm*HB4.0mm
210002-7	150mm*HB6.5mm
210002-8	150mm*HC4.0mm
210002-9	150mm*HC5.0mm

Tap (AO coupling)




Order Code	Length*Size
210002-12	90mm*HA2.0mm
210002-13	90mm*HA2.7mm
YBT-1010	125mm*HA3.5mm
YBT-2012	150mm*HA4.5mm
210002-14	150mm*HB4.0mm
210002-16	170mm*HB6.5mm
YBT-1007	125mm*HC3.5mm
210002-15	150mm*HC4.0mm
YBT-2011	200mm*HC5.0mm

Hollow tap



Order Code	Length*Size
208002-1	150mm*φ4.0mm
208002-2	150mm*φ4.5mm
208002-3	225mm*φ7.3mm

Hollow tap



Order Code	Length*Size
208002-4	150mm*φ4.0mm
208002-5	150mm*φ4.5mm
208002-6	225mm*φ7.3mm

WUYANG MEDICAL
Basic Instruments

ISO:13485

Finger bone plate bender



Order Code	Length
209009	140mm

Reconstruction plate bender



Order Code	Length
201007-1	200mm

Lower limb plate bender



Order Code	Length
201009	280mm

Plate bender(rib type)



Order Code	Length
201079-1	130mm

Tensional tractive bow



Order Code	Length*Open Size
201037-4	250mm*165mm
201037-5	280mm*175mm
201037-6	315mm*245mm

Semicircular skull tractive bow



Order Code	Size
201038-3	140mm*215mm

Skull tractive bow



Order Code	Length*Open Size
201038-1	135mm*150mm

Skull tractive bow



Order Code	Length*Open Size
201038-2	195mm*190mm

Tractive bow



Order Code	Length*Width
201037-1	160mm*120mm
201037-2	180mm*135mm
201037-3	205mm*160mm

Skull tractive drill bit



Order Code	Length*Size
201038-4	90mm*φ6.0

Bedside traction shelf I




Order Code
201046-1

Brown’ s rack I



Order Code	Length*Size
201046-2	105*22*20cm

Small Fragment Instrument Set (SZ-02)



The details for Small Fragment Instrument Set (SZ-02) Code：211001-3

Seq	Item code	Description	Size	Quantity
1	208014-2	Drill bit	Φ2.5*150	2
2	208014-5	Drill bit	Φ3.0*150	2
3	208011-4	Kirschner wire	Φ1.5*250	2
4	208011-5	Kirschner wire	Φ2.0*250	2
5	201020-1	Drill guide	φ2.5-4.0	1
6	201020-11	Drill guide	φ3.5-4.0	1
7	201011-10	Depth gauge	upper limb 90mm	1
8	204008-2	Double joint Rongeur	straight 240*3	1
9	201033-1	bone hook	small	1
10	201018-4	wire pliers	φ2.5mm	1
11	201025	reduction forceps(straight)	mini	1
12	201024-1	cusp reduction forceps	small	1
13	201027-1	crooked reduction forceps	small	1
14	201034-1	wire threading device	small	1
15	201031-11	hexagon screwdriver(silicone handle)	SW2.5	1
16	201040	Countersink drill(upper limb)	φ6.0	1
17	201029-2/3	Periosteal Stripper	8mm/10mm	1 each
18	201010-1	K-wire bender	1.2 \ 1.5	1
19	201039-10	minimally invasive muscle retractor	20*40	1
20	201039-11	minimally invasive muscle retractor	30*50	1
21	201013-6	wire shears	φ2.0	1
22	201001-6	bone hammer (silicone handle)	300g	1
23	304-0004	square osteotome	10mm	1
24	201007-1	Reconstruction plate bender	universal type	1
25	201028-1	self-locking cusp reduction forceps	small	2
26	WG211001-3	Small Fragment Instrument box (III)		1

WUYANG MEDICAL
Basic Instruments

Large Fragment Instrument Set (XZ-02)



The details for Large Fragment Instrument Set (XZ-02) Code：211002-3

Seq	Item code	Description	Size	Quantity
1	208014-6	Drill bit	3.2*150	2
2	208015-9	Drill bit	4.5*200	2
3	208011-5	Kirschner wire	Φ2.0*250	2
4	208011-6	Kirschner wire	Φ2.5*250	2
5	201020-2	Drill guide	φ4.5-6.5	1
6	201020-5	Drill guide	φ3.2-4.5	1
7	201011-4	Depth gauge	120mm	1
8	204008-2	Rongeur	straight 240*4mm	1
9	304-0005	square osteotome	15mm	1
10	201033-2	bone hook	large	1
11	201018	wire pliers	/	1
12	201024-2	cusp reduction forceps	large	1
13	201027-2	crooked reduction forceps	large	1
14	201034-3	wire threading device	large	1
15	201041	Countersink drill(lower limb)	φ8.0	1
16	201013-4	wire shears	φ3.0mm	1
17	201010-2	K-wire bender	2.0 \ 2.5	1
18	201039-13	minimally invasive muscle retractor	30*70	1
19	201039-14	minimally invasive muscle retractor	40*80	1
20	205009-16	bone curette	5mm	1
21	201001-4	bone hammer (silicone handle)	large	1
22	201030-3/4	Periosteal Stripper (extended)	12mm/16mm	1 each
23	201009	Lower limb plate bender	common type	1
24	201031-13	hexagon screwdriver (silicone handle)	SW3.5mm	1
25	201028-2	self-locking cusp reduction forceps	large	2
26	WG211002-3	Large Fragment Instrument box (III)		1

ISO:13485

Small Fragment Instrument Set-(AO type)



The details for Small Fragment Instrument Set-(AO type) Code：211001-5

Seq	Item code	Description	Size	Quantity
1	208015-14	Drill bit	φ2.5*200	2
2	208015-2/5	Drill bit	φ2.8/φ3.2*200	2 each
3	210008-1	Drill bit limiting stopper	φ2.5	1
4	210008-8	Drill bit limiting stopper	φ2.8	1
5	210008-2	Drill bit limiting stopper	φ3.2	1
6	YBT-1010	Quick tap（AO）	HA3.5	1
7	210002-14	Quick tap（AO）	HB4.0	1
8	YBT-1007	Quick tap（AO）	HC3.5	1
9	210002-15	Quick tap（AO）	HC4.0	1
10	202005-4	slip extractor	SW2.5*150mm	1
11	210001-1	Torque handle（AO）	1.5N/M	1
12	202006-18	hexagon screwdriver	SW2.5*150mm	2
13	201020-11	Drill guide	3.5mm/4.0mm	1
14	201019-1	Double ended compression guide	2.5mm	1
15	210004-14	Locking plate drill sleeve	φ2.8	2
16	210004-3	Locking plate drill sleeve	φ3.2	2
17	201007-1	Reconstruction plate bender	universal type	1
18	201028-1	self-locking cusp reduction forceps	small	2
19	201024-1	cusp reduction forceps	small	1
20	201027-1	crooked reduction forceps	small	1
21	201029-1	Periosteal Stripper	6mm	1
22	201029-2	Periosteal Stripper	8mm	1
23	201002-4	Bone pry (small fragment)	/	1
24	201011-10	Depth gauge(upper limb)	90mm	1
25	WY0201600000	T-shape handle	Iron handle	1
26	202010-1	handle	AO	1
27	BL063	Quick coupler	/	1
28	WG211001-5	Small Fragment Instrument box	SZ-05	1

ISO:13485

Large Fragment Instrument Set-(AO type)




The details for Large Fragment Instrument Set-(AO type) Code：211002-5

Seq	Item code	Description	Size	Quantity
1	208015-5/9	Drill bit	φ3.2/φ4.5*200	2 each
2	208016-5	Drill bit	φ4.2*300	2
3	210008-2/4	Drill bit limiting stopper	φ3.2/φ4.2	1 each
4	210008-9	Drill bit limiting stopper	φ4.5	1
5	210008-7	Drill bit limited wrench	SW2.5	1
6	YBT-2012	Quick tap（AO）	HA4.5	1
7	210002-16	Quick tap（AO）	HB6.5	1
8	YBT-2011	Quick tap（AO）	HC5.0	1
9	201020-12	Drill guide	5.0mm/6.50mm	1
10	202005-5	slip extractor	SW3.5*150mm	1
11	210001-2	Torque handle（AO）	4.0N/M	1
12	202006-19	hexagon screwdriver	SW3.5*150mm	2
13	201009	Lower limb plate bender	common type	1
14	201028-2	self-locking cusp reduction forceps	large	2
15	201024-2	cusp reduction forceps	large	1
16	201027-2	crooked reduction forceps	large	1
17	201030-3	Periosteal Stripper(extended)	12mm	1
18	201030-4	Periosteal Stripper(extended)	16mm	1
19	210004-13	Locking plate drill sleeve	φ2.5	2
20	210004-4	Locking plate drill sleeve	φ4.3	2
21	201011-4	Depth gauge(lower limb)	120mm	1
22	201002-5	Bone pry(lower limb)	/	1
23	WY0201600000	T-shape handle	AO	1
24	202010-1	handle	AO	1
25	BL063	Quick coupler	/	1
26	WG211002-5	Large Fragment Instrument box	XZ-05	1

ISO:13485

Hallux Valgus Osteotomy Instrument






Drill sight
218092-01



Repositor
218092-02



Drill sleeve
218092-03/Φ1.8/80mm
218092-04/Φ1.6/80mm
218092-05/Φ1.3/80mm




Angle aimer
218092-06/25°/60mm
218092-07/30°/60mm



Bone pry
218092-08



Guide needle
208010-3/Φ1.2/150mm
208010-4/Φ1.5/150mm
208010-5/Φ1.8/150mm



Periosteal stripper sharp
218092-09



Periosteal stripper blunt
218092-10



Bone file single head
218092-11




Bone file double head
218092-12



WUYANG MEDICAL
Foot And Hand Surgery Instrument

ISO:13485

Calcaneal Minimally Invasive Instruments



Kirschner wire distraction forceps IV



Hole diameter: Φ1.5-Φ2.5mm

Order Code	Length	Open Size
218093	240mm	4cm-11.6cm

Kirschner wire distraction forceps V



Order Code	Length	Open Size
218094	240mm	4cm-11.6cm

Kirschner Wire



Order Code	Length	Size
218096	200mm	4.0mm

Reduction forceps with ball ring type (asymmetric)



Order Code	Length	Open Size
201060-6	170mm	55mm

ISO:13485

Hole diameter: Φ1.5-Φ2.5mm

DLC Kirschner wire distraction forceps I



Order Code	Length	Open Size
214020-1	190mm	1cm-4.5cm

DLC Kirschner wire distraction forceps II



Order Code	Length	Open Size
214020-2	210mm	4cm-9cm

DLC Kirschner wire distraction forceps III



Order Code	Length	Open Size
214020-3	220mm	9cm-15cm

Hole diameter: Φ1.5-Φ2.5mm

DLC K-wire compression forceps



Order Code	Length	Open Size
214020-4	190mm	1cm-5cm

Kirschner wire distraction forceps I



Order Code	Length	Open Size
218001	190mm	1cm-4.5cm

Kirschner wire distraction forceps II



Order Code	Length	Open Size
218002	210mm	4cm-9cm

ISO:13485

Kirschner wire distraction forceps III



Order Code	Length	Open Size
206010-2	220mm	9cm-15cm


Hole diameter: Φ1.5-Φ2.5mm

K-wire compression forceps




Order Code	Length	Open Size
218003	190mm	1cm-5cm

Multifunction sight type I




Order Code	Length	Size
218077-1	100mm	sight
218077-1-1	100mm	φ1.6
218077-1-2	100mm	φ2.7
218077-1-3	100mm	φ3.2
218077-2	70mm	sight
218077-2-1	70mm	φ1.6
218077-2-2	70mm	φ2.7
218077-2-3	70mm	φ3.2


Multifunction sight type II



Order Code	Length	Description
218078	180mm	Multifunction sight type II




Multifunction sight (version I) demonstration



Multifunction sight(version II) demonstration

Multi-functional ankle kirschner distractor



Order Code	Length	Open Size
218036	210mm	1cm-20cm

Multifunctional K-wire Distractor Instrument Set



The details for Multifunctional Ankle K-wire Distractor Instrument Set Code: 211033

Seq	Item code	Description	Size	Quantity
1	208011-4	kirschner wire	φ1.5*250	2
2	208011-5	kirschner wire	φ2.0*250	2
3	208011-6	kirschner wire	φ2.5*250	2
4	208011-7	kirschner wire	φ3.0*250	2
5	208011-8	kirschner wire	φ3.5*250	2
6	208011-9	kirschner wire	φ4.0*250	2
7	218036-7	sleeve	φ1.5	2
8	218036-1	sleeve	φ2.0	2
9	218036-2	sleeve	φ2.5	2
10	218036-3	sleeve	φ3.0	2
11	218036-4	sleeve	φ3.5	2
12	218036-6	Wrench	100mm	1
13	218036	Multi-functional ankle kirschner distractor	210mm	1
14	WG211033	box	/	1

Joint distraction forceps (smooth surface)



Order Code	Length	Head Width
218007	190mm	10mm

Joint distraction forceps (mesh surface)



Order Code	Length	Head Width
218047	190mm	8mm
218005	190mm	10mm
218006	190mm	17mm

Joint distraction forceps



Order Code	Length	Head Width
218049	190mm	7.5mm

Carpal Distraction forceps



Order Code	Length	Hole diameter
218088	180mm	Φ2.0

Carpal compressor



Order Code	Length	Hole diameter
218089	180mm	Φ2.0

Small joint distraction forceps



Order Code	Length	Hole diameter
218090	120mm	Φ1.2/Φ1.6/Φ2.1

ISO:13485

K-wire compression forceps



Order Code	Length	Hole diameter
218091	120mm	Φ1.2/Φ1.6/Φ2.1

Multi-hook retractor(micro)



Order Code	Length	Size
201004-5	100mm	Micro


Multi-hook retractor(mini)




Order Code	Length	Head Shape
201004-6	100mm	Three teeth
201004-7	100mm	Four teeth

Retractor










Order Code	Length	Head Shape
201004-24	130mm	Three teeth(L)
201004-25	130mm	Three teeth(R)


Order Code	Length	Head Shape
201004-8	110mm	Double teeth(R)
201004-10	110mm	Double teeth(L)

WUYANG MEDICAL
Foot And Hand Surgery Instrument

ISO:13485

Retractor





Order Code	Length	Head Shape
201004-12	130mm	double teeth
201004-14	130mm	double×three teeth
201004-19	130mm	three×four teeth





Order Code	Length	Head Shape
201004-13	100mm	three teeth
201004-32	130mm	three teeth

Double joint multi-hook three teeth×four teeth Retractor



Order Code	Length	Head Shape
201004-20	130mm	three×four teeth
201004-21	200mm	three×four teeth

Double joint multi-hook postcranial Retractor



Order Code	Length	Depth
201004-30	205mm	30mm
201004-31	205mm	40mm

ISO:13485

Mini plate retractor



Order Code	Length	Width	Depth
201039-41	190mm	6mm	20mm
201039-42	190mm	8mm	25mm
201039-43	190mm	8mm	20mm
201039-44	190mm	10mm	25mm
201039-45	190mm	10mm	30mm
201039-46	190mm	15mm	30mm
201039-47	190mm	15mm	35mm

Minimally invasive mini retractor





Order Code	Length	Width	Depth
201039-36	190mm	6mm	20mm
201039-38	190mm	8mm	20mm
201039-48	190mm	10mm	20mm
201039-34	190mm	16mm	20mm
201039-37	190mm	8mm	25mm
201039-39	190mm	10mm	25mm
201039-40	190mm	10mm	30mm

Minimally invasive mini retractor



Order Code	Length	Size
201039-66	110mm	3*10mm
201039-67	110mm	3*15mm
201039-68	110mm	4*10mm
201039-69	110mm	4*15mm

Minimally invasive mini retractor (curve)



Order Code	Length	Size
201039-70	110mm	3*10mm
201039-71	110mm	3*15mm
201039-72	110mm	3*20mm
201039-73	110mm	4*10mm
201039-74	110mm	4*15mm
201039-75	110mm	4*20mm

WUYANG MEDICAL
Foot And Hand Surgery Instrument

ISO:13485

Double ended muscle retractor(teethed)



订货代码 Order Code	长度 Length	规格 Size
201039-58	170mm	20mm*8mm

Double ended muscle retractor



订货代码 Order Code	长度 Length	宽度 Width	深度 Depth	规格 Size
201039-59	190mm	19/11	33/19	直 straight
201039-60	190mm	13/6	20/15	弯 curved

Skin retractor (single tooth)



Order Code	Length	Size
223005-1	140mm	single tooth

Skin retractor (single tooth)



Order Code	Length	Size
223006-1	135mm	10mm
223006-2	138mm	7mm

ISO:13485

Skin retractor (two teeth)




Order Code	Length	Width	Depth
209004	180mm	5mm	5mm

Mini muscle retractor (three teeth)



Order Code	Length	Width	Depth
201039-4	210mm	10mm	7mm

Mini muscle retractor



Order Code	Length	Width	Depth	Description
201039-5	210mm	15mm	7mm	four teeth
201039-76	225mm	24mm	8mm	Wide four teeth

Bone pry



Order Code	Length	Width
209008-3	170mm	5mm
209008-2	170mm	7mm
209008-1	170mm	15mm

WUYANG MEDICAL
Foot And Hand Surgery Instrument

ISO:13485

Periosteal stripper (double ended)



Order Code	Length	Blade Width
209003-1	170mm	3mm
209003-2	170mm	5mm
209003-3	170mm	6/8mm

Periosteal stripper (standard)



Order Code	Length	Size
209003-4	160mm	4mm
209003-5	160mm	5mm
209003-6	160mm	6mm

Periosteal stripper (curved)



Order Code	Length	Angle
209003-7	160mm	90°

Periosteal stripper (round)



Order Code	Length	Size
209003-8	160mm	5mm

ISO:13485

Ball&socket file (concave)



Order Code	Length	Diameter	Head Shape
218031	90mm	14mm	Concave
218032	90mm	16mm	Concave
218033	90mm	18mm	Concave
218034	90mm	20mm	Concave

Ball&socket file (convex)



Order Code	Length	Diameter	Head Shape
218027	90mm	14mm	Convex
218028	90mm	16mm	Convex
218029	90mm	18mm	Convex
218030	90mm	20mm	Convex

Measuring appliance



Order Code	Length	Size
201011-12	170mm	0-40mm
201011-5	/	0-20mm

Bone file



Order Code	Length	L×W×H
201022-2	150mm	60×7×4mm

WUYANG MEDICAL
Foot And Hand Surgery Instrument

ISO:13485

Finger bone reduction forceps



Order Code	Length
209011	165mm

Bone Curette (Cartilage hollow tip oval head)






Order Code	Length	Size
205015-1	4mm	180mm
205015-2	5mm	180mm

Cartilage shovel






Order Code	Length	Blade Width	Size
218025	280mm	8mm	Front
218026	280mm	10mm	Front
218024	280mm	12mm	Front
218038	280mm	15mm	Front
218022	280mm	8mm	Contrary
218023	280mm	10mm	Contrary
218021	280mm	12mm	Contrary
218037	280mm	15mm	Contrary

Osteotome (ankle)





Order Code	Length	Blade Width
218015	165mm	4mm
218016	165mm	6mm
218017	165mm	8mm
218018	165mm	10mm
218019	165mm	15mm
218020-1	165mm	12mm

ISO:13485

Straight osteotome






Order Code	Length	Size
223008-1	140mm	2mm
223008-2	140mm	4mm
223008-3	140mm	6mm

Curved osteotome (positive)





Order Code	Length	Blade Width	Size
223007-1	185mm	6mm	Positive
223007-2	185mm	6mm	Negative

WUYANG MEDICAL
Foot And Hand Surgery Instrument

ISO:13485

Hemostatic clamp (Up curved)



Order Code	Length	Size
301004-3	70mm	large
301004-4	57mm	medium
301004-5	37mm	small

Fine hemostatic forceps





Order Code	Length	Head Shape
301004-1	125mm	Curved full tooth
301004-2	125mm	Straight full tooth

Tissue Forceps





Order Code	Length	Head Shape
301005-1	120mm	without hook
301005-2	120mm	with hook





Order Code	Length
218035	160mm

Surgical Scissors





Order Code	Length	Head Shape
301002-2	160mm	Fine straight tip
301002-1	125mm	Fine curved tip

Needle Holder




Order Code	Length	Size
301003-1	125mm	0.3mm

ISO:13485

Microsurgical Forceps (With emery)






Order Code	Length	Size	Head Shape
302003-1	150mm	0.15mm	Straight Type
302003-3	150mm	0.3mm	Straight Type
302003-2	150mm	0.15mm	Curved Shape
302003-4	150mm	0.3mm	Curved Shape

Microsurgical Forceps (With emery)






Order Code	Length	Size	Head Shape
302003-5	150mm	0.3mm	Straight Platform
302003-6	150mm	0.3mm	Curved Platform

Micro scissors






Order Code	Length	Head Shape
302002-3	140mm	Straight with
302002-1	160mm	Straight with
302002-4	140mm	Curved with teethed
302002-2	160mm	Curved with teethed

Micro needle holder (With emery)







Order Code	Length	Size	Head Shape
302001-3	140mm	0.35mm	Microscopic Straight
302001-1	160mm	0.35mm	Microscopic Straight
302001-4	140mm	0.35mm	Microscopic cuved
302001-2	160mm	0.35mm	Microscopic cuved

WUYANG MEDICAL
Foot And Hand Surgery Instrument

ISO:13485

Ankle Instrument Set (Basic Version)





The details for Ankle Instrument Set

Code：211030

Seq	Item code	Description	Size	Quantity
1	218016	Osteotome (ankle)	6mm	1
2	218018	Osteotome (ankle)	10mm	1
3	218019	Osteotome (ankle)	15mm	1
4	218020-1	Osteotome (ankle)	12mm	1
5	209008-1	Bone pry	large	1
6	209008-2	Bone pry	medium	1
7	209008-3	Bone pry	small	1
8	218035	Tissue Forceps	160mm	1
9	201039-4	Mini muscle retractor	Three teeth	1
10	201039-5	Mini muscle retractor	Four teeth	1
11	209004	Skin retractor	two teeth	2
12	218005	Joint distraction forceps	10mm mesh surface	1
13	218023	Cartilage shovel（contrary）	10mm	1
14	218021	Cartilage shovel（contrary）	12mm	1
15	218026	Cartilage shovel（front）	10mm	1
16	218024	Cartilage shovel（front）	12mm	1
17	218001	kirschner wire distraction forceps	I	1
18	209003-2	Periosteal stripper(double head)	5mm	1
19	WG211030	Ankle Instrument box	/	1

Ankle Instrument Set (ZH-03)



The details for Ankle Instrument Set(ZH-03) Code：211071

Seq	Item code	Description	Size	Quantity
1	218021	cartilage shovel(contrary)	12mm	1
2	218024	cartilage shovel(front)	12mm	1
3	218080	cartilage shovel(contrary)	6mm	1
4	218081	cartilage shovel(front)	6mm	1
5	218016	ankle osteotome	6mm	1
6	218018	ankle osteotome	10mm	1
7	218019	ankle osteotome	15mm	1
8	218020-1	ankle osteotome	12mm	1
9	218020	ankle osteotome	20mm	1
10	201039-4	micro muscle retractor	three teeth	1
11	209004	skin retractor	two teeth	2
12	205009-164	bone curette	front curved/teethed 200*4mm*10°	1
13	205009-124	bone curette	front curved 180*3mm*10°	1
14	218001	kwire distractor	version I	1
15	218049	joint distractor	7.5mm	1
16	209008-2	bone pry	middle	2
17	209008-3	bone pry	small	2
18	209003-2	double ended periosteal stripper	5mm	1
19	201011-6	X-ray ruler	200mm	1
20	218035-1	tissue tweezers	straight 180mm	1
21	WG211071	instrument box	ZH-03	1

WUYANG MEDICAL
Foot And Hand Surgery Instrument


Ankle Instrument Set (ZH-05)



The details for Ankle Instrument Set(ZH-05) Code：211072

Seq	Item code	Description	Size	Quantity
1	218001	kwire distractor	version I	1
2	218002	kwire distractor	version II	1
3	218005	kwire distractor(net face)	10mm	1
4	205009-52	bone curette	180*3mm	1
5	A602019-1	cartilage awl	version I, 20°	1
6	201067	4 claws reduction forceps	straight	1
7	201066-3	self-locking reduction forceps	small	1
8	204005-2	double joint bone ronguer	curved 180*3mm	1
9	201024-8	cusp reduction forceps	145mm*35mm	1
10	207052-4	spinal canal bone impactor	version I, 5*12*110°	1
11	201039-42	mini plate retractor	8*25	1
12	201039-38	mini plate retractor	8*20	1
13	206004	meniscus retractor	version I	1
14	209008-2	bone pry	middle	1
15	209008-3	bone pry	small	1
16	218019	ankle osteotome	15mm	1
17	218016	ankle osteotome	6mm	1
18	218035	tissue tweezers	straight 160mm	1
19	WG211072	instrument box	ZH-05	1

Ankle Instrument Set (Complete Version)



The details for Ankle Instrument Set(Complete Version) Code：211030-1

Seq	Item code	Description	Size	Quantity
1	201057-10	CVT ball cusp reduction forcep	ex-large	1
2	201001-20	Double joint multi-hook Retractor	130mm	1
3	212017-5	reduction forceps	with ball 300mm*140mm	1
4	218017	Osteotome (ankle)	8mm	1
5	218020-1	Osteotome (ankle)	12mm	1
6	218019	Osteotome (ankle)	15mm	1
7	209004	Skin retractor	two teeth	2
8	201039-4	Mini muscle retractor	Three teeth	1
9	201039-5	Mini muscle retractor	Four teeth	1
10	201022-2	Bone File	21mm	1
11	202015	sharp hook	/	1
12	209003-1/2	Periosteal stripper(double head)	3mm/5mm	1
13	218001	kirschner wire distraction forceps	I	1
14	218002	kirschner wire distraction forceps	II	1
15	218003	K-wire compression forceps	1.5-2.5	1
16	218047	Joint distraction forceps	mesh surface 8mm	1
17	201005-9	single hook retractor	with limit	1
18	201024-9	cusp reduction forceps	110*20	1
19	201073	wire logature forceps	/	1
20	201072	phalanx forceps	/	1
21	204049-2	single joint rongeur	180*3mm	1
22	201013-8	oblique shears	small	1
23	201029-1	Periosteal Stripper	6mm	1
24	218035	Tissue Forceps	/	1
25	201039-36/38	Minimally invasive mini retractor	6*20mm/8*20mm	1 each
26	218021/218024	Cartilage shovel	12mm contrary/12mm front	1 each
27	218037/218038	Cartilage shovel	15mm contrary/15mm front	1 each
28		Ankle Instrument box Complete Version	/	1

WUYANG MEDICAL
Foot And Hand Surgery Instrument

Foot And Hand Surgery Instrument Set



The details for Foot And Hand Surgery Instrument Set Code：211047

Seq	Item code	Description	Size	Quantity
1	301004-3/4/5	Hemostatic Clamp(upturn)	70mm/57mm/37mm	2 each
2	301004-1	Hemostatic Clamp(Curved full tooth)	125mm	1
3	301004-2	Hemostatic Clamp(Straight full tooth)	125mm	1
4	301002-1	Surgical Scissors(Fine curved tip)	125mm	2
5	301002-2	Surgical Scissors(Fine straight tip)	160mm	1
6	301005-1	Tissue Forceps(Without hook)	120mm*0.6mm	1
7	301005-2	Tissue Forceps(With hook)	120mm*0.6mm	1
8	301003-1	Needle Holder(Straight)	125mm*0.3mm	1
9	223005-1	Skin retractor(single claw)	/	1
10	209004	Skin retractor	two teeth	1
11	209005	sharp hook	II	1
12	223006-1/2	Skin retractor	single teeth 10mm/7mm	1 each
13	223007-1	Curved osteotome	185*6mm positive	1
14	223007-2	Curved osteotome	185*6mm negative	1
15	209003-1/2	Periosteal Stripper(double head)	3mm/5mm	1 each
16	201039-36	Minimally invasive mini retractor	6*20mm	1
17	201039-37	Minimally invasive mini retractor	8*25mm	1
18	201039-38	Minimally invasive mini retractor	8*20mm	1
19	223008-1/2/3	Osteotome	140*2mm/4mm/6mm	1 each
20	213004	bone hammer(silicone handle)	280g	1
21	204049-2	single joint rongeur	160*3mm	1
22	201004-5	multi-hook mini Retractor	100mm	1
23	205009-52	Bone Curette(Straight)	180*3mm	1
24	WG211047	Foot And Hand Surgery Instrument box	/	1

ISO ISO:13485

Finger Bone Instrument Set



The details for Finger Bone Instrument Set Code: 211008

Seq	Item code	Description	Size	Quantity
1	209015	free handle	110mm	2
2	209016	Torx screwdriver（AO coupling)	T6*90mm	1
3	209017	Torx screwdriver（AO coupling)	T8*90mm	1
4	208013-1	drill bit	φ1.5*110	4
5	208013-2	drill bit	φ2.0*110	4
6	209006-1/2	drill guide	φ1.5-2.0/φ2.0-2.7	1 each
7	210002-12/13	AO coupling tap (HA)	2.0mm/2.7mm	1 each
8	209010-1	countersink drill (mini)	φ4.0	1
9	209010-2	countersink drill (mini)	φ5.0	1
10	209003-1/2	Periosteal Stripper(double head)	3mm/5mm	1 each
11	209004	Skin retractor	two teeth	2
12	209005	sharp hook	II	1
13	209008-3/2/1	Bone Pry	small/medium/large	1 each
14	209009	finger bone plate bender	/	1
15	209012	soft tissue grasping forceps	small	1
16	204049-2	single joint rongeur	160*3mm	1
17	201012-1	Depth gauge	40mm	1
18	201015	wire shears（bevel type)	φ1.2mm	1
19	209002-6	square screwdriver（AO coupling)	90mm	2
20	209002-7	cross screwdriver（AO coupling)	90mm	1
21	209018	screws holding forceps	1.0*80mm	1
22	201024-6	cusp reduction forceps	140*20mm	1
23	203008-4	Osteotome	knurled handle 220*4mm	1
24	209019	screw box	II	1
25	209020	sleeve	2#	1
26	209021	sleeve	3#	1
27	209022	sleeve	4#	1
28	WG211008	Finger Bone Instrument box	/	1

ISO ISO:13485

Spine Screw-rod Instrument

Double head probe
JYY-D213007-21



Single head probe
JYY-D213007-22



Rod-rotating forceps
YBT-018 (SW5.0)



Rod bender（left/right)
JYY-D213007-11-1
JYY-D213007-11-2



Probe
JYY-D213007-04



Straight probe
JYY-D213007-02 (3.2mm)



Rod bender
YBT-142



Pedicle screwdriver
JYY-D213007-24
JYY-D213007-23



Rod-adjusting forceps
YBT-045



Torx screwdriver short
JYY-D213004-13



Torx screwdriver long
JYY-D213007-17



Preloaded wrench
JYY-D213005-16



Tap
JYY-D312007-06 (5.0mm)
JYY-D312007-07 (5.5mm)
JYY-D312007-08 (6.2mm)
JYY-D312007-09 (6.5mm)



Straight probe
JYY-D213007-03 (2.5mm)



Awl
JYY-D213007-01



Ratchet handle
JYY-D213004-42



Counter wrench
JYY-D213007-10



Rod holding forceps
JYY-D213007-13



Torx screwdriver long
JYY-D213004-17 (SW3.5mm)



Tail cap broker
JYY-D213007-05



Templet
YBT-017



Pedicle marker inserter
YBT-027



Alignment tool
JYY-D213007-12



Rod compresser
JYY-D213007-18



T shape handle
JYY-D213004-44



Cross link measurer
JYY-D213007-20



Tail cap broker
YBT-024



Compression forceps
JYY-D213007-15



Distraction forceps
JYY-D213007-16



Spinous process drilling forceps
207055



Vise grip pliers
JYY-D213007-14



Reduction forceps
JYY-D213004-43



Spine Screw-rod Instrument Set II



The details of Spine Screw-rod Instrument Set　　Code：211044

Seq	Item code	Description	Size	Quantity
1	JYY-D213007-06	Tap	φ5.0	1
2	JYY-D213007-07	Tap	φ5.5	1
3	JYY-D213007-08	Tap	φ6.2	1
4	JYY-D213007-09	Tap	φ6.5	1
5	YBT-017	Templet	φ5*300	1
6	JYY-D213007-13	Rod holding forceps	φ6 holes、φ4 holes	1
7	JYY-D213007-14	Vise grip pliers		1
8	JYY-D213007-15	Compression forceps		1
9	JYY-D213007-16	Distraction forceps		1
10	JYY-D213007-04	Probe	curved、pointed square	1
11	JYY-D213007-02	Probe	φ3.2	1
12	JYY-D213007-03	Probe	φ2.5	1
13	JYY-D213007-01	Puncher	four blades	1
14	JYY-D213007-05	Tail cap broker		1
15	JYY-D213007-18	Rod compresser		1
16	YBT-142	Rod bender		1
17	JYY-D213007-12	Alignment tool		1
18	JYY-D213007-21	Double head probe		1
19	JYY-D213007-22	Single head probe		1
20	JYY-D213004-44	T-shape handle		2
21	JYY-D213007-10	Counter wrench		1
22	JYY-D213004-17	Torx screwdriver	SW3.5	1
23	JYY-D213004-42	Rachet handle	straight	2
24	JYY-D213005-16	Preloaded wrench		2
25	YBT-018	Rod-rotating forceps	SW5.0	1
26	JYY-D213004-43	Reduction forceps		1
27	YBT-024	tail cap broker		1
28	JYY-D213007-17	Torx screwdriver long		1
29	JYY-D213004-13	Torx screwdriver short		1
30	JYY-D213007-20	Cross link measurer		1
31	207055	Spinous process drilling forceps		1
32	YBT-045	Rod-adjusting forceps		1
33	JYY-D213007-11-1	Rod bender (left)		1
34	JYY-D213007-11-2	Rod bender (right)		1
35	YBT-027	Pedicle marker inserter		1
36	JYY-D213007-24	Pedicle screwdriver (long)		2
37	JYY-D213007-23	Pedicle screwdriver (short)		2
38		box		1

ISO:13485

Spinal MIS Cannulated Screw Instrument

Dilator
JYY-D213005-06 (I)
JYY-D213005-07 (II)
JYY-D213005-08 (III)



Extended rod
JYY-D213005-12



Tab breaker
JYY-D213005-10



Nut screwdriver
JYY-D213005-16



Rod bending forceps
JYY-D213005-15



Distraction plate (small)
JYY-D213005-23



Screen
JYY-D213005-01



T shape handle
JYY-D213005-02



Hollow open cone
JYY-D213005-29



Hexagon screwdriver
JYY-D213005-03 (SW3.5*290mm)



Hollow tap(silicon handle)
JYY-D213005-24 (5.2mm)
JYY-D213005-25 (5.9mm)
JYY-D213005-26 (6.2mm)



Hollow drill(silicon handle)
JYY-D213005-19 (4mm)



Distraction plate (middle)
JYY-D213005-22



Parallel distracion forceps
JYY-D213005-05



Distraction & compression tool
JYY-D213005-04



Rod setter
JYY-D213005-17



Screwdriver for MIS screw
JYY-D213005-18



Bone hammer
JYY-D213005-11 (560g)



puncture needle
JYY-D213005-09 (2mm)



Distraction plate (large)
JYY-D213005-21




Anti-torque wrench
JYY-D213005-13 (No.1)
JYY-D213005-28 (No.2)



WUYANG MEDICAL
OEM Instrument Set

ISO:13485

Spinal MIS Cannulated Screw Instrument Set



The details of Spinal MIS Cannulated Screw Instrument Set Code: 211034

Seq	Item code	Description	Size	Quantity
1	JYY-D213005-11	Bone hammer	MIS cannulated screw	1
2	JYY-D213005-20	guide needle	Φ1.5*490	6
3	JYY-D213005-06/07/08	Dilator I/Dilator II/Dilator III	/	1 each
4	JYY-D213005-01	Screen	/	1
5	JYY-D213005-10	Tab breaker	/	1
6	JYY-D213005-12	Extended rod	/	2
7	JYY-D213005-15	Rod bending forceps	MIS cannulated screw	1
8	JYY-D213005-17	Rod setter	/	1
9	JYY-D213005-09	Positioning drill sleeve	Φ2	4
10	JYY-D213005-02	T shape handle	hollow	2
11	JYY-D213005-16	Nut screwdriver	/	2
12	JYY-D213005-21/22/23	Distraction plate (large/medium/small)	/	2 each
13	JYY-D213005-04	Distraction & compression tool	/	1
14	JYY-D213005-05	Parallel distracion forceps	MIS cannulated screw	1
15	JYY-D213005-29	Hollow open cone	/	1
16	JYY-D213005-27	Torx screwdriver short	Φ5.6*250mm	1
17	JYY-D213005-14	Torx screwdriver long	Φ5.6*350mm	1
18	JYY-D213005-03	Hexagon screwdriver	SW3.5*290mm	1
19	JYY-D213005-13	Anti-torque wrench 1	/	1
20	JYY-D213005-18	Screwdriver for MIS screw	/	2
21	JYY-D213005-28	Anti-torque wrench 2	/	1
22	JYY-D213005-19	Hollow drill(silicon handle)	Φ4	2
23	JYY-D213005-24/25/26	Hollow tap(silicon handle)	Φ5.2/Φ6.9/Φ6.2	1 each
24	YBT-024	tail cap broker		1
25		box		1

ISO:13485

Anterior Cervical Plate Instrument

Adjustable drill bit
JYY-D213009-04
(12-18mm)



Plate guideneedle
JYY-D213009-13
(φ1.2*1.5)



Distraction nail
JYY-D213009-05
(12mm)



Butterfly hex screwdriver
JYY-D213002-01
(SW2.0mm)



Guide needle
JYY-D213002-09
(φ2.0*10)



Adjustable drill bit adjuster
JYY-D213009-03



Screwdriver with sleeve
JYY-D213009-08
(SW2.5)



Adjustable tap
JYY-D213009-01 (φ4.0*12-18mm)
JYY-D213009-02 (φ4.5*12-18mm)



Puncher
JYY-D213009-09
(φ2*6)



Distraction bolt screwdriver
JYY-D213009-06



Depth gauge
JYY-D213008-14



Quick-change handle
JYY-D213008-08
(AO interface)



Guider
JYY-D213009-10
(universal)



Cervical retractor
206002-4 (15mm)
206002-5 (18mm)



Cervical retractor (double direction)
JYY-D213009-07



Plate holding forceps
JYY-D213009-11



Plate bending forceps
JYY-D213009-12



Plate and screw box
JYY-D213009-14



WUYANG MEDICAL
OEM Instrument Set

ISO:13485

Anterior Cervical Plate Instrument Set



The details of Anterior Cervical Plate Instrument Set Code: 211055

Seq	Item code	Description	Size	Quantity
1	JYY-D213009-01	Adjustable tap	φ4.0*12-18mm	1
2	JYY-D213009-02	Adjustable tap	φ4.5*12-18mm	1
3	JYY-D213009-03	Adjustable drill bit adjuster	φ2.4	1
4	JYY-D213009-04	Adjustable drill bit	12-18mm	1
5	JYY-D213009-05	Distraction nail	12mm	2
6	JYY-D213009-06	Distraction bolt screwdriver	/	1
7	JYY-D213009-07	Cervical retractor (double direction)	/	1
8	JYY-D213009-08	Screwdriver with sleeve	SW2.5	2
9	JYY-D213009-09	Puncher	φ2*6	1
10	JYY-D213009-10	Guider	universal	1
11	JYY-D213009-11	Plate holding forceps	/	1
12	JYY-D213009-12	Plate bending forceps	/	1
13	JYY-D213009-13	Plate guideneedle	φ1.2*1.5	1
14	JYY-D213009-14	Plate and screw box	/	1
15	206002-4	Cervical retractor	15mm	1
16	206002-5	Cervical retractor	18mm	1
17	JYY-D213002-01	Butterfly hex screwdriver	SW2.0	1
18	JYY-D213002-09	Guide needle	φ2.0*10	2
19	JYY-D213008-14	Depth gauge	/	1
20	JYY-D213008-08	Quick-change handle	AO interface	1
21		Anterior Cervical Plate Instrument Set		1

Posterior Cervical Screw-Rod Instrument

Template rod
JYY-D213003-13
(φ3.0*200)



Sleeve
JYY-D213008-07



Alignment tool
JYY-D213008-17



Marker inserter
WY-Y002



Open cone
JYY-D213008-02



Open cone (three blades)
JYY-D213008-01



Anti rotation wrench
JYY-D213008-19



Hook holding forceps
JYY-D213008-11



Rod bending forceps
JYY-D213003-09




Rod bender (left/right)
JYY-D213008-10



Marker inserter
JYY-D213003-02



Hexagon screwdriver
JYY-D213008-04 (SW2.5)
JYY-D213003-01 (SW2.5)



Tap
JYY-D213008-12 (HB3.5mm)
JYY-D213008-13 (HB4.0mm)



Polyaxial screwdriver
JYY-D213008-15



Lamina hook probe
JYY-D213008-16



Rod cutting forceps
FJQ04232



Distraction forceps
YBT-162



Compression forceps
JYY-D213003-07



Pedicle probe (single head)
JYY-D213008-03



Straight probe (double head)
JYY-D213007-21



Drill bit
JYY-D213008-05
(φ2.2)



Quick-change handle
JYY-D213008-08
(AO interface)



Depth Meter
JYY-D213008-14



Adjustable drill guide
JYY-D213008-06



Rod holding forceps
JYY-D213003-06-1



Rod setter (rod holding forceps)
JYY-D213008-18



Gun-type reduction forceps
JYY-D213003-21



Screw box
JYY-D213008-09



WUYANG MEDICAL
OEM Instrument Set

Posterior Cervical Screw-Rod Instrument Set



The details of Posterior Cervical Screw-Rod Instrument Set Code: 211056

Seq	Item code	Description	Size	Quantity
1	JYY-D213008-01	Open cone	three blades	1
2	JYY-D213008-02	Open cone	flat	1
3	JYY-D213007-21	Straight probe	double head	1
4	JYY-D213008-03	Pedicle probe	single head	1
5	JYY-D213003-13	Template rod	φ3.0*200	1
6	JYY-D213008-04	Transverse screwdriver	SW2.5	1
7	JYY-D213003-01	Hexagon screwdriver	SW2.5	1
8	JYY-D213003-02	Marker inserter	SW2.5	2
9	JYY-D213008-05	Drill bit	φ2.2	2
10	JYY-D213008-06	Adjustable drill guide	/	1
11	JYY-D213008-07	Sleeve	/	1
12	JYY-D213008-08	Quick-change handle	/	2
13	JYY-D213008-09	Screw box	/	1
14	JYY-D213008-10	Rod bender (left/right)	/	1 each
15	JYY-D213008-11	Hook holding forceps	/	1
16	JYY-D213008-18	Rod setter (rod holding forceps)	/	1
17	JYY-D213003-06-1	Rod holding forceps	/	1
18	JYY-D213003-07	Compression forceps	/	1
19	WY-Y002	pedicle Marker inserter	/	1
20	WY-Y010	pedicle Marker cylindrical	/	5
21	WY-Y011	pedicle Marker spherical	/	5
22	JYY-D213008-12	Tap	HB3.5	1
23	JYY-D213008-13	Tap	HB4.0	1
24	JYY-D213008-14	Depth Meter	/	1
25	JYY-D213008-15	Polyaxial screwdriver	/	2
26	JYY-D213008-16	Lamina hook probe	/	1
27	JYY-D213008-17	Alignment tool	/	1
28	JYY-D213003-09	Rod bending forceps	/	1
29	FJQ04232	Rod cutting forceps	/	1
30	YBT-162	Distraction forceps	/	1
31	JYY-D213003-21	Gun-type reduction forceps	/	1
32	JYY-D213008-19	Anti rotation wrench	/	1
33		box	/	1

ISO:13485

Lumbar Interbody Fusion Cage Instrument

Hollow vertebral dics reamer
219005-1 (7.5-6.5mm)
219005-2 (8.5*7.5mm)
219005-3 (9.5*8.5mm)
219005-4 (10.5*10mm)



Toothed bone curette
205009-34 (8mm)



Templet
219007-1 (8*20,22,26)
219007-2 (10*20,22,26)
219007-3 (12*20,22,26)



Round hollow bone curette
219006-1 (7mm)
219006-2 (8mm)
219006-3 (9mm)



Impactor
219010 (165mm)



Expander
219008 (24*6)



Intervertebral disk scraper
205010-2
Front bending 8mm



Spinal canal impactor
207052-1 (4*10*90°)



Nerve root retractor
207047-6 (135°*4mm)
207047-8 (135°*8mm)



Vertebral push osteotome
219003 (8mm)



Osteotome
219009-1 (7.5mm)
219009-2 (10mm)



Lumbar cage holder
219004 (310mm)



Nucleus pulposus chisel
203010-1 (6.5*4.5)
203010-2 (8.5*6.5)



Periosteal nerve stripper
219011 (9mm*100mm)



Slide hammer
219012



Bone grafting impactor
219002 (200mm)




Bone grafting desk
219001 (35mm*58mm)



ISO:13485

Lumbar Interbody Fusion Cage Instrument Set



The details of Lumbar Interbody Fusion Cage Instrument set Code: 211036

Seq	Item code	Description	Size	Quantity
1	219007-1	Templet	8*20,22,26	1
2	219007-2	Templet	10*20,22,26	1
3	219007-3	Templet	12*20,22,26	1
4	207052-1	Spinal canal impactor	4*10*90°	1
5	219012	Slide hammer		1
6	219008	Expander	24*6	1
7	219010	Impactor	165mm	1
8	203010-1	Nucleus pulposus chisel	ellipse 6.5*4.5	1
9	203010-2	Nucleus pulposus chisel	ellipse 8.5*6.5	1
10	219003	Vertebral plate osteotome	8mm	1
11	219009-1	Osteotome	7.5mm	1
12	219009-2	Osteotome	10mm	1
13	205010-2	Intervertebral disk scraper	front bending 8mm	1
14	207047-8	Nerve root retractor	135°*8	1
15	207047-6	Nerve root retractor	135°*4	1
16	219002	Bone grafting impactor	200mm	1
17	219004	Lumbar spine holder	310mm	1
18	205009-34	Toothed bone curette	8mm	1
19	219001	Bone grafting desk	35mm*58mm	1
20	219005-1	Hollow vertebral dics reamer	7.5*6.5mm	1
21	219005-2	Hollow vertebral dics reamer	8.5*7.5mm	1
22	219005-3	Hollow vertebral dics reamer	9.5*8.5mm	1
23	219005-4	Hollow vertebral dics reamer	10.5*10mm	1
24	219011	Periosteal nerve stripper	100mm*9mm	1
25	219006-1/2/3	Round hollow bone curette	7mm/8mm/9mm	1
26		box		1

ISO:13485

Flexible Intramedullary Nail Instrument

Impactor
221002-1 (Type I)
221002-2 (Type II)



Drill bit
208015-1 (2.7*200mm)
208015-5 (3.2*200mm)
208015-9 (4.5*200mm)



Bender
221007-1 (Type I)
221007-2 (Type II)



Bender
221001



Joint level for hammer 001
221009



Drill guide
201020-5 (3.2mm/4.5mm)



Wrench
221008



Flexible intramedullary nail puncher
221004



Sliding hammer
221010



Rod cutter
221005



Self locking wrench I
221003



Intramedullary needle holding forceps
221006




WUYANG MEDICAL
OEM Instrument Set

ISO:13485

Flexible Intramedullary Nail Instrument Set






The details of Flexible Intramedullary Nail Instrument set Code: 211032

Seq	Item code	Description	Size	Quantity
1	208014-3	Drill bit	Φ2.7*150	1
2	208014-6	Drill bit	Φ3.2*150	1
3	208015-9	Drill bit	Φ4.5*200	1
4	221010	Sliding hammer	450g	1
5	221001	Bender	III	2
6	221004	open cone	Flexible intramedullary nail	1
7	221005	Rod cutter	φ2.5/3.0/4.0	1
8	221007-1	Bender	I	1
9	221007-2	Bender	II	1
10	221008	Wrench	120mm	1
11	221003	Self locking wrench	I	1
12	221009	connecting rod	280mm	1
13	221002-1	Impactor	I	1
14	221002-2	Impactor	II	1
15	221006	Intramedullary needle holding forceps		1
16	201020-5	Drill guide	Φ3.2-Φ4.5	1
17	WG211032	Flexible Intramedullary Nail Instrument Kit		1

ISO:13485

Small Fragment Instrument Set (SZ-01)



The details of Small Fragment Instrument set (SZ-01) Code：211001-2

Seq	Item code	Description	Size	Quantity
1	201021-2	tap	HB4.0	1
2	201021-1	tap	HA3.5	1
3	208014-2	Drill bit	φ2.5*150	2
4	208014-6	Drill bit	φ3.0*150	2
5	201020-1	Drill guide	φ2.5-4.0	1
6	201020-11	Drill guide	φ3.5-4.0	1
7	201011-10	depth gauge	upper limb 90mm	1
8	201024-1	cusp reduction forceps	small	1
9	201029-1/2	periosteal stripper	6mm/8mm	1 each
10	201042-3	broken nail hollow saw (T-type)	φ4.0mm	1
11	201040	countersink drill (upper limb)	φ6.0	1
12	201027-1	crooked reduction forceps	small	1
13	201019-1	double ended compression guide	2.5mm	1
14	201007-1	reconstruction plate bender	universal type	1
15	201043-1	slip extractor(T-type)	SW2.5	1
16	201028-1	self-locking cusp reduction forceps	small	2
17	201031-11	hexagon screwdriver	SW2.5	1
18	WG211001-2	Small Fragment Instrument box		1

WUYANG MEDICAL
OEM Instrument Set

ISO:13485

Large Fragment Instrument Set (XZ-01)



The details of Large Fragment Instrument set (XZ-01) Code：211002-2

Seq	Item code	Description	Size	Quantity
1	201021-3	tap	HA4.5	1
2	201021-5	tap	HB6.5	1
3	208015-5	Drill Bit	Φ3.2*200	2
4	208015-9	Drill Bit	Φ4.5*200	2
5	201020-2	Drill guide	φ4.5-6.5	1
6	201020-5	Drill guide	φ3.2-4.5	1
7	201011-4	depth gauge	120mm (lower limb)	1
8	201027-2	crooked reduction forceps	large	1
9	201024-2	cusp reduction forceps	large	1
10	201041	countersink drill(lower limb)	φ8.0	1
11	201019-2	double ended compression guide	3.2mm	1
12	201009	Lower limb plate bender	common type	1
13	201030-3	Periosteal Stripper (extended)	12mm	1
14	201030-4	Periosteal Stripper (extended)	16mm	1
15	201043-3	self-locking cusp reduction forceps	SW3.5	1
16	201042-5	slip extractor(T-type)	φ6.0	1
17	201028-2	broken nail hollow saw (T-type)	large	2
18	201031-13	hexagon screwdriver	SW3.5mm	1
19	WG211002-2	Large Fragment Instrument box		1

ISO:13485

Small Fragment Instrument Set (SZ-03)




The details of Small Fragment Instrument set (SZ-03) Code：211001-4

Seq	Item code	Description	Size	Quantity
1	208014-5	Drill Bit	Φ3.0*150	2
2	208014-2	Drill Bit	Φ2.5*150	2
3	201020-1	Drill guide	φ2.5-4.0	1
4	201020-11	Drill guide	φ3.5-4.0	1
5	201011-10	depth gauge	small	1
6	202006-3	hexagon screwdriver	upper limb 90mm	1
7	210002-1	quick tap	SW2.5*150mm	1
8	210002-6	quick tap	HA3.5	1
9	201029-4	periosteal stripper	HB4.0	1
10	201029-1	periosteal stripper	12mm	1
11	201007-1	plate bender	6mm	1
12	202001-3	broken nail hollow saw	universal type	1
13	202005-1	slip extractor	4.0mm*150mm	1
14	201027-1	crooked reduction forceps	SW2.5*150	1
15	201024-1	cusp reduction forceps	small	1
16	201019-1	double ended compression guide	small	1
17	202010	Handle	2.5mm	1
18	202009	T-shape Handle	/	1
19	208019-1	countersink drill（hollow）	/	1
20	201028-1	self-locking cusp reduction forceps	Φ6.0	1
21	201031-11	hexagon screwdriver	small	1
22	WG211001-4	Small Fragment Quick Connect Instrument Kit	SW2.5	1

WUYANG MEDICAL
OEM Instrument Set

ISO:13485

Large Fragment Instrument Set (XZ-03)



The details of Large Fragment Instrument set (XZ-03) Code：211002-4

Seq	Item code	Description	Size	Quantity
1	208014-6	Drill Bit	Φ3.2*150	2
2	208015-9	Drill Bit	Φ4.5*200	2
3	201020-5	Drill guide	φ3.2-4.5	1
4	201020-2	Drill guide	φ4.5-6.5	1
5	201011-4	depth gauge	120mm(lower limb)	1
6	202009	T-shape Handle		1
7	210002-7	quick tap	HB6.5	1
8	210002-3	quick tap	HA4.5	1
9	202006-5	hexagon screwdriver	SW3.5×150	1
10	201024-2	cusp reduction forceps	large	1
11	202001-6	broken nail hollow saw	φ6.5*150mm	1
12	202005-2	slip extractor	SW3.5*150	1
13	201027-2	crooked reduction forceps	large	1
14	202010	Handle		1
15	201019-2	double ended compression guide	3.2mm	1
16	201030-2	Periosteal Stripper (extended)	10mm	1
17	201030-4	Periosteal Stripper (extended)	16mm	1
18	201041-2	countersink drill（hollow）	φ8.0	1
19	201009	lower limb plate bender	common type	1
20	201028-2	self-locking cusp reduction forceps	large	1
21	201031-13	hexagon screwdriver	SW3.5mm	1
22	WG211002-4	Large Fragment Quick Connect Instrument box		1

Small Fragment Instrument Set (SZ-04)



The details of Small Fragment Instrument set (SZ-04) Code：211014

Seq	Item code	Description	Size	Quantity
1	208015-5	Drill Bit	Φ3.2*200	2
2	208015-2	Drill Bit	Φ2.8*200	2
3	208015-14	Drill Bit	Φ2.5*200	2
4	201020-11	Drill guide	Φ3.5--Φ4.0	1
5	201011-10	depth gauge	upper limb 90mm	1
6	210002-1	quick tap	HA3.5	1
7	202006-3	hexagon screwdriver	SW2.5×150	1
8	208006-6	guide needle thread type	Φ1.5*250	2
9	202010	Handle		1
10	210001-1	torque handle	1.5N\M	1
11	201029-1	periosteal stripper	6mm	1
12	210008-2	drill bit limiting stopper	Φ3.2	1
13	210008-8	drill bit limiting stopper	Φ2.8	1
14	210008-1	drill bit limiting stopper	Φ2.5	1
15	202005-1	slip extractor	SW2.5*150	1
16	202001-3	broken nail hollow saw	4.0mm*150mm	1
17	210004-3	Locking plate drill sleeve	Φ3.2	2
18	208002-4	quick tap	HC4.0	1
19	201019-1	double ended compression guide	2.5mm	1
20	202030-1	T-shape Handle（small）	\	1
21	210005-1	Locking plate pull-push drill	Φ3.0	1
22	210008-7	drill bit limiting wrench	SW2.5	1
23	/	screw box		1
24	WG211014	Small Fragment Locking Plate Instrument box		1

WUYANG MEDICAL
OEM Instrument Set

Large Fragment Instrument Set (XZ-04)



The details of Large Fragment Instrument set (XZ-04) Code：211015

Seq	Item code	Description	Size	Quantity
1	208015-8	Drill Bit	Φ4.2*200	2
2	208015-5	Drill Bit	Φ3.2*200	2
3	201020-3	Drill guide	Φ4.0--Φ5.0	1
4	201011-4	depth gauge	120mm(lower limb)	1
5	210002-3	quick tap	HA4.5	1
6	202006-5	hexagon screwdriver	SW3.5×150	1
7	208006-4	guide needle thread type	Φ2.0*250	2
8	202010	Handle		1
9	210004-13	Locking plate drill sleeve	Φ2.5	1
10	210004-4	Locking plate drill sleeve	Φ4.3	1
11	210008-4	drill bit limiting stopper	Φ4.2	1
12	210008-2	drill bit limiting stopper	Φ3.2	1
13	210001-2	torque handle	4.0N\M	1
14	202001-6	broken nail hollow saw	φ6.5*150mm	1
15	2020005-2	slip extractor	SW3.5*150	1
16	210002-9	quick tap	HC5.0	1
17	201019-2	double ended compression guide	3.2mm	1
18	210005-2	Locking plate pull-push drill	Φ4.0	1
19	213002	Combination drill quide	Φ6.0（3.1）	1
20	201030-4	Periosteal Stripper (extended)	16mm	1
21	210008-7	drill bit limiting wrench	SW2.5	1
22	202030-1	T-shape Handle（small）	/	1
23	/	screw box		1
24	WG211015	Large Fragment Locking Plate Instrument Kit		1

ISO:13485

Small Fragment Instrument Set (SZ-06)



The details of Small Fragment Instrument set (SZ-06) Code：211014-1

Seq	Item code	Description	Size	Quantity
1	208015-5	drill bit	Φ3.2*200	2
2	208015-2	drill bit	Φ2.8*200	2
3	208015-14	drill bit	Φ2.5*200	2
4	210008-1	drill bits stopper	Φ2.5	1
5	210008-8	drill bits stopper	Φ2.8	1
6	210008-2	drill bits stopper	Φ3.2	1
7	210008-7	wrench for drill bits stopper	SW2.5	1
8	210004-14	locking plate drill sleeve	Φ2.8	2
9	210004-3	locking plate drill sleeve	Φ3.2	2
10	208002-8	locking tap	HC4.0	1
11	210002-1	tap	HA3.5	1
12	202006-3	screwdriver	SW2.5×150	1
13	201020-11	guider	Φ3.5--Φ4.0	1
14	201019-1	double ended compression drill guide	2.5mm	1
15	202030	T shape handle		1
16	210001-1	torque hande	1.5N\M	1
17	201029-1	periosteal stripper	6mm	1
18	201011-10	depth gauge	90mm	1
19	201032-11	star screwdriver	T15（φ3.4）	1
20	WG211014-1	screw box+instrument box		1

WUYANG MEDICAL
OEM Instrument Set

ISO:13485

Large Fragment Instrument Set (XZ-06)



The details of Large Fragment Instrument set (XZ-06) Code：211015-1

Seq	Item code	Description	Size	Quantity
1	208015-8	drill bit	Φ4.2*200	2
2	208015-5	drill bit	Φ3.2*200	2
3	210008-2	drill bits stopper	Φ3.2	1
4	210008-4	drill bits stopper	Φ4.2	1
5	210008-7	wrench for drill bits stopper	SW2.5	1
6	210002-9	locking tap	HC5.0	1
7	210002-3	tap	HA4.5	1
8	202006-5	hexagon screwdriver	SW3.5×150	1
9	202030	T shape handle		1
10	201020-3	guider	Φ4.0--Φ5.0	1
11	201019-2	double ended compression drill guide	3.2mm	1
12	201030-4	extended periosteal stripper	16MM	1
13	210001-2	torque hande	4.0N\M	1
14	201011-4	depth gauge	120mm	1
15	210004-13	locking plate drill sleeve	Φ2.5	2
16	210004-4	locking plate drill sleeve	Φ4.3	2
17	201032-12	star screwdriver	T25（φ4.5）	1
18	WG211015-1	screw box+instrument box		1

ISO:13485

Cannulated Screw Instrument

Countersink drill
201041-1 (140mm*φ6.0)
201041-2 (200mm*φ8.0)



Hollow countersink drill
208019-1 (140mm*φ6.0)
208019-2 (200mm*φ8.0)



Hollow countersink drill
208018-1 (140mm*φ6.0)
208018-2 (200mm*φ8.0)



Locking plate pull-push drill
210005-1 (165*3.0mm)
210005-2 (185*4.0mm)



Cleaning guide needle
208008-1 (230mm*φ1.5)
208008-2 (230mm*φ2.5)



Quide needle depth gauge
208007-1 (150mm)
208007-2 (250mm)



Combination drill quide
208004-3 (φ4.0)
208004-1 (φ4.5)
208004-2 (φ7.3)



Parallel guide
208005 (φ2.5)



Multi-hole drill guide
208003 (180mm*φ2.5)



ISO:13485

4.0/4.5 Cannulated Screw Instrument Set



The details of 4.0/4.5 Cannulated Screw Instrument Set Code: 211009-1

Seq	Item code	Description	Size	Quantity
1	208010-3	kirschner wire	Φ1.2*150	5
2	208010-4	kirschner wire	Φ1.5*150	5
3	202006-3	hexagon screwdriver	SW2.5×150	1
4	202006-4	hexagon screwdriver	SW3.0×150	1
5	208017-2	hollow drill bit	Φ2.7	1
6	208017-3	hollow drill bit	Φ3.2	1
7	208004-3	Combination drill quide	Φ4.0	1
8	208004-1	Combination drill quide	Φ4.5	1
9	208006-2	guide needle thread type	Φ1.2*150	5
10	208006-3	guide needle thread type	Φ1.5*150	5
11	208008-4	Cleaning guide needle	Φ1.2	1
12	208008-1	Cleaning guide needle	Φ1.5	1
13	210008-8	drill bit limiting stopper	Φ2.8	1
14	210008-2	drill bit limiting stopper	Φ3.2	1
15	202005-1	slip extractor	SW2.5×150mm	1
16	202005-2	slip extractor	SW3.5×150mm	1
17	208007-1	Quide needle depth gauge	150	1
18	208001-2	hexagon screwdriver(hollow)	SW2.5	1
19	208001-3	hexagon screwdriver(hollow)	SW3.0	1
20	208002	T-type Handle(hollow)	Quick	1
21	208002-4	Quick hollow tap	HBΦ4.0	1
22	208002-5	Quick hollow tap	HBΦ4.5	1
23	208019-1	Hollow countersink drill	Φ6.0	1
24	210008-7	drill bit limiting wrench	SW2.5	1
25	202010-2	Handle(hollow)		1
26	/	Handle(hollow)		1
27	WG211009-1	4.0/4.5 Cannulated Screw Instrument box		1

ISO 13485

7.3 Cannulated Screw Instrument Set



The details of 7.3 Cannulated Screw Instrument Set Code: 211009-2

Seq	Item code	Description	Size	Quantity
1	208011-6	kirschner wire	Φ2.5*250	5
2	208006-5	kirschner wire thread type	Φ2.5*250	5
3	208004-2	Combination drill quide	Φ7.3	1
4	208003	Multi-hole drill guide		1
5	208005	Parallel guide		1
6	202006-6	hexagon screwdriver	SW4.0×150	1
7	208017-6	hollow drill bit	Φ5.0	1
8	208008-2	Cleaning guide needle	Φ2.5	1
9	202019-3	slip extractor	SW4.0*150	1
10	210008-5	drill bit limiting stopper	Φ5.0	1
11	208007-2	Quide needle depth gauge	250	1
12	208002	T-type Handle(hollow)	Quick	1
13	208002-6	Quick hollow tap	Φ7.3	1
14	208019-2	Hollow countersink drill	Φ8.0	1
15	210008-7	hexagon screwdriver(hollow)	SW2.5	1
16	202010-2	drill bit limiting wrench		1
17	208001-10	Handle(hollow)	SW4.0	1
18	/	hexagon screwdriver(hollow)		1
19	WG211009-2	7.3 Cannulated Screw Instrument box		1

ISO 13485

Small fragment screw box(hollow)



Order Code	Length*Width*Height
211007-5	220mm*115mm*75mm

Large fragment screw box(hollow)



Order Code	Length*Width*Height
211007-6	270mm*110mm*100mm

Small fragment screw box

Type I Type II



Order Code	Length*Width*Height	Type
211006-1	200mm*115mm*55mm	Type I
211006-2	300mm*175mm*60mm	Type II

Large fragment screw box

Type I Type II



Order Code	Length*Width*Height	Type
211007-1	235mm*165mm*100mm	Type I
211007-2	300mm*175mm*90mm	Type II

ISO:13485

Spinal MIS Screw Box (With Silicon Inside)




Order Code	Length*Width*Height
211007-21	315mm*155mm*180mm

Spinal MIS Screw Box



Order Code	Length*Width*Height
211007-22	315mm*155mm*180mm

Spine Screw Box



Order Code	Length*Width*Height
211007-8	345mm*265mm*110mm

K-wire box



Code No.
211007-9

WUYANG MEDICAL
Screw Box

ISO:13485

Screw Box



Order Code	Length*Width*Height	Size
211007-11	205mm*80mm*36mm	2.0
211007-12	205mm*80mm*36mm	2.5
211007-13	205mm*80mm*36mm	2.7
211007-14	205mm*80mm*36mm	2.9
211007-15	205mm*80mm*36mm	2.0/2.5
211007-16	205mm*80mm*36mm	2.3/2.7
211007-10	205mm*80mm*36mm	2.4/2.7

2.4/2.7 Screw Box



Order Code	Length*Width*Height
211007-20	230mm*120mm*65mm

Small fragment Locking Screw Box



Order Code	Length*Width*Height
211007-17	310mm*150mm*70mm

Large fragment Locking Screw Box



Order Code	Length*Width*Height
211007-18	330mm*150mm*120mm

WUYANG MEDICAL
Screw Box

ISO 13485

Small/large fragment screw box



Order Code	Length*Width*Height
211007-19	230mm*175mm*105mm

Disinfection Box without lid



Order Code	Length*Width*Height
211048-2	480mm*255mm*80mm
211048-3	340mm*250mm*70mm
211048-4	300mm*200mm*70mm
211048-7	510mm*260mm*80mm
211048-5	400mm*240mm*70mm

Disinfection Box(with lid)



Order Code	Length*Width*Height
211048	365mm*220mm*70mm
211048-1	545mm*250mm*80mm
211048-6	480mm*250mm*80mm