
五洋医疗
WUYANG MEDICAL

ISO
ISO:13485





椎板咬骨钳系列
Kerrison Rongeur Series

髓核钳系列
Nucleus Pulposus Clamps Series


合肥市五洋医疗器械有限公司
HEFEI WUYANG MEDICAL INSTRUMENT CO., LTD

WUYANG MEDICAL

椎板咬骨钳(DLC拆卸式)
Kerrison Rongeur(DLC demountable)

手柄颜色区分，
Handle color differentiation，


快速识别不同尺寸
quick identification of different sizes



订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204048-64	220mm*1.0mm*90°	204048-69	220mm*1.0mm*110°	204048-74	220mm*1.0mm*130°
204048-65	220mm*2.0mm*90°	204048-70	220mm*2.0mm*110°	204048-75	220mm*2.0mm*130°
204048-66	220mm*3.0mm*90°	204048-71	220mm*3.0mm*110°	204048-76	220mm*3.0mm*130°
204048-67	220mm*4.0mm*90°	204048-72	220mm*4.0mm*110°	204048-77	220mm*4.0mm*130°
204048-68	220mm*5.0mm*90°	204048-73	220mm*5.0mm*110°	204048-78	220mm*5.0mm*130°
204048-79	260mm*1.0mm*90°	204048-84	260mm*1.0mm*110°	204048-89	260mm*1.0mm*130°
204048-80	260mm*2.0mm*90°	204048-85	260mm*2.0mm*110°	204048-90	260mm*2.0mm*130°
204048-81	260mm*3.0mm*90°	204048-86	260mm*3.0mm*110°	204048-91	260mm*3.0mm*130°
204048-82	260mm*4.0mm*90°	204048-87	260mm*4.0mm*110°	204048-92	260mm*4.0mm*130°
204048-83	260mm*5.0mm*90°	204048-88	260mm*5.0mm*110°	204048-93	260mm*5.0mm*130°

椎板咬骨钳
Kerrison Rongeur

专家重点推荐产品
Key products recommended by experts



反口T槽设计、退屑、锁紧、导向一步完成。
One step completion of reverse T-slot design, chip removal, locking and guiding.

360°全方位旋转，
360 all-round rotation,
正口、斜口、反口，
front mouth, obliquemouth,
reverse mouth,
一把椎板钳全部解决
one rongeur can solve all.

高性能、原装进口钢材，
High performance, original imported steel,
优异的耐腐性能和韧性，
excellent corrosion resistance and toughness,
出色的剪切效果。
excellent shear effect.

快装结构：
Quick assembling structure:
清洗、消毒无死角，
easy cleaning and disinfection,
一把手柄，多规格钳身，
one handle with multi selection for body,
节约成本。
cost saving.


特有倒梯形槽设计，
Unique inverted trapezoid groove design
让钳身告别”抬头”。
to make the operation much convenient.


DLC陶瓷涂层，高耐腐，
DLC ceramic coating, highcorrosion resistance,
高抗磨、超高表面硬度（HRC70°）。
high wear resistance, super highsurface hardness (HRC70).

DLC旋转椎板钳钳柄I型 (204047-16)
DLC handle, version I (204047-16)

WUYANG MEDICAL

椎板咬骨钳(DLC标准型Z型)
Kerrison Rongeur (DLC Standard Z-shape)






订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	角度 Angle
204048-16	250mm*2.0mm	90°
204048-17	250mm*3.0mm	90°
204048-18	250mm*4.0mm	90°
204048-19	250mm*5.0mm	90°
204048-20	250mm*2.0mm	110°
204048-21	250mm*3.0mm	110°
204048-22	250mm*4.0mm	110°
204048-23	250mm*5.0mm	110°
204048-24	250mm*2.0mm	130°
204048-25	250mm*3.0mm	130°
204048-26	250mm*4.0mm	130°
204048-27	250mm*5.0mm	130°

WUYANG MEDICAL

椎板咬骨钳(DLC Z型左弯)

Kerrison Rongeur (DLC Z-shape left)



订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204048-40	250mm*2.0mm*90°
204048-41	250mm*3.0mm*90°
204048-42	250mm*4.0mm*90°
204048-43	250mm*5.0mm*90°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204048-44	250mm*2.0mm*110°
204048-45	250mm*3.0mm*110°
204048-46	250mm*4.0mm*110°
204048-47	250mm*5.0mm*110°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204048-48	250mm*2.0mm*130°
204048-49	250mm*3.0mm*130°
204048-50	250mm*4.0mm*130°
204048-51	250mm*5.0mm*130°

WUYANG MEDICAL

椎板咬骨钳(DLC Z型右弯)

Kerrison Rongeur (DLC Z-shape right)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204048-52	250mm*2.0mm*90°
204048-53	250mm*3.0mm*90°
204048-54	250mm*4.0mm*90°
204048-55	250mm*5.0mm*90°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204048-56	250mm*2.0mm*110°
204048-57	250mm*3.0mm*110°
204048-58	250mm*4.0mm*110°
204048-59	250mm*5.0mm*110°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204048-60	250mm*2.0mm*130°
204048-61	250mm*3.0mm*130°
204048-62	250mm*4.0mm*130°
204048-63	250mm*5.0mm*130°


WUYANG MEDICAL

椎板咬骨钳(DLC旋转型)
Kerrison Rongeur(DLC Rotatable/Dismounted)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204047-7	220mm*1.0mm*90°	204047-8	220mm*1.0mm*110°	204047-9	220mm*1.0mm*130°
204047-10	220mm*2.0mm*90°	204047-11	220mm*2.0mm*110°	204047-12	220mm*2.0mm*130°
204047-13	220mm*3.0mm*90°	204047-14	220mm*3.0mm*110°	204047-15	220mm*3.0mm*130°
204047-17	220mm*4.0mm*90°	204047-18	220mm*4.0mm*110°	204047-19	220mm*4.0mm*130°
204047-34	220mm*5.0mm*90°	204047-32	220mm*5.0mm*110°	204047-33	220mm*5.0mm*130°
204047-20	220mm*1.5mm*90°	204047-24	220mm*1.5mm*110°	204047-28	220mm*1.5mm*130°
204047-21	220mm*2.5mm*90°	204047-25	220mm*2.5mm*110°	204047-29	220mm*2.5mm*130°
204047-22	220mm*3.5mm*90°	204047-26	220mm*3.5mm*110°	204047-30	220mm*3.5mm*130°
204047-23	220mm*4.5mm*90°	204047-27	220mm*4.5mm*110°	204047-31	220mm*4.5mm*130°

椎板咬骨钳(DLC旋转型)
Kerrison Rongeur(DLC Rotatable/Dismounted)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204047-35	280mm*1.0mm*90°	204047-40	280mm*1.0mm*110°	204047-45	280mm*1.0mm*130°
204047-36	280mm*2.0mm*90°	204047-41	280mm*2.0mm*110°	204047-46	280mm*2.0mm*130°
204047-37	280mm*3.0mm*90°	204047-42	280mm*3.0mm*110°	204047-47	280mm*3.0mm*130°
204047-38	280mm*4.0mm*90°	204047-43	280mm*4.0mm*110°	204047-48	280mm*4.0mm*130°
204047-39	280mm*5.0mm*90°	204047-44	280mm*5.0mm*110°	204047-49	280mm*5.0mm*130°

椎板咬骨钳(DLC旋转弧型)
Kerrison Rongeur(DLC Rotatable/Dismounted Arc)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204047-62	225mm*1.0mm*90°	204047-67	225mm*1.0mm*110°	204047-72	225mm*1.0mm*130°
204047-63	225mm*2.0mm*90°	204047-68	225mm*2.0mm*110°	204047-73	225mm*2.0mm*130°
204047-64	225mm*3.0mm*90°	204047-69	225mm*3.0mm*110°	204047-74	225mm*3.0mm*130°
204047-65	225mm*4.0mm*90°	204047-70	225mm*4.0mm*110°	204047-75	225mm*4.0mm*130°
204047-66	225mm*5.0mm*90°	204047-71	225mm*5.0mm*110°	204047-76	225mm*5.0mm*130°

椎板咬骨钳(DLC旋转Z型)
Kerrison Rongeur(DLC Rotatable/Dismounted Z-shape)



订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204047-50	280mm*2.0mm*90°	204047-54	280mm*2.0mm*110°	204047-58	280mm*2.0mm*130°
204047-51	280mm*3.0mm*90°	204047-55	280mm*3.0mm*110°	204047-59	280mm*3.0mm*130°
204047-52	280mm*4.0mm*90°	204047-56	280mm*4.0mm*110°	204047-60	280mm*4.0mm*130°
204047-53	280mm*5.0mm*90°	204047-57	280mm*5.0mm*110°	204047-61	280mm*5.0mm*130°


椎板咬骨钳(DLC标准型)
Kerrison Rongeur (DLC Standard)



订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
ZBQ20118109	180mm*1.0mm*90°	ZBQ20118101	180mm*1.0mm*110°	ZBQ20118103	180mm*1.0mm*130°
ZBQ20118209	180mm*2.0mm*90°	ZBQ20118201	180mm*2.0mm*110°	ZBQ20118203	180mm*2.0mm*130°
ZBQ20118309	180mm*3.0mm*90°	ZBQ20118301	180mm*3.0mm*110°	ZBQ20118303	180mm*3.0mm*130°
ZBQ20118409	180mm*4.0mm*90°	ZBQ20118401	180mm*4.0mm*110°	ZBQ20118403	180mm*4.0mm*130°
ZBQ20118509	180mm*5.0mm*90°	ZBQ20118501	180mm*5.0mm*110°	ZBQ20118503	180mm*5.0mm*130°
ZBQ20120109	200mm*1.0mm*90°	ZBQ20120101	200mm*1.0mm*110°	ZBQ20120103	200mm*1.0mm*130°
ZBQ20120209	200mm*2.0mm*90°	ZBQ20120201	200mm*2.0mm*110°	ZBQ20120203	200mm*2.0mm*130°
ZBQ20120309	200mm*3.0mm*90°	ZBQ20120301	200mm*3.0mm*110°	ZBQ20120303	200mm*3.0mm*130°
ZBQ20120409	200mm*4.0mm*90°	ZBQ20120401	200mm*4.0mm*110°	ZBQ20120403	200mm*4.0mm*130°
ZBQ20120509	200mm*5.0mm*90°	ZBQ20120501	200mm*5.0mm*110°	ZBQ20120503	200mm*5.0mm*130°
204048-1	220mm*1.0mm*90°	204048-6	220mm*1.0mm*110°	204048-11	220mm*1.0mm*130°
204048-2	220mm*2.0mm*90°	204048-7	220mm*2.0mm*110°	204048-12	220mm*2.0mm*130°
204048-3	220mm*3.0mm*90°	204048-8	220mm*3.0mm*110°	204048-13	220mm*3.0mm*130°
204048-4	220mm*4.0mm*90°	204048-9	220mm*4.0mm*110°	204048-14	220mm*4.0mm*130°
204048-5	220mm*5.0mm*90°	204048-10	220mm*5.0mm*110°	204048-15	220mm*5.0mm*130°
204048-28	220mm*1.5mm*90°	204048-32	220mm*1.5mm*110°	204048-36	220mm*1.5mm*130°
204048-29	220mm*2.5mm*90°	204048-33	220mm*2.5mm*110°	204048-37	220mm*2.5mm*130°
204048-30	220mm*3.5mm*90°	204048-34	220mm*3.5mm*110°	204048-38	220mm*3.5mm*130°
204048-31	220mm*4.5mm*90°	204048-35	220mm*4.5mm*110°	204048-39	220mm*4.5mm*130°
ZBQ20126109	260mm*1.0mm*90°	ZBQ20126101	260mm*1.0mm*110°	ZBQ20126103	260mm*1.0mm*130°
ZBQ20126209	260mm*2.0mm*90°	ZBQ20126201	260mm*2.0mm*110°	ZBQ20126203	260mm*2.0mm*130°
ZBQ20126309	260mm*3.0mm*90°	ZBQ20126301	260mm*3.0mm*110°	ZBQ20126303	260mm*3.0mm*130°
ZBQ20126409	260mm*4.0mm*90°	ZBQ20126401	260mm*4.0mm*110°	ZBQ20126403	260mm*4.0mm*130°
ZBQ20126509	260mm*5.0mm*90°	ZBQ20126501	260mm*5.0mm*110°	ZBQ20126503	260mm*5.0mm*130°


椎板咬骨钳(DLC标准弧型)

Kerrison Rongeur(DLC Standard Arc)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
ZBQ20223109	230mm*1.0mm*90°
ZBQ20223209	230mm*2.0mm*90°
ZBQ20223309	230mm*3.0mm*90°
ZBQ20223409	230mm*4.0mm*90°
ZBQ20223509	230mm*5.0mm*90°
ZBQ20223101	230mm*1.0mm*110°
ZBQ20223201	230mm*2.0mm*110°
ZBQ20223301	230mm*3.0mm*110°
ZBQ20223401	230mm*4.0mm*110°
ZBQ20223501	230mm*5.0mm*110°
ZBQ20223103	230mm*1.0mm*130°
ZBQ20223203	230mm*2.0mm*130°
ZBQ20223303	230mm*3.0mm*130°
ZBQ20223403	230mm*4.0mm*130°
ZBQ20223503	230mm*5.0mm*130°

椎板咬骨钳(旋转型)
Kerrison Rongeur(Rotatable/Dismounted)



订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204052-28	180mm*2.0mm*90°	204052-31	180mm*2.0mm*110°	204052-34	180mm*2.0mm*130°
204052-29	180mm*3.0mm*90°	204052-32	180mm*3.0mm*110°	204052-35	180mm*3.0mm*130°
204052-30	180mm*4.0mm*90°	204052-33	180mm*4.0mm*110°	204052-36	180mm*4.0mm*130°


椎板咬骨钳(旋转型)
Kerrison Rongeur(Rotatable/Dismounted)



订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
ZBQ10422109	220mm*1.0mm*90°	ZBQ10422101	220mm*1.0mm*110°	ZBQ10422103	220mm*1.0mm*130°
ZBQ10422159	220mm*1.5mm*90°	ZBQ10422151	220mm*1.5mm*110°	ZBQ10422153	220mm*1.5mm*130°
ZBQ10422209	220mm*2.0mm*90°	ZBQ10422201	220mm*2.0mm*110°	ZBQ10422203	220mm*2.0mm*130°
ZBQ10422259	220mm*2.5mm*90°	ZBQ10422251	220mm*2.5mm*110°	ZBQ10422253	220mm*2.5mm*130°
ZBQ10422309	220mm*3.0mm*90°	ZBQ10422301	220mm*3.0mm*110°	ZBQ10422303	220mm*3.0mm*130°
204052-18	220mm*3.5mm*90°	204052-22	220mm*3.5mm*110°	204052-26	220mm*3.5mm*130°
204052-4	220mm*4.0mm*90°	204052-9	220mm*4.0mm*110°	204052-14	220mm*4.0mm*130°
204052-19	220mm*4.5mm*90°	204052-23	220mm*4.5mm*110°	204052-27	220mm*4.5mm*130°
204052-5	220mm*5.0mm*90°	204052-10	220mm*5.0mm*110°	204052-15	220mm*5.0mm*130°

WUYANG MEDICAL

椎板咬骨钳(旋转型)
Kerrison Rongeur(Rotatable/Dismounted)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204053-1	280mm*1.0mm*90°
204053-2	280mm*2.0mm*90°
204053-3	280mm*3.0mm*90°
204053-4	280mm*4.0mm*90°
204053-5	280mm*5.0mm*90°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204053-6	280mm*1.0mm*110°
204053-7	280mm*2.0mm*110°
204053-8	280mm*3.0mm*110°
204053-9	280mm*4.0mm*110°
204053-10	280mm*5.0mm*110°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204053-11	280mm*1.0mm*130°
204053-12	280mm*2.0mm*130°
204053-13	280mm*3.0mm*130°
204053-14	280mm*4.0mm*130°
204053-15	280mm*5.0mm*130°

椎板咬骨钳(旋转Z型)
Kerrison Rongeur(Rotatable/Dismounted Z-shape)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204054-13	280mm*2.0mm*90°
204054-14	280mm*3.0mm*90°
204054-15	280mm*4.0mm*90°
204054-16	280mm*5.0mm*90°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204054-17	280mm*2.0mm*110°
204054-18	280mm*3.0mm*110°
204054-19	280mm*4.0mm*110°
204054-20	280mm*5.0mm*110°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204054-21	280mm*2.0mm*130°
204054-22	280mm*3.0mm*130°
204054-23	280mm*4.0mm*130°
204054-24	280mm*5.0mm*130°

椎板咬骨钳(旋转弧型)
Kerrison Rongeur(Rotatable/Dismounted Arc)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204055-16	180mm*2.0mm*90°
204055-17	180mm*3.0mm*90°
204055-18	180mm*4.0mm*90°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204055-19	180mm*2.0mm*110°
204055-20	180mm*3.0mm*110°
204055-21	180mm*4.0mm*110°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204055-22	180mm*2.0mm*130°
204055-23	180mm*3.0mm*130°
204055-24	180mm*4.0mm*130°

椎板咬骨钳(旋转弧型)
Kerrison Rongeur(Rotatable/Dismounted Arc)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204055-1	225mm*1.0mm*90°
204055-2	225mm*2.0mm*90°
204055-3	225mm*3.0mm*90°
204055-4	225mm*4.0mm*90°
204055-5	225mm*5.0mm*90°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204055-6	225mm*1.0mm*110°
204055-7	225mm*2.0mm*110°
204055-8	225mm*3.0mm*110°
204055-9	225mm*4.0mm*110°
204055-10	225mm*5.0mm*110°


订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
204055-11	225mm*1.0mm*130°
204055-12	225mm*2.0mm*130°
204055-13	225mm*3.0mm*130°
204055-14	225mm*4.0mm*130°
204055-15	225mm*5.0mm*130°

椎板咬骨钳(标准型)
Kerrison Rongeur (Standard)



订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle	订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
ZBQ10118109	180mm*1.0mm*90°	ZBQ10118101	180mm*1.0mm*110°	ZBQ10118103	180mm*1.0mm*130°
ZBQ10118209	180mm*2.0mm*90°	ZBQ10118201	180mm*2.0mm*110°	ZBQ10118203	180mm*2.0mm*130°
ZBQ10118309	180mm*3.0mm*90°	ZBQ10118301	180mm*3.0mm*110°	ZBQ10118303	180mm*3.0mm*130°
ZBQ10118409	180mm*4.0mm*90°	ZBQ10118401	180mm*4.0mm*110°	ZBQ10118403	180mm*4.0mm*130°
ZBQ10118509	180mm*5.0mm*90°	ZBQ10118501	180mm*5.0mm*110°	ZBQ10118503	180mm*5.0mm*130°
ZBQ10120109	200mm*1.0mm*90°	ZBQ10120101	200mm*1.0mm*110°	ZBQ10120103	200mm*1.0mm*130°
ZBQ10120209	200mm*2.0mm*90°	ZBQ10120201	200mm*2.0mm*110°	ZBQ10120203	200mm*2.0mm*130°
ZBQ10120309	200mm*3.0mm*90°	ZBQ10120301	200mm*3.0mm*110°	ZBQ10120303	200mm*3.0mm*130°
ZBQ10120409	200mm*4.0mm*90°	ZBQ10120401	200mm*4.0mm*110°	ZBQ10120403	200mm*4.0mm*130°
ZBQ10120509	200mm*5.0mm*90°	ZBQ10120501	200mm*5.0mm*110°	ZBQ10120503	200mm*5.0mm*130°
204057-1	220mm*1.0mm*90°	204057-10	220mm*1.0mm*110°	204057-19	220mm*1.0mm*130°
204057-2	220mm*1.5mm*90°	204057-11	220mm*1.5mm*110°	204057-20	220mm*1.5mm*130°
204057-3	220mm*2.0mm*90°	204057-12	220mm*2.0mm*110°	204057-21	220mm*2.0mm*130°
204057-4	220mm*2.5mm*90°	204057-13	220mm*2.5mm*110°	204057-22	220mm*2.5mm*130°
204057-5	220mm*3.0mm*90°	204057-14	220mm*3.0mm*110°	204057-23	220mm*3.0mm*130°
204057-6	220mm*3.5mm*90°	204057-15	220mm*3.5mm*110°	204057-24	220mm*3.5mm*130°
204057-7	220mm*4.0mm*90°	204057-16	220mm*4.0mm*110°	204057-25	220mm*4.0mm*130°
204057-8	220mm*4.5mm*90°	204057-17	220mm*4.5mm*110°	204057-26	220mm*4.5mm*130°
204057-9	220mm*5.0mm*90°	204057-18	220mm*5.0mm*110°	204057-27	220mm*5.0mm*130°
ZBQ10126109	260mm*1.0mm*90°	ZBQ10126101	260mm*1.0mm*110°	ZBQ10126103	260mm*1.0mm*130°
ZBQ10126209	260mm*2.0mm*90°	ZBQ10126201	260mm*2.0mm*110°	ZBQ10126203	260mm*2.0mm*130°
ZBQ10126309	260mm*3.0mm*90°	ZBQ10126301	260mm*3.0mm*110°	ZBQ10126303	260mm*3.0mm*130°
ZBQ10126409	260mm*4.0mm*90°	ZBQ10126401	260mm*4.0mm*110°	ZBQ10126403	260mm*4.0mm*130°
ZBQ10126509	260mm*5.0mm*90°	ZBQ10126501	260mm*5.0mm*110°	ZBQ10126503	260mm*5.0mm*130°

椎板咬骨钳(标准弧型)
Kerrison Rongeur(Standard Arc)




订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
ZBQ10223109	230mm*1.0mm*90°
ZBQ10223209	230mm*2.0mm*90°
ZBQ10223309	230mm*3.0mm*90°
ZBQ10223409	230mm*4.0mm*90°
ZBQ10223509	230mm*5.0mm*90°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
ZBQ10223101	230mm*1.0mm*110°
ZBQ10223201	230mm*2.0mm*110°
ZBQ10223301	230mm*3.0mm*110°
ZBQ10223401	230mm*4.0mm*110°
ZBQ10223501	230mm*5.0mm*110°

订货代码 Order Code	长度*刃宽*角度 Length*Blade Width*Angle
ZBQ10223103	230mm*1.0mm*130°
ZBQ10223203	230mm*2.0mm*130°
ZBQ10223303	230mm*3.0mm*130°
ZBQ10223403	230mm*4.0mm*130°
ZBQ10223503	230mm*5.0mm*130°

旋转椎板钳器械包
Kerrison Rongeurs Set


可选配不同型号
Different models available



备注:可以根据医生个人习惯，选配5把旋转椎板钳头，标配2把手柄。
Remark:You can choose 5*punchs and 2*handles as per your convenience

DLC旋转椎板钳器械包
DLC Kerrison Rongeurs Set

可选配不同型号
Different models available




备注:可以根据医生个人习惯，选配5把旋转椎板钳头，标配2把手柄。
Remark:You can choose 5*punchs and 2*handles as per your convenience

---


DLC旋转椎板钳器械包II型
DLC Kerrison Rongeurs Set II

可选配不同型号
Different models available



备注:可以根据医生个人习惯，选配5把旋转椎板钳头，标配2把手柄。
Remark:You can choose 5*punchs and 2*handles as per your convenience


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-39	220mm*1.0mm	DLC直头 DLC straight
214003-01	220mm*2.0mm	DLC直头 DLC straight
214003-02	220mm*3.0mm	DLC直头 DLC straight
214003-03	220mm*4.0mm	DLC直头 DLC straight
214003-37	220mm*5.0mm	DLC直头 DLC straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-40	220mm*1.0mm	DLC弯头 DLC curved
214003-04	220mm*2.0mm	DLC弯头 DLC curved
214003-05	220mm*3.0mm	DLC弯头 DLC curved
214003-06	220mm*4.0mm	DLC弯头 DLC curved
214003-38	220mm*5.0mm	DLC弯头 DLC curved


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-07	220mm*2.0mm	DLC带齿直头 DLC straight teeth
214003-08	220mm*3.0mm	DLC带齿直头 DLC straight teeth
214003-09	220mm*4.0mm	DLC带齿直头 DLC straight teeth

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-10	220mm*2.0mm	DLC带齿弯头 DLC curved teeth
214003-11	220mm*3.0mm	DLC带齿弯头 DLC curved teeth
214003-12	220mm*4.0mm	DLC带齿弯头 DLC curved teeth


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-41	220mm*1.0mm	DLC指圈直头 DLC finger ring straight
214003-42	220mm*2.0mm	DLC指圈直头 DLC finger ring straight
214003-43	220mm*3.0mm	DLC指圈直头 DLC finger ring straight
214003-44	220mm*4.0mm	DLC指圈直头 DLC finger ring straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-45	220mm*1.0mm	DLC指圈弯头 DLC finger ring curved
214003-46	220mm*2.0mm	DLC指圈弯头 DLC finger ring curved
214003-47	220mm*3.0mm	DLC指圈弯头 DLC finger ring curved
214003-48	220mm*4.0mm	DLC指圈弯头 DLC finger ring curved

髓核钳
Nucleus Pulposus Clamps




订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-21	220mm*2.0mm	DLC指圈直头带齿 DLC finger ring straight teeth
214003-22	220mm*3.0mm	DLC指圈直头带齿 DLC finger ring straight teeth
214003-23	220mm*4.0mm	DLC指圈直头带齿 DLC finger ring straight teeth

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-24	220mm*2.0mm	DLC指圈弯头带齿 DLC finger ring curved teeth
214003-25	220mm*3.0mm	DLC指圈弯头带齿 DLC finger ring curved teeth
214003-26	220mm*4.0mm	DLC指圈弯头带齿 DLC finger ring curved teeth

WUYANG MEDICAL


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-49	240mm*2.0mm	DLC指圈Z型直头 DLC Z-shaped straight of finger ring
214003-50	240mm*3.0mm	DLC指圈Z型直头 DLC Z-shaped straight of finger ring

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-51	240mm*2.0mm	DLC指圈Z型上弯 DLC Z-shaped upward curved of finger ring
214003-52	240mm*3.0mm	DLC指圈Z型上弯 DLC Z-shaped upward curved of finger ring


迷你型
Mini type



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-71	200mm*2.0mm	DLC迷你型Z型直头 DLC mini straight Z-shape
214003-72	200mm*3.0mm	DLC迷你型Z型直头 DLC mini straight Z-shape
214003-73	200mm*2.0mm	DLC迷你型Z型弯头 DLC mini curved Z-shape
214003-74	200mm*3.0mm	DLC迷你型Z型弯头 DLC mini curved Z-shape

迷你型
Mini type


髓核钳
Nucleus Pulposus Clamps





订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-65	190mm*1.0mm	DLC迷你型直头 DLC mini straight
214003-66	190mm*2.0mm	DLC迷你型直头 DLC mini straight
214003-67	190mm*3.0mm	DLC迷你型直头 DLC mini straight
214003-68	190mm*1.0mm	DLC迷你型弯头 DLC mini curved
214003-69	190mm*2.0mm	DLC迷你型弯头 DLC mini curved
214003-70	190mm*3.0mm	DLC迷你型弯头 DLC mini curved


髓核钳
Nucleus Pulposus Clamps






订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
SHQ202041930	190mm*3.0mm	直椭圆头 Straight Oval tip
SHQ202061930	190mm*3.0mm	弯45°麦粒头 Curved 45° wheat tip


髓核钳
Nucleus Pulposus Clamps





订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-58	160mm*3.0mm	DLC平直头 DLC flat straight
214003-53	160mm*4.0mm	DLC平直头 DLC flat straight
214003-60	160mm*5.0mm	DLC平直头 DLC flat straight
214003-89	200mm*3.0mm	DLC平直头 DLC flat straight
214003-87	200mm*4.0mm	DLC平直头 DLC flat straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-59	160mm*3.0mm	DLC平弯头 DLC flat curved
214003-54	160mm*4.0mm	DLC平弯头 DLC flat curved
214003-61	160mm*5.0mm	DLC平弯头 DLC flat curved
214003-90	200mm*3.0mm	DLC平弯头 DLC flat curved
214003-88	200mm*4.0mm	DLC平弯头 DLC flat curved






订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-55	160mm*4.0mm	DLC尖直头 DLC sharp straight
214003-91	200mm*3.0mm	DLC尖直头 DLC sharp straight
214003-85	200mm*4.0mm	DLC尖直头 DLC sharp straight


订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-56	160mm*4.0mm	DLC尖弯头 DLC sharp curved
214003-92	200mm*3.0mm	DLC尖弯头 DLC sharp curved
214003-86	200mm*4.0mm	DLC尖弯头 DLC sharp curved

髓核钳
Nucleus Pulposus Clamps





订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-62	160mm*3.0mm	DLC带齿尖直头 DLC straight sharp teeth
214003-57	160mm*4.0mm	DLC带齿尖直头 DLC straight sharp teeth
214003-63	160mm*5.0mm	DLC带齿尖直头 DLC straight sharp teeth






订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-83	190mm*4.0mm	髓核剪直头 Nucleus pulposus scissors straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
214003-84	190mm*4.0mm	髓核剪弯头 Nucleus pulposus scissors curved

WUYANG MEDICAL


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204024-13	220mm*1.0mm	直头 Straight
204024-17	220mm*1.5mm	直头 Straight
204024-1	220mm*2.0mm	直头 Straight
204024-2	220mm*2.5mm	直头 Straight
204024-3	220mm*3.0mm	直头 Straight
204024-4	220mm*3.5mm	直头 Straight
204024-5	220mm*4.0mm	直头 Straight
204024-11	220mm*5.0mm	直头 Straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204024-15	220mm*1.0mm	弯头 Curved
204024-14	220mm×1.5mm	弯头 Curved
204024-6	220mm*2.0mm	弯头 Curved
204024-7	220mm×2.5mm	弯头 Curved
204024-8	220mm*3.0mm	弯头 Curved
204024-9	220mm×3.5mm	弯头 Curved
204024-10	220mm*4.0mm	弯头 Curved
204024-16	220mm*5.0mm	弯头 Curved


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204024-26	180mm*1.0mm	直头 Straight
204024-27	180mm*2.0mm	直头 Straight
204024-28	180mm*3.0mm	直头 Straight
204024-29	180mm*4.0mm	直头 Straight
204024-30	180mm*5.0mm	直头 Straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204024-31	180mm*1.0mm	弯头 Curved
204024-32	180mm*2.0mm	弯头 Curved
204024-33	180mm*3.0mm	弯头 Curved
204024-34	180mm*4.0mm	弯头 Curved
204024-35	180mm*5.0mm	弯头 Curved


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204024-21	260mm*2.0mm	直头 Straight
204024-18	260mm*3.0mm	直头 Straight
204024-20	260mm*4.0mm	直头 Straight
204024-22	260mm*5.0mm	直头 Straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204024-23	260mm*2.0mm	弯头 Curved
204024-19	260mm*3.0mm	弯头 Curved
204024-24	260mm*4.0mm	弯头 Curved
204024-25	260mm*5.0mm	弯头 Curved


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204028-19	320mm*2.0mm	直头 Straight
204028-20	320mm*3.0mm	直头 Straight
204028-18	320mm*4.0mm	直头 Straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204028-21	320mm*2.0mm	弯头 Curved
204028-22	320mm*3.0mm	弯头 Curved
204028-23	320mm*4.0mm	弯头 Curved


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204027-1	220mm*2.0mm	带齿直头 Straight teeth
204027-3	220mm*3.0mm	带齿直头 Straight teeth
204027-5	220mm*4.0mm	带齿直头 Straight teeth

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204028-1	220mm*2.0mm	带齿弯头 Curved teeth
204028-3	220mm*3.0mm	带齿弯头 Curved teeth
204028-5	220mm*4.0mm	带齿弯头 Curved teeth

髓核钳
Nucleus Pulposus Clamps




订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204033-1	220mm*2.0mm	指圈带齿直头 Ring handle straight teeth
204033-3	220mm*3.0mm	指圈带齿直头 Ring handle straight teeth
204033-5	220mm*4.0mm	指圈带齿直头 Ring handle straight teeth

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204034-1	220mm*2.0mm	指圈带齿弯头 Ring handle curved teeth
204034-3	220mm*3.0mm	指圈带齿弯头 Ring handle curved teeth
204034-5	220mm*4.0mm	指圈带齿弯头 Ring handle curved teeth

WUYANG MEDICAL


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204031-1	220mm*1.0mm	指圈直头 Ring handle straight
204031-3	220mm*2.0mm	指圈直头 Ring handle straight
204031-5	220mm*3.0mm	指圈直头 Ring handle straight
204031-7	220mm*4.0mm	指圈直头 Ring handle straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204032-1	220mm*1.0mm	指圈弯头 Ring handle curved
204032-3	220mm*2.0mm	指圈弯头 Ring handle curved
204032-5	220mm*3.0mm	指圈弯头 Ring handle curved
204032-7	220mm*4.0mm	指圈弯头 Ring handle curved

髓核钳
Nucleus Pulposus Clamps




订货代码 Order Code	长度*刃宽 Length*Blade Width	型号 Type
204032-10	240mm*2	指圈Z型直头 Straight/ring handle/ Z-shape
204032-11	240mm*3	指圈Z型直头 Straight/ring handle/ Z-shape
204032-16	240mm*4	指圈Z型直头 Straight/ring handle/ Z-shape

订货代码 Order Code	长度*刃宽 Length*Blade Width	型号 Type
204032-12	240mm*2	指圈Z型上弯 Upcufved/right handle/ Z-shape
204032-13	240mm*3	指圈Z型上弯 Upcufved/right handle/ Z-shape
204032-17	240mm*4	指圈Z型上弯 Upcufved/right handle/ Z-shape

订货代码 Order Code	长度*刃宽 Length*Blade Width	型号 Type
204032-14	240mm*2	指圈Z型下弯 Down curved/right handle/ Z-shape
204032-15	240mm*3	指圈Z型下弯 Down curved/right handle/ Z-shape
204032-18	240mm*4	指圈Z型下弯 Down curved/right handle/ Z-shape


髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204036-19	160mm*2.0mm	平直头 Flat straight
204036-6	160mm*3.0mm	平直头 Flat straight
204036-1	160mm*4.0mm	平直头 Flat straight
204036-8	160mm*5.0mm	平直头 Flat straight
204036-23	200mm*3.0mm	平直头 Flat straight
204036-17	200mm*4.0mm	平直头 Flat straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204036-20	160mm*2.0mm	平弯头 Flat curved
204036-7	160mm*3.0mm	平弯头 Flat curved
204036-2	160mm*4.0mm	平弯头 Flat curved
204036-9	160mm*5.0mm	平弯头 Flat curved
204036-24	200mm*3.0mm	平弯头 Flat curved
204036-18	200mm*4.0mm	平弯头 Flat curved

髓核钳
Nucleus Pulposus Clamps



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204036-21	160mm*2.0mm	尖直头 Sharp straight
204036-27	160mm*3.0mm	尖直头 Sharp straight
204036-3	160mm*4.0mm	尖直头 Sharp straight
204036-29	160mm*5.0mm	尖直头 Sharp straight
204036-25	200mm*3.0mm	尖直头 Sharp straight
204036-15	200mm*4.0mm	尖直头 Sharp straight


订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204036-22	160mm*2.0mm	尖弯头 Sharp curved
204036-28	160mm*3.0mm	尖弯头 Sharp curved
204036-4	160mm*4.0mm	尖弯头 Sharp curved
204036-30	160mm*5.0mm	尖弯头 Sharp curved
204036-26	200mm*3.0mm	尖弯头 Sharp curved
204036-16	200mm*4.0mm	尖弯头 Sharp curved

WUYANG MEDICAL

髓核钳
Nucleus Pulposus Clamps




订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width
204036-10	160mm*3.0mm
204036-5	160mm*4.0mm
204036-11	160mm*5.0mm



订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204035-3	190mm*4.0mm	髓核剪直头 Nucleus pulposus scissors straight

订货代码 Order Code	工作长度*刃宽 Working Length*Blade Width	型号 Type
204035-4	190mm*4.0mm	髓核剪弯头 Nucleus pulposus scissors curved



订货代码 Order Code	工作长度 Working Length	型号 Type
204035-1	200mm	髓核剪直头 Nucleus pulposus scissors straight

订货代码 Order Code	工作长度 Working Length	型号 Type
204035-2	200mm	髓核剪弯头 Nucleus pulposus scissors curved

ISO:13485





微信公众号

合肥市五洋医疗器械有限公司
HEFEI WUYANG MEDICAL INSTRUMENT CO., LTD
电话（phone):0551-63520838

E-mail:hefeiwuyang@126.com
E-mail(Foreign trade):kelly@hfwuyang.com/Sue@hfwuyang.com

网址：http://www.hfwuyang.com
http://www.hfwuyang.en.alibaba.com

地址:中国 · 安徽 · 合肥 肥西县紫蓬镇工业聚集区紫三路2号
Address: No.2, Zisan Road, Zipeng Town Industrial Area, Feixi County, Hefei city, 231200, Anhui Province, China

四川办事处
电话：18255113700
成都市成华区建材路39号隆鑫九熙广场二期2栋

广东办事处
电话：18756910201
佛山市南海区万达广场C栋1401,1402

山东办事处
电话：13865958952
济南市槐阴区经一路发祥一号公馆1509室