五洋医疗
WUYANG MEDICAL

ISO:13485





动力系列
Power Tools


合肥市五洋医疗器械有限公司
HEFEI WUYANG MEDICAL INSTRUMENT CO., LTD

目 录
Catalogue

- **E系列钻锯** ——————————————2
  E series drill /sagittal saw
- **D系列钻锯** ——————————————7
  Dseries drill /sagittal saw
- **C系列钻锯** ——————————————8
  C series drill /sagittal saw
- **B系列钻锯** ——————————————10
  B series drill /sagittal saw
- **A系列钻锯** ——————————————11
  A series drill /sagittal saw
- **电钻配件** ——————————————14
  Drill Accessory
- **电动石膏锯** ——————————————16
  Plaster Saw

E系列多功能钻
E Series Multifunctional Drill System

E-W往复锯接头
E-W Reciprocating saw attachment optional



订货代码：230011-6
Order Code: 230011-6

适用于关节手术
Apply to Joint surgery

E-J摆锯接头
E-J Sagittal saw attachment



订货代码：230011-3
Order Code: 230011-3

适用于截骨手术
Apply to osteotomy surgery

E-300/500/1200接头
E-1200/500/300 Cannulated Drill Attachment

订货代码：230011-1/230011-2/230011-4
Order Code: 230011-1/230011-2/230011-4



适用于创伤、关节、空心钉、髓内钉手术
Apply to trauma joint,cannulated screw,intramedullary nailing surgery

钻夹头：配套E-300/500/1200接头
Connector match with E-1200/500/300 drill attachment



订货代码：230002-1
Order Code: 230002-1

钻夹头夹持范围：0.4-8mm
Holding range：0.4-8mm


E-K克氏针接头
E-K K-wire attachment

夹持范围：1.0-2.5mm
Holding range：1.0-2.5mm
适用于足踝、手外手术
Apply to finger,ankle surgery



订货代码：230011-5
Order Code: 230011-5

消毒盒选配
Sterilization box(optional)



订货代码：230011S
Order Code: 230011S



可耐高温135℃
Can be sterilized up to 135℃

技术参数
Technical data

适用手术 Apply to surgery	创伤、关节、髓内钉手术 Trauma/Joint/Intramedullary Nail
电钻转速 Speed	0-1200/500/300
标配 Accessories	电池两块、充电器一个、锯片五个、消毒通道两个、夹头钥匙一个、克氏针接头一个、摆锯接头一个、往复锯接头一个、钻夹头一个、E-300/500/1200接头三个 2 batteries/1 charger/5 saw blades/ 2disinfection channel/1 key， K-wire attachment,Saw attachment, Reciprocating saw attachment,E-1200/500/300 cannulated drill attachment Connector to match drill attachment
摆锯摆频 Osc/min	0-20000/分钟 0-20000/minutes
往复锯摆频 Reciprocating saw/min	0-18000/分钟 0-18000/minutes

E系列骨钻
E Series Bone Drill




型号 Size	适用手术 Apply to surgery	订货代码 Order Code
E-300	关节手术 Joint surgery	230019S

可耐高温135℃
Can be sterilized up to 135℃

技术参数
Technical data

适用手术 Apply to surgery	关节手术 Joint surgery
电钻转速 Speed	0-300
标配 Accessories	电池两块、充电器一个、钻头夹一个、夹头钥匙一个、消毒通道两个 2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel

消毒盒选配
Sterilization box(optional)



E系列空心电钻
E Series Cannulated Bone Drill




型号 Size	适用手术 Apply to surgery	订货代码 Order Code
E-500	髓内钉手术 Intramedullary nail	230013S
E-1200	创伤、空心钉 Trauma、Cannulated screw	230012S

可耐高温135℃
Can be sterilized up to 135℃

技术参数
Technical data

适用手术 Apply to surgery	创伤、空心钉、髓内钉手术 Trauma/cannulated screw/intramedullary nail
电钻转速 Speed	500/1200
标配 Accessories	电池两块、充电器一个、钻头夹一个、夹头钥匙一个、消毒通道两个 2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel

消毒盒选配
Sterilization box(optional)



WUYANG MEDICAL


E-J摆锯
Sagittal Saw E-J

订货代码：230015S
Order Code: 230015S




可耐高温135℃
Can be sterilized up to 135℃

可选规格
Available Size:



230004-2	230004-10	230004-1	230004-11
1.0*120*90*14	1.2*120*90*14	1.2*120*90*22	1.0*120*90*22

消毒盒选配
Sterilization box(optional)



技术参数
Technical data

适用手术 Apply to surgery	关节手术 Joint surgery
摆锯摆频 OSC/min	0-20000/分钟 0-20000/minutes
标配 Accessories	电池两块、充电器一个、 锯片五块、消毒通道两个 2 batteries/1charger/5 saw blades/ 2 disinfection channel

E-W往复锯
Reciprocating Saw E-W

订货代码：230016S
Order Code: 230016S



技术参数
Technical data

适用手术 Apply to surgery	关节手术 Joint surgery
摆锯摆频 OSC/min	0-11000/分钟 0-11000/minutes
标配 Accessories	电池两块、充电器一个、 锯片两块、消毒通道两个 2 batteries/1 charger/2 saw blades/ 2 disinfection channel

可耐高温135℃
Can be sterilized up to 135℃

可选规格
Available Size:


标配
standard



230004-40
70mm
(大)
(Large)

230004-39
30mm
(小)
(Small)

选配
assorting



230004-45
70mm
(双头)
(Double head)

230004-43
15mm
(牙刷型)
(Toothbrush type)



D系列多功能钻
D Series Multifunctional Drill System

D-K克氏针接头
D-K K-wire attachment

订货代码：230007-2
Order Code: 230007-2

夹持范围：1.0-2.5mm
Holding range：1.0-2.5mm
适用于足踝、手外手术
Apply to ankle，finger operation

D-1200空心钻接头
D-1200cannulated drill attachment

订货代码：230007-1
Order Code: 230007-1



钻夹头夹持范围：0.4-8mm
Clamping range：0.4-8mm
适用于各类创伤手术
Apply to various kinds of trauma surgery

D-AO AO接头
D-AO AO attachment

订货代码：230007-4
Order Code: 230007-4



配套AO接口各类手术工具，操作简单快捷。
Apply to instrument with AO interface，easy and quick surgery


D-J摆锯接头
D-J Sagittal saw attachment

订货代码：230007-3
Order Code: 230007-3

适用于足踝、手外、胫骨高位截骨手术
Apply to ankle/finger/high tibial osteotomy surgery




订货代码：230007S
Order Code: 230007S



可耐高温135℃
Can be sterilized up to 135℃

消毒盒选配
Sterilization box(optional)



技术参数
Technical data

适用手术 Apply to surgery	手外、足踝、创伤、HTO截骨 Finger/Ankle/Trauma/HTO surgery
电钻转速 Speed	0-1200/500
摆锯摆频 Osc/min	0-20000/分钟 0-20000/minutes
标配 Accessories	四个接头、电池两块、充电器一个、锯片五个、消毒通道两个、夹头钥匙一个、 4 attachments/2 batteries/1 charger/ 5 saw blades/2 disinfection channels/ 1 key

可选规格
Available Size:



230004-14 45*15mm
230004-6 37*12mm
230004-17 37*9.5mm
230004-7 37*8mm
230004-8 37*7.5mm

WUYANG MEDICAL

C系列空心电钻
C Series Mini Cannulated Drill

钻夹头夹持范围：0.4-8mm
Clamping range：0.4-8mm



型号 Size	适用手术 Apply to surgery	订货代码 Order Code
C-1200	创伤、手外、足踝手术 Trauma/Finger/Ankle	230005S

可耐高温135℃
Can be sterilized up to 135℃

技术参数
Technical data

适用手术 Apply to surgery	创伤、手外、足踝手术 Trauma/Finger/Ankle
电钻转速 Speed	0-1200
标配 Accessories	电池两块、充电器一个、钻头夹一个、夹头钥匙一个、消毒通道两个 2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel



WUYANG MEDICAL

C-J微型摆锯
Mini Sagittal Saw C-J

订货代码：230006S
Order Code: 230006S



可耐高温135℃
Can be sterilized up to 135℃



技术参数
Technical data


适用手术 Apply to surgery	手外、足踝、HTO截骨 Finger/Ankle/HTO surgery
摆锯摆频 OSC/min	0-20000/分钟 0-20000/minutes
标配 Accessories	电池两块、充电器一个、 锯片五块、消毒通道两个 2 batteries/1charger/5 saw blades/ 2 disinfection channel

可选规格
Available Size:



230004-14 45*15mm
230004-6 37*12mm
230004-17 37*9.5mm
230004-7 37*8mm
230004-8 37*7.5mm


B系列空心电钻
B Series Cannulated Bone Drill



型号 Size	适用手术 Apply to surgery	订货代码 Order Code
B-500	髓内钉手术 Intramedullary nail	230008S
B-1200	创伤、空心钉 Trauma、Cannulated screw	230002S

可耐高温135℃
Can be sterilized up to 135℃

消毒盒选配
Sterilization box(optional)



技术参数
Technical data

适用手术 Apply to surgery	创伤、空心钉、髓内钉手术 Trauma/cannulated screw/intramedullary nail
电钻转速 Speed	0-500/1200
标配 Accessories	电池两块、充电器一个、钻头夹一个、夹头钥匙一个、消毒通道两个 2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel

WUYANG MEDICAL

A系列骨钻
A Series Bone Drill




型号 Size	适用手术 Apply to surgery	订货代码 Order Code
A-200	关节手术 Joint surgery	230003S

可耐高温135℃
Can be sterilized up to 135℃

技术参数
Technical data

适用手术 Apply to surgery	关节手术 Joint surgery
电钻转速 Speed	0-200
标配 Accessories	电池两块、充电器一个、钻头夹一个、夹头钥匙一个、消毒通道两个 2 batteries/1 charger/1 drill chuck/1 key/ 2 disinfection channel

消毒盒选配
Sterilization box(optional)



A系列骨钻
A Series Bone Drill

钻夹头夹持范围：0.4-8mm
Clamping range: 0.4-8mm




型号 Size	适用手术 Apply to surgery	订货代码 Order Code
A-1200	创伤手术 Trauma surgery	230001S

可耐高温135℃
Can be sterilized up to 135℃

技术参数
Technical data

适用手术 Apply to surgery	创伤手术 Trauma surgery
电钻转速 Speed	0-1200
标配 Accessories	电池两块、充电器一个、夹头钥匙一个、消毒通道两个 2 batteries/1 charger/1 key/ 2 disinfection channel

消毒盒选配
Sterilization box(optional)



WUYANG MEDICAL

A-J摆锯
Sagittal Saw A-J

订货代码：230004S
Order Code: 230004S



消毒盒选配
Sterilization box(optional)



可耐高温135℃
Can be sterilized up to 135℃

技术参数
Technical data

适用手术 Apply to surgery	关节手术 Joint surgery
摆锯摆频 OSC/min	0-20000/分钟 0-20000/minutes
标配 Accessories	电池两块、充电器一个、 锯片五块、消毒通道两个 2 batteries/1charger/5 saw blades/ 2 disinfection channel

可选规格
Available Size:



230004-2 1.0*120*90*14
230004-10 1.2*120*90*14
230004-1 1.2*120*90*22
230004-11 1.0*120*90*22

电钻配件
Drill Accessory

充电器
Charger attachment



锂电池充电器
Lithium battery charger
订货代码：230001-2-1
Order Code:230001-2-1
标配于：
Apply to：
C系列空心钻
C-Series cannulated drill
C-J微型摆锯
C-J Mini sagittal saw
D系列多功能钻
D-Series multifunction drill system



镍氢电池充电器
NI-MH Battery charger
订货代码：230001-2
Order Code: 230001-2
标配于：
Apply to:
A系列骨钻
A-Series bone drill
B系列空心电钻
B-Series cannulated bone drill
A-J摆锯
A-J sagittal saw



镍氢电池充电器
NI-MH Battery charger
订货代码：230012-2
Order Code: 230012-2
标配于：
Apply to:
E-J摆锯
E-J sagittal saw
E系列电钻
E-Series bone drill
E系列多功能钻
E Series multifunctional drill system

电池
Battery



锂电池
Lithium battery
订货代码：230005-1
Order Code:230005-1
标配于：
Apply to:
C系列空心钻
C-Series cannulated drill
C-J微型摆锯
C-J Mini sagittal saw
D系列多功能钻
D-Series multifunction drill system



镍氢电池
NI-MH battery
订货代码：230001-1
Order Code:230001-1
标配于：
Apply to:
A系列骨钻
A-Series bone drill
B系列空心电钻
B-Series cannulated bone drill
A-J摆锯
A-J sagittal saw



镍氢电池
NI-MH battery
订货代码：230012-1
Order Code:230012-1
标配于：
Apply to:
E-J摆锯
E-J sagittal saw
E系列电钻
E-Series bone drill
E系列多功能钻
E Series multifunctional drill system

消毒通道
Disinfection channel



锂电池消毒通道
Lithium battery disinfection channel
订货代码：230005-2
Order Code:230005-2
标配于：
Apply to:
C系列空心钻
C-Series cannulated drill
C-J微型摆锯
C-J Mini sagittal saw
D系列多功能钻
D-Series multifunction drill system



镍氢电池消毒通道
NI-MH Battery disinfection channel
订货代码：230001-4
Order Code:230001-4
标配于：
Apply to:
A系列骨钻
A-Series bone drill
B系列空心电钻
B-Series cannulated bone drill
A-J摆锯
A-J sagittal saw



E系列钻锯消毒通道
E Series drill and saw disinfection channel
订货代码：230012-3
Order Code:230012-3
标配于：
Apply to:
E-J摆锯
E-J sagittal saw
E系列空心电钻
E-Series cannulated bone drill
E系列多功能钻
E Series multifunctional drill system

夹头钥匙
Key for drill chuck



订货代码：230001-3
Order Code:230001-3
标配于：
Apply to：
A系列骨钻
A-Bone Drill
B系列空心电钻
B-Cannulated Bone Drill
C系列空心电钻
C-Series cannulated drill
D系列多功能钻
D Series multifunctional drill system
E系列电钻
E Series drill system

消毒盒
Sterilization box



订货代码：230000
Order Code: 230000
标配于：A系列电钻
Apply to: A-Series drill

订货代码：230000-5
Order Code: 230000-5
标配于：B系列电钻
Apply to: B-Series drill

订货代码：230000-6
Order Code: 230000-6
标配于：C系列电钻
Apply to: C-Series drill

订货代码：230000-7
Order Code: 230000-7
标配于：D系列电钻
Apply to: D-Series drill

手提箱
Aluminium box




订货代码：230000-1
Order Code: 230000-1
标配于：A/B系列电钻
Apply to: A/B-Series drill

订货代码：230000-3
Order Code: 230000-3
标配于：D系列电钻
Apply to: D-Series drill

订货代码：230000-2
Order Code: 230000-2
标配于：C系列电钻
Apply to: C-Series drill

订货代码：230000-4
Order Code: 230000-4
标配于：E系列电钻
Apply to: E-Series drill

锯片
Saw blade



标配于：A-J/E-J/F-J摆锯、E系列多功能钻
Apply to: Sagittal Saw A-J/E-J/F-J
E-Series multifunctional drill system

可选规格:
Available sizes:

订货代码：230004-2
Order Code: 230004-2
1.0*120*90*14mm

订货代码：230004-11
Order Code: 230004-11
1.0*120*90*22mm


订货代码：230004-10
Order Code: 230004-10
1.2*120*90*14mm

订货代码：230004-1
Order Code: 230004-1
1.2*120*90*22mm

订货代码：230004-41
Order Code: 230004-41
1.2*70*22mm

订货代码：230004-42
Order Code: 230004-42
1.2*110*22mm

锯片
Saw blade



标配于：C-J摆锯、D系列多功能钻
Apply to: Mini sagittal saw C-J
D-Series multifunctional drill system

可选规格:
Available sizes:

订货代码：230004-9
Order Code: 230004-9
30*9.5mm

订货代码：230004-8
Order Code: 230004-8
37*7.5mm

订货代码：230004-7
Order Code: 230004-7
37*8mm

订货代码：230004-5
Order Code: 230004-5
37*15mm

订货代码：230004-6
Order Code: 230004-6
37*12mm

订货代码：230004-14
Order Code: 230004-14
45*15mm

锯片
Saw blade

(可接受不同接口不同型号批量定制)
(Can accept different interface different model mass customization)




可选规格:
Available sizes:

订货代码：230004-24
Order Code: 230004-24
B 1.27*90*22mm

订货代码：230004-25
Order Code: 230004-25
B 1.2*90*22mm

订货代码：230004-27
Order Code: 230004-27
B 1.2*90*14mm

订货代码：230004-26
Order Code: 230004-26
B 1.0*90*14mm



可选规格:
Available sizes:

订货代码：230004-35
Order Code: 230004-35
L 1.27*90*22mm

订货代码：230004-36
Order Code: 230004-36
L 1.2*90*22mm

订货代码：230004-37
Order Code: 230004-37
L 1.2*90*13mm

订货代码：230004-38
Order Code: 230004-38
L 1.0*90*13mm




可选规格:
Available sizes:

订货代码：230004-32
Order Code: 230004-32
AO 1.2*90*22mm

订货代码：230004-33
Order Code: 230004-33
AO 1.2*90*13mm

订货代码：230004-34
Order Code: 230004-34
AO 1.0*90*13mm



可选规格:
Available sizes:

订货代码：230004-28
Order Code: 230004-28
S 1.27*90*22mm

订货代码：230004-29
Order Code: 230004-29
S 1.2*90*22mm

订货代码：230004-30
Order Code: 230004-30
S 1.2*90*13mm

订货代码：230004-31
Order Code: 230004-31
S 1.0*90*13mm

石膏锯
Plaster Saw

订货代码：201003-2S
Order Code: 201003-2S



技术参数
Technical data

适用范围 Apply to range	石膏 Plaster
摆频 OSC/min	0-15000/分钟 0-15000/minutes
标配 Accessories	电池一块、充电器一个、 锯片三块、扳手一个 1 battery/1charger/ 3 saw blades/1 wrench


石膏锯片
Plaster Saw Blades
规格
Size



订货代码：201003-5
Order Code: 201003-5
(小 Small)



订货代码：201003-4
Order Code: 201003-4
(中 Medium)



订货代码：201003-3
Order Code: 201003-3
(大 Big)

ISO:13485





微信公众号

合肥市五洋医疗器械有限公司
HEFEI WUYANG MEDICAL INSTRUMENT CO., LTD
电话（phone):0551-63520838

E-mail:hefeiwuyang@126.com
E-mail(Foreign trade):kelly@hfwuyang.com/Sue@hfwuyang.com

网址：http://www.hfwuyang.com
http://www.hfwuyang.en.alibaba.com

地址:中国 · 安徽 · 合肥 肥西县紫蓬镇工业聚集区紫三路2号
Address: No.2, Zisan Road, Zipeng Town Industrial Area, Feixi County, Hefei city, 231200, Anhui Province, China

四川办事处
电话：18255113700
成都市成华区建材路39号隆鑫九熙广场二期2栋

广东办事处
电话：18756910201
佛山市南海区万达广场C栋1401,1402

山东办事处
电话：13865958952
济南市槐阴区经一路发祥一号公馆1509室